

EGT2
ENGINEERING TRIPOS PART IIA

Wednesday 1 May 2024 9.30 to 12.40

Module 3A3

FLUID MECHANICS II

*Answer not more than **five** questions.*

All questions carry the same number of marks.

*The **approximate** percentage of marks allocated to each part of a question is indicated in the right margin.*

*Write your candidate number **not** your name on the cover sheet.*

STATIONERY REQUIREMENTS

Single-sided script paper

SPECIAL REQUIREMENTS TO BE SUPPLIED FOR THIS EXAM

CUED approved calculator allowed.

Attachments:

Compressible Flow Data Book (38 pages);

Engineering Data Book

10 minutes reading time is allowed for this paper at the start of the exam.

You may not start to read the questions printed on the subsequent pages of this question paper until instructed to do so.

You may not remove any stationery from the Examination Room.

1 Air is discharged steadily through a convergent-divergent nozzle. The flow may be assumed to be adiabatic and inviscid.

(a) Describe the various flow regimes which may be obtained in the converging-diverging nozzle as the pressure at the outlet is reduced relative to that at inlet. Include sketches of the stagnation pressure and static pressure distributions along the nozzle. [30%]

(b) The stagnation pressure and stagnation temperature at the inlet to the nozzle are 180 kPa and 288 K. The stagnation and static pressures at the exit of the nozzle are 140 kPa and 118 kPa respectively. The nozzle throat area is 0.01 m^2 .

(i) Explain why there must be a shock in the nozzle. [5%]

(ii) Determine the mass flow rate. Find also the Mach number and area at the exit of the nozzle. [25%]

(iii) Determine the Mach number and area of the nozzle at the plane at which the shock is located. [20%]

(iv) If the static pressure at the exit is increased, determine the highest Mach number that can be achieved at the exit for which the flow is subsonic throughout the entire nozzle. Determine the corresponding value of the static pressure at the exit. [20%]

2 A long cylinder of constant cross-sectional area is closed at one end and sealed by a diaphragm at the other. The cylinder initially contains air that is depressurized to a pressure p_0 . The surrounding air is at pressure p_a and the initial pressure ratio p_a/p_0 is 4.0. At time $t = 0$, the diaphragm instantaneously bursts and a travelling shock wave forms.

(a) Calculate the strength of the initial shock wave. Draw a space-time diagram of the shock wave as it travels through the cylinder and reflects off the closed end. Mark on the diagram a fluid-particle trajectory. [25%]

(b) Calculate the velocity of the air and the speed of sound immediately downstream of the initial shock wave in terms of the speed of sound in the cylinder before the diaphragm bursts, a_0 . [35%]

(c) Calculate the strength of the shock wave immediately after it reflects off the closed end of the cylinder. Use may be made of the formula for the density change across a shock wave,

$$\frac{\rho}{\rho_s} = \frac{2}{(\gamma + 1)M^2} + \frac{\gamma - 1}{\gamma + 1}$$

where ρ and M are the density and Mach number upstream of the shock, ρ_s is the density downstream of the shock and γ is the ratio of specific heat capacities of the air. [40%]

3 Air flows through a duct that has frictionless walls and a constant cross-sectional area. The mass flow rate is constant at 20 kg s^{-1} and heat is added at a rate of 2.5 MW. With this rate of heat addition, the static temperature at the exit of the duct is 660 K and the velocity at the exit is 330 m s^{-1} .

(a) Calculate

(i) the inlet stagnation temperature, and [20%]

(ii) the inlet velocity. [25%]

(b) Draw and label a $T - S$ diagram to show the complete process. [15%]

(c) With the same inlet conditions, what increase in the rate of heat addition is required to choke the exit of the duct? [20%]

(d) Without doing any calculations, explain what will happen if further heat is added after the exit has choked. [20%]

4 A supersonic jet aircraft is designed to operate at a Mach number, $M = 3.00$. It is to be fitted with a conventional 2D intake with focussed external compression. The intake consists of a total of n shocks, of which $(n - 1)$ are oblique and one is a normal shock.

(a) For the case where $n = 2$, estimate to the nearest degree the turning angle δ that will result in the optimum pressure recovery — i.e. that with the minimum loss in stagnation pressure. [50%]

(b) For the case where $n = 3$, calculate the pressure recovery if each of the oblique shocks turn the flow by 16° , giving a total turning of 32° . [20%]

(c) Calculate the total angle through which the flow must be turned to give the highest pressure recovery that is theoretically possible. [15%]

(d) Comment on the relative merits of the designs in parts (a), (b) and (c), including their impact on the whole aircraft performance. [15%]

5 A thin flat plate is placed at an incidence of 6° to a flow of dry air at an altitude of 18 km and a speed of 650 ms^{-1} .

- (a) Draw a carefully labelled sketch of the plate and the flow features around it. [30%]
- (b) Show that the lift coefficient is 0.21. [40%]
- (c) Calculate the lift-to-drag ratio of the plate. [15%]
- (d) Comment on the suitability of the flat plate to be used as an aerofoil. [15%]

6 The equation

$$\frac{\partial u}{\partial t} - 2 \frac{\partial u}{\partial x} = 0$$

is to be solved over the domain $0 < x < 1$, with initial and boundary conditions of

$$u(t = 0, x) = \begin{cases} 0.5, & \text{if } 0 < x \leq 0.5 \\ 1, & \text{if } 0.5 < x < 1 \end{cases} \quad \text{and} \quad u(t, x = 1) = 0.75$$

- (a) State why the boundary condition need only be specified at $x = 1$. [10%]
- (b) The domain is discretised and the solution is approximated using finite differences. Derive the approximate difference equation using a first order upwind estimate for the spatial derivative on an equally spaced grid, and a first order forward difference for the time derivative with a time step of Δt . [20%]
- (c) Show that for a particular value of Δt the solution can be both stable and have an accuracy greater than first order in both space and time. [30%]
- (d) If the domain is discretised with 101 equally spaced nodes, calculate the required value of Δt to achieve the conditions of part (c). [20%]
- (e) Sketch the evolution of the solution when a time step
 - (i) equal to the value of Δt from part (c) is used, and
 - (ii) half the value of Δt from part (c) is used. [20%]

7 (a) For the equation

$$\frac{\partial u}{\partial t} = \alpha \frac{\partial^2 u}{\partial x^2}$$

the following scheme is used to produce a numerical solution,

$$u_i^{N+1} = u_i^N + \left(u_{i-2}^N - 2u_{i-1}^N + u_i^N \right) \frac{\alpha \Delta t}{\Delta x^2}$$

Identify the leading error terms in both space and time and hence the order of accuracy of this scheme. [50%]

(b) Measurements are completed in a low-speed axial turbine with a blade speed of 70 m s^{-1} and annular area of 0.1 m^2 . The working fluid is air and the turbine is designed to have repeating stages with constant axial velocity. The incoming swirl angle to the first stator is -10° in the absolute frame, the stagnation pressure and temperature drops over the first stage are 0.1 bar and 7.31 K respectively, the mass flow rate is 4.31 kg s^{-1} and the density is 1.23 kg m^{-3} .

(i) Determine the flow and stage loading coefficients. [10%]

(ii) Draw the velocity triangle at the exit of the stage and calculate the swirl angle in the rotor relative frame. [10%]

(iii) Draw the velocity triangle at the inlet to the rotor and calculate the swirl angle in the absolute frame. [15%]

(iv) Calculate the isentropic efficiency of the stage based on stagnation conditions. [15%]

8 The first rotor of a high-speed axial compressor rotates at 19000 RPM and has 36 blades around the annulus, a constant mean radius of 0.2 m, a total mass flow rate of 30 kg s^{-1} and an inlet stagnation temperature of 288.15 K. The velocities are also known: the axial velocity is 205 m s^{-1} and is constant, the absolute tangential velocity at the inlet is 53 m s^{-1} and at the outlet is 283 m s^{-1} . The working fluid is air.

(a) Determine the tangential force on a single rotor blade and indicate its direction relative to the blade motion. [10%]

(b) Using the steady flow energy equation and the tangential force on a rotor blade, derive Euler's work equation for flow through a blade row with constant mean radius

$$\Delta h_0 = U \Delta V_\theta$$

where Δh_0 is the stagnation enthalpy change through the row, U is the blade speed and ΔV_θ is the change in tangential velocity through the row. [20%]

(c) Determine the power requirement for a single rotor blade. [10%]

(d) Determine the inlet Mach number in the rotor relative frame. [20%]

(e) Determine the outlet Mach number in the rotor relative frame. [20%]

(f) Describe how the annulus area must change from the inlet to the outlet of the rotor row to maintain a constant axial velocity. Assuming that the flow through the row is isentropic, determine the required ratio of annulus area. [20%]

END OF PAPER

THIS PAGE IS BLANK

Compressible Flow Data Book

for Part II of the
Engineering Tripos

2009 Edition



Cambridge University Engineering Department

PERFECT GAS RELATIONS FOR COMPRESSIBLE FLOW

Ratios of stagnation to static quantities

$$\frac{T}{T_0} = \left(1 + \frac{\gamma-1}{2} M^2\right)^{-1}$$

$$\frac{p}{p_0} = \left(1 + \frac{\gamma-1}{2} M^2\right)^{-\frac{\gamma}{\gamma-1}}$$

$$\frac{\rho}{\rho_0} = \left(1 + \frac{\gamma-1}{2} M^2\right)^{-\frac{1}{\gamma-1}}$$

Notes:

(1) $T_0 = \text{const.}$ in adiabatic flow with no shaft work

(2) If flow is isentropic, $p_0 = \text{const.}$ and $\rho_0 = \text{const.}$ when $T_0 = \text{const.}$

Mach number relations (see tables)

$$\frac{V}{\sqrt{c_p T_0}} = \sqrt{\gamma-1} M \left(1 + \frac{\gamma-1}{2} M^2\right)^{-\frac{1}{2}}$$

$$\frac{\dot{m} \sqrt{c_p T_0}}{A p_0} = \frac{\gamma}{\sqrt{\gamma-1}} M \left(1 + \frac{\gamma-1}{2} M^2\right)^{-\frac{1}{2} \left(\frac{\gamma+1}{\gamma-1}\right)}$$

$$\frac{\dot{m} \sqrt{c_p T_0}}{A p} = \frac{\gamma}{\sqrt{\gamma-1}} M \left(1 + \frac{\gamma-1}{2} M^2\right)^{\frac{1}{2}}$$

$$\frac{F}{\dot{m} \sqrt{c_p T_0}} = \frac{\sqrt{\gamma-1}}{\gamma} \frac{1 + \gamma M^2}{M} \left(1 + \frac{\gamma-1}{2} M^2\right)^{-\frac{1}{2}} \quad \text{where} \quad F = (p + \rho V^2) A$$

$$\frac{\frac{1}{2} \rho V^2}{p_0} = \frac{1}{2} \gamma M^2 \left(1 + \frac{\gamma-1}{2} M^2\right)^{-\frac{\gamma}{\gamma-1}}$$

ONE-DIMENSIONAL FLOW OF A PERFECT GAS

Isentropic flow

$$\frac{A}{A^*} = \frac{1}{M} \left\{ \frac{2}{\gamma+1} \left(1 + \frac{\gamma-1}{2} M^2 \right) \right\}^{\frac{1}{2} \left(\frac{\gamma+1}{\gamma-1} \right)}$$

Adiabatic constant area flow

$$\frac{4c_f L_{\max}}{D} = \frac{1-M^2}{\gamma M^2} + \frac{\gamma+1}{2\gamma} \ln \left(\frac{(\gamma+1)M^2}{2 \left(1 + \frac{\gamma-1}{2} M^2 \right)} \right)$$

Normal shock waves in perfect gases

$$VV_s = a^{*2}$$

$$M_s = \left(\frac{1 + \frac{\gamma-1}{2} M^2}{\gamma M^2 - \frac{\gamma-1}{2}} \right)^{\frac{1}{2}}$$

$$\frac{p_{0s}}{p_0} = \left(\frac{\frac{\gamma+1}{2} M^2}{1 + \frac{\gamma-1}{2} M^2} \right)^{\frac{\gamma}{\gamma-1}} \left(\frac{2\gamma}{\gamma+1} M^2 - \frac{\gamma-1}{\gamma+1} \right)^{\frac{1}{1-\gamma}}$$

$$\frac{p_s}{p} = 1 + \frac{2\gamma}{\gamma+1} (M^2 - 1)$$

$$\frac{p_{0s}}{p} = \left(\frac{\gamma+1}{2} M^2 \right)^{\frac{\gamma}{\gamma-1}} \left(\frac{2\gamma}{\gamma+1} M^2 - \frac{\gamma-1}{\gamma+1} \right)^{\frac{1}{1-\gamma}}$$


$$\frac{T_s}{T} = \frac{\gamma-1}{(\gamma+1)^2} \frac{2}{M^2} \left(1 + \frac{\gamma-1}{2} M^2 \right) \left(\frac{2\gamma}{\gamma-1} M^2 - 1 \right)$$

$$\frac{\rho_s}{\rho} = \frac{(\gamma+1)M^2}{2 \left(1 + \frac{\gamma-1}{2} M^2 \right)}$$

TWO DIMENSIONAL SUPERSONIC FLOW

Method of Characteristics for 2-D supersonic flow

Applicable to adiabatic ($h_0 = \text{constant}$), isentropic flow



Mach Number

$$M = u/c$$

Mach angle

$$\mu = \sin^{-1}\left(\frac{1}{M}\right)$$


Prandtl-Meyer function

$$\nu = \int_1^M \sqrt{M^2 - 1} \frac{du}{u}$$

$$\nu = \sqrt{\frac{\gamma+1}{\gamma-1}} \tan^{-1} \sqrt{\frac{\gamma-1}{\gamma+1} (M^2 - 1)} - \tan^{-1} \sqrt{M^2 - 1} \quad \text{for a perfect gas}$$

Calculations


Lattice Method



$$\nu_3 - \theta_3 = \nu_2 - \theta_2 \quad \text{along } +\mu$$

$$\nu_3 + \theta_3 = \nu_1 + \theta_1 \quad \text{along } -\mu$$


Field (or wave) method



$$\nu_3 + \theta_3 = \nu_1 + \theta_1 \quad \text{across } +\mu$$

$$\nu_3 - \theta_3 = \nu_2 - \theta_2 \quad \text{across } -\mu$$

Linearised Method of Characteristics (thin film theory)




$$\mu \approx \sin^{-1}(1/M_\infty)$$

$$\Delta p \approx \pm \frac{\rho_\infty u_\infty^2 \Delta \theta}{\sqrt{M_\infty^2 - 1}} \quad \text{across } \pm \mu \text{ waves}$$

$$\text{Pressure coefficient } c_p = \frac{p - p_\infty}{\frac{1}{2} \rho_\infty u_\infty^2} = \pm \frac{2\theta}{\sqrt{M_\infty^2 - 1}} \quad \text{on upper/lower surface}$$

Prandtl-Glauert rule for linearised potential flow past geometrically similar bodies



$$\text{Pressure coefficient } c_p = \frac{p - p_\infty}{\frac{1}{2} \rho_\infty u_\infty^2}$$

For geometrically similar bodies with $\frac{\eta}{L} = f\left(\frac{x}{L}\right)$ and $c_p(M_\infty = 0) = c_{p0}$,

$$c_p = \frac{c_{p0}}{\sqrt{1 - M_\infty^2}} \quad \text{in subsonic flow}$$

$$c_p \propto \frac{1}{\sqrt{M_\infty^2 - 1}} \quad \text{in supersonic flow}$$

Oblique Shock Relations (see tables)

$$\frac{p_2}{p_1} = 1 + \frac{2\gamma}{\gamma+1} (M_1^2 \sin^2 \beta - 1)$$


$$\frac{T_2}{T_1} = \frac{\gamma-1}{(\gamma+1)^2} \frac{2}{M_1^2 \sin^2 \beta} \left(1 + \frac{\gamma-1}{2} M_1^2 \sin^2 \beta \right) \left(\frac{2\gamma}{\gamma-1} M_1^2 \sin^2 \beta - 1 \right)$$

$$\frac{\rho_2}{\rho_1} = \frac{(\gamma+1) M_1^2 \sin^2 \beta}{2 \left[1 + \frac{\gamma-1}{2} M_1^2 \sin^2 \beta \right]}$$

$$M_2 \sin(\beta - \theta) = \left[\frac{1 + \frac{\gamma-1}{2} M_1^2 \sin^2 \beta}{\gamma M_1^2 \sin^2 \beta - \frac{\gamma-1}{2}} \right]^{\frac{1}{2}}$$

$$\frac{p_{02}}{p_{01}} = \left(\frac{\frac{\gamma+1}{2} M_1^2 \sin^2 \beta}{1 + \frac{\gamma-1}{2} M_1^2 \sin^2 \beta} \right)^{\frac{\gamma}{\gamma-1}} \left(\frac{2\gamma}{\gamma+1} M_1^2 \sin^2 \beta - \frac{\gamma-1}{\gamma+1} \right)^{\frac{1}{1-\gamma}}$$

$$\tan \theta = \frac{2 \cot \beta (M_1^2 \sin^2 \beta - 1)}{(\gamma+1) M_1^2 - 2 (M_1^2 \sin^2 \beta - 1)}$$



Shock angle β

GAS FLOW TABLES ($\gamma=1.400$): SUBSONIC FLOW

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap_0}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap}$	$\frac{F}{\dot{m}\sqrt{c_p T_0}}$	$\frac{4c_f L_{\max}}{D}$	$\frac{1}{2}\rho V^2$ p_0
0.010	1.0000	0.9999	1.0000	0.0063	0.0221	0.0221	45.1813	7134.405	0.0001
0.020	0.9999	0.9997	0.9998	0.0126	0.0443	0.0443	22.5994	1778.450	0.0003
0.030	0.9998	0.9994	0.9996	0.0190	0.0664	0.0664	15.0761	787.0814	0.0006
0.040	0.9997	0.9989	0.9992	0.0253	0.0885	0.0886	11.3173	440.3522	0.0011
0.050	0.9995	0.9983	0.9988	0.0316	0.1105	0.1107	9.0644	280.0203	0.0017
0.060	0.9993	0.9975	0.9982	0.0379	0.1325	0.1329	7.5645	193.0311	0.0025
0.070	0.9990	0.9966	0.9976	0.0443	0.1545	0.1550	6.4947	140.6550	0.0034
0.080	0.9987	0.9955	0.9968	0.0506	0.1764	0.1772	5.6939	106.7182	0.0045
0.090	0.9984	0.9944	0.9960	0.0569	0.1983	0.1994	5.0723	83.4961	0.0056
0.100	0.9980	0.9930	0.9950	0.0632	0.2200	0.2216	4.5762	66.9216	0.0070
0.110	0.9976	0.9916	0.9940	0.0695	0.2417	0.2438	4.1714	54.6879	0.0084
0.120	0.9971	0.9900	0.9928	0.0758	0.2633	0.2660	3.8350	45.4080	0.0100
0.130	0.9966	0.9883	0.9916	0.0821	0.2849	0.2883	3.5513	38.2070	0.0117
0.140	0.9961	0.9864	0.9903	0.0884	0.3063	0.3105	3.3089	32.5113	0.0135
0.150	0.9955	0.9844	0.9888	0.0947	0.3276	0.3328	3.0996	27.9320	0.0155
0.160	0.9949	0.9823	0.9873	0.1009	0.3488	0.3551	2.9172	24.1978	0.0176
0.170	0.9943	0.9800	0.9857	0.1072	0.3699	0.3774	2.7569	21.1152	0.0198
0.180	0.9936	0.9776	0.9840	0.1135	0.3908	0.3997	2.6151	18.5427	0.0222
0.190	0.9928	0.9751	0.9822	0.1197	0.4116	0.4221	2.4889	16.3752	0.0246
0.200	0.9921	0.9725	0.9803	0.1260	0.4323	0.4445	2.3758	14.5333	0.0272
0.210	0.9913	0.9697	0.9783	0.1322	0.4528	0.4669	2.2740	12.9560	0.0299
0.220	0.9904	0.9668	0.9762	0.1385	0.4731	0.4893	2.1820	11.5961	0.0328
0.230	0.9895	0.9638	0.9740	0.1447	0.4933	0.5118	2.0985	10.4161	0.0357
0.240	0.9886	0.9607	0.9718	0.1509	0.5133	0.5343	2.0225	9.3865	0.0387
0.250	0.9877	0.9575	0.9694	0.1571	0.5332	0.5568	1.9530	8.4834	0.0419
0.260	0.9867	0.9541	0.9670	0.1633	0.5528	0.5794	1.8892	7.6876	0.0451
0.270	0.9856	0.9506	0.9645	0.1695	0.5723	0.6020	1.8306	6.9832	0.0485
0.280	0.9846	0.9470	0.9619	0.1757	0.5915	0.6246	1.7766	6.3572	0.0520
0.290	0.9835	0.9433	0.9592	0.1819	0.6106	0.6473	1.7267	5.7989	0.0555
0.300	0.9823	0.9395	0.9564	0.1881	0.6295	0.6700	1.6805	5.2993	0.0592
0.310	0.9811	0.9355	0.9535	0.1942	0.6481	0.6928	1.6377	4.8507	0.0629
0.320	0.9799	0.9315	0.9506	0.2003	0.6666	0.7156	1.5978	4.4467	0.0668
0.330	0.9787	0.9274	0.9476	0.2065	0.6848	0.7384	1.5608	4.0821	0.0707
0.340	0.9774	0.9231	0.9445	0.2126	0.7027	0.7613	1.5262	3.7520	0.0747
0.350	0.9761	0.9188	0.9413	0.2187	0.7205	0.7842	1.4939	3.4525	0.0788
0.360	0.9747	0.9143	0.9380	0.2248	0.7380	0.8072	1.4637	3.1801	0.0829
0.370	0.9733	0.9098	0.9347	0.2309	0.7553	0.8302	1.4354	2.9320	0.0872
0.380	0.9719	0.9052	0.9313	0.2369	0.7723	0.8532	1.4090	2.7054	0.0915
0.390	0.9705	0.9004	0.9278	0.2430	0.7891	0.8763	1.3841	2.4983	0.0959
0.400	0.9690	0.8956	0.9243	0.2490	0.8056	0.8995	1.3608	2.3085	0.1003
0.410	0.9675	0.8907	0.9207	0.2551	0.8219	0.9227	1.3388	2.1344	0.1048
0.420	0.9659	0.8857	0.9170	0.2611	0.8379	0.9460	1.3182	1.9744	0.1094
0.430	0.9643	0.8807	0.9132	0.2671	0.8536	0.9693	1.2988	1.8272	0.1140
0.440	0.9627	0.8755	0.9094	0.2730	0.8691	0.9927	1.2804	1.6915	0.1186
0.450	0.9611	0.8703	0.9055	0.2790	0.8843	1.0161	1.2632	1.5664	0.1234
0.460	0.9594	0.8650	0.9016	0.2850	0.8992	1.0396	1.2469	1.4509	0.1281
0.470	0.9577	0.8596	0.8976	0.2909	0.9138	1.0631	1.2315	1.3441	0.1329
0.480	0.9559	0.8541	0.8935	0.2968	0.9282	1.0867	1.2170	1.2453	0.1378
0.490	0.9542	0.8486	0.8894	0.3027	0.9423	1.1104	1.2033	1.1539	0.1426
0.500	0.9524	0.8430	0.8852	0.3086	0.9561	1.1341	1.1903	1.0691	0.1475

$$\gamma=1.400$$

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap_0}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap}$	$\frac{F}{\dot{m}\sqrt{c_p T_0}}$	$\frac{4c_f L_{\max}}{D}$	$\frac{\frac{1}{2}\rho V^2}{p_0}$
0.510	0.9506	0.8374	0.8809	0.3145	0.9696	1.1579	1.1781	0.9904	0.1525
0.520	0.9487	0.8317	0.8766	0.3203	0.9828	1.1818	1.1665	0.9174	0.1574
0.530	0.9468	0.8259	0.8723	0.3262	0.9958	1.2057	1.1556	0.8496	0.1624
0.540	0.9449	0.8201	0.8679	0.3320	1.0084	1.2297	1.1452	0.7866	0.1674
0.550	0.9430	0.8142	0.8634	0.3378	1.0208	1.2538	1.1354	0.7281	0.1724
0.560	0.9410	0.8082	0.8589	0.3436	1.0328	1.2779	1.1261	0.6736	0.1774
0.570	0.9390	0.8022	0.8544	0.3493	1.0446	1.3021	1.1173	0.6229	0.1825
0.580	0.9370	0.7962	0.8498	0.3551	1.0561	1.3264	1.1090	0.5757	0.1875
0.590	0.9349	0.7901	0.8451	0.3608	1.0672	1.3507	1.1011	0.5317	0.1925
0.600	0.9328	0.7840	0.8405	0.3665	1.0781	1.3751	1.0937	0.4908	0.1976
0.610	0.9307	0.7778	0.8357	0.3722	1.0887	1.3996	1.0867	0.4527	0.2026
0.620	0.9286	0.7716	0.8310	0.3779	1.0990	1.4242	1.0800	0.4172	0.2076
0.630	0.9265	0.7654	0.8262	0.3835	1.1090	1.4489	1.0737	0.3841	0.2127
0.640	0.9243	0.7591	0.8213	0.3891	1.1186	1.4736	1.0678	0.3533	0.2177
0.650	0.9221	0.7528	0.8164	0.3948	1.1280	1.4984	1.0621	0.3246	0.2226
0.660	0.9199	0.7465	0.8115	0.4003	1.1371	1.5233	1.0568	0.2979	0.2276
0.670	0.9176	0.7401	0.8066	0.4059	1.1459	1.5483	1.0518	0.2730	0.2326
0.680	0.9153	0.7338	0.8016	0.4115	1.1544	1.5733	1.0471	0.2498	0.2375
0.690	0.9131	0.7274	0.7966	0.4170	1.1626	1.5984	1.0426	0.2282	0.2424
0.700	0.9107	0.7209	0.7916	0.4225	1.1705	1.6237	1.0384	0.2081	0.2473
0.710	0.9084	0.7145	0.7865	0.4280	1.1782	1.6490	1.0344	0.1895	0.2521
0.720	0.9061	0.7080	0.7814	0.4335	1.1855	1.6744	1.0307	0.1721	0.2569
0.730	0.9037	0.7016	0.7763	0.4389	1.1925	1.6999	1.0272	0.1561	0.2617
0.740	0.9013	0.6951	0.7712	0.4443	1.1993	1.7254	1.0239	0.1411	0.2664
0.750	0.8989	0.6886	0.7660	0.4497	1.2058	1.7511	1.0208	0.1273	0.2711
0.760	0.8964	0.6821	0.7609	0.4551	1.2119	1.7768	1.0179	0.1145	0.2758
0.770	0.8940	0.6756	0.7557	0.4605	1.2178	1.8027	1.0152	0.1026	0.2804
0.780	0.8915	0.6691	0.7505	0.4658	1.2234	1.8286	1.0126	0.0917	0.2849
0.790	0.8890	0.6625	0.7452	0.4711	1.2288	1.8547	1.0103	0.0816	0.2894
0.800	0.8865	0.6560	0.7400	0.4764	1.2338	1.8808	1.0081	0.0723	0.2939
0.810	0.8840	0.6495	0.7347	0.4817	1.2386	1.9070	1.0060	0.0638	0.2983
0.820	0.8815	0.6430	0.7295	0.4869	1.2431	1.9333	1.0041	0.0559	0.3026
0.830	0.8789	0.6365	0.7242	0.4921	1.2474	1.9598	1.0024	0.0488	0.3069
0.840	0.8763	0.6300	0.7189	0.4973	1.2514	1.9863	1.0008	0.0423	0.3112
0.850	0.8737	0.6235	0.7136	0.5025	1.2551	2.0129	0.9993	0.0363	0.3153
0.860	0.8711	0.6170	0.7083	0.5077	1.2585	2.0396	0.9979	0.0310	0.3195
0.870	0.8685	0.6106	0.7030	0.5128	1.2617	2.0665	0.9967	0.0261	0.3235
0.880	0.8659	0.6041	0.6977	0.5179	1.2646	2.0934	0.9956	0.0218	0.3275
0.890	0.8632	0.5977	0.6924	0.5230	1.2673	2.1204	0.9946	0.0179	0.3314
0.900	0.8606	0.5913	0.6870	0.5280	1.2698	2.1476	0.9937	0.0145	0.3352
0.910	0.8579	0.5849	0.6817	0.5331	1.2719	2.1748	0.9929	0.0115	0.3390
0.920	0.8552	0.5785	0.6764	0.5381	1.2739	2.2021	0.9922	0.0089	0.3427
0.930	0.8525	0.5721	0.6711	0.5431	1.2756	2.2296	0.9916	0.0067	0.3464
0.940	0.8498	0.5658	0.6658	0.5481	1.2770	2.2572	0.9911	0.0048	0.3499
0.950	0.8471	0.5595	0.6604	0.5530	1.2783	2.2848	0.9907	0.0033	0.3534
0.960	0.8444	0.5532	0.6551	0.5579	1.2793	2.3126	0.9903	0.0021	0.3569
0.970	0.8416	0.5469	0.6498	0.5628	1.2800	2.3405	0.9901	0.0011	0.3602
0.980	0.8389	0.5407	0.6445	0.5677	1.2806	2.3685	0.9899	0.0005	0.3635
0.990	0.8361	0.5345	0.6392	0.5725	1.2809	2.3966	0.9898	0.0001	0.3667
1.000	0.8333	0.5283	0.6339	0.5774	1.2810	2.4249	0.9897	0.0000	0.3698

GAS FLOW TABLES ($\gamma=1.400$): SUPERSONIC FLOW

behind shock
ahead

M	$\frac{T}{T_0}$	$\frac{P}{P_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m} \sqrt{c_p T_0}}{A p_0}$	$\frac{\dot{m} \sqrt{c_p T_0}}{A p}$	F	$\frac{4 c_f L_{\max}}{D}$	$\frac{1}{2} \rho V^2$	M_s	$\frac{P_{0s}}{P_0}$	$\frac{P_0}{P}$	$\frac{T_s}{T}$	ν	M
1.010	0.8306	0.5221	0.6287	0.5821	1.2809	2.4532	0.9898	0.0001	0.3728	0.9901	1.0000	1.0235	1.0066	0.04	1.010
1.020	0.8278	0.5160	0.6234	0.5869	1.2806	2.4817	0.9899	0.0005	0.3758	0.9805	1.0000	1.0471	1.0132	0.13	1.020
1.030	0.8250	0.5099	0.6181	0.5917	1.2801	2.5103	0.9900	0.0010	0.3787	0.9712	1.0000	1.0711	1.0198	0.23	1.030
1.040	0.8222	0.5039	0.6129	0.5964	1.2793	2.5390	0.9903	0.0018	0.3815	0.9620	0.9999	1.0952	1.0263	0.35	1.040
1.050	0.8193	0.4979	0.6077	0.6011	1.2784	2.5678	0.9905	0.0027	0.3842	0.9531	0.9999	1.1196	1.0328	0.49	1.050
1.060	0.8165	0.4919	0.6024	0.6058	1.2773	2.5967	0.9909	0.0038	0.3869	0.9444	0.9998	1.1442	1.0393	0.64	1.060
1.070	0.8137	0.4860	0.5972	0.6104	1.2760	2.6258	0.9913	0.0051	0.3895	0.9360	0.9996	1.1691	1.0458	0.80	1.070
1.080	0.8108	0.4800	0.5920	0.6151	1.2745	2.6549	0.9917	0.0066	0.3919	0.9277	0.9994	1.1941	1.0522	0.97	1.080
1.090	0.8080	0.4742	0.5869	0.6197	1.2728	2.6842	0.9922	0.0082	0.3944	0.9196	0.9992	1.2195	1.0586	1.15	1.090
1.100	0.8052	0.4684	0.5817	0.6243	1.2709	2.7136	0.9928	0.0099	0.3967	0.9118	0.9989	1.2450	1.0649	1.34	1.100
1.110	0.8023	0.4626	0.5766	0.6288	1.2689	2.7432	0.9934	0.0118	0.3990	0.9041	0.9986	1.2708	1.0713	1.53	1.110
1.120	0.7994	0.4568	0.5714	0.6333	1.2667	2.7728	0.9940	0.0138	0.4011	0.8966	0.9982	1.2968	1.0776	1.74	1.120
1.130	0.7966	0.4511	0.5663	0.6379	1.2643	2.8026	0.9947	0.0159	0.4032	0.8892	0.9978	1.3231	1.0840	1.94	1.130
1.140	0.7937	0.4455	0.5612	0.6423	1.2618	2.8325	0.9954	0.0182	0.4052	0.8820	0.9973	1.3495	1.0903	2.16	1.140
1.150	0.7908	0.4398	0.5562	0.6468	1.2590	2.8626	0.9961	0.0205	0.4072	0.8750	0.9967	1.3763	1.0966	2.38	1.150
1.160	0.7879	0.4343	0.5511	0.6512	1.2562	2.8927	0.9969	0.0230	0.4090	0.8682	0.9961	1.4032	1.1029	2.61	1.160
1.170	0.7851	0.4287	0.5461	0.6556	1.2531	2.9230	0.9978	0.0255	0.4108	0.8615	0.9953	1.4304	1.1092	2.84	1.170
1.180	0.7822	0.4232	0.5411	0.6600	1.2500	2.9534	0.9986	0.0281	0.4125	0.8549	0.9946	1.4578	1.1154	3.07	1.180
1.190	0.7793	0.4178	0.5361	0.6644	1.2466	2.9840	0.9995	0.0309	0.4141	0.8485	0.9937	1.4855	1.1217	3.31	1.190
1.200	0.7764	0.4124	0.5311	0.6687	1.2432	3.0147	1.0004	0.0336	0.4157	0.8422	0.9928	1.5133	1.1280	3.56	1.200
1.210	0.7735	0.4070	0.5262	0.6730	1.2396	3.0455	1.0014	0.0365	0.4171	0.8360	0.9918	1.5415	1.1343	3.81	1.210
1.220	0.7706	0.4017	0.5213	0.6773	1.2358	3.0764	1.0024	0.0394	0.4185	0.8300	0.9907	1.5698	1.1405	4.06	1.220
1.230	0.7677	0.3964	0.5164	0.6816	1.2319	3.1075	1.0034	0.0424	0.4198	0.8241	0.9896	1.5984	1.1468	4.31	1.230
1.240	0.7648	0.3912	0.5115	0.6858	1.2279	3.1387	1.0045	0.0455	0.4211	0.8183	0.9884	1.6272	1.1531	4.57	1.240
1.250	0.7619	0.3861	0.5067	0.6901	1.2238	3.1700	1.0055	0.0486	0.4223	0.8126	0.9871	1.6563	1.1594	4.83	1.250

$$\gamma=1.400$$

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m} \sqrt{c_p T_0}}{A p_0}$	$\frac{\dot{m} \sqrt{c_p T_0}}{A p}$	F	$\frac{4 c_f L_{\max}}{D}$	$\frac{1}{2} \frac{\rho V^2}{p_0}$	M_s	$\frac{P_{0s}}{P_0}$	$\frac{P_s}{P}$	$\frac{P_{0s}}{P}$	$\frac{T_s}{T}$	ν	M
1.260	0.7590	0.3809	0.5019	0.6943	1.2195	3.2015	1.0066	0.0517	0.4233	0.8071	0.9857	1.6855	2.5875	1.1657	5.09	1.260
1.270	0.7561	0.3759	0.4971	0.6984	1.2152	3.2331	1.0077	0.0549	0.4244	0.8016	0.9842	1.7151	2.6186	1.1720	5.36	1.270
1.280	0.7532	0.3708	0.4923	0.7026	1.2107	3.2648	1.0089	0.0582	0.4253	0.7963	0.9827	1.7448	2.6500	1.1783	5.63	1.280
1.290	0.7503	0.3658	0.4876	0.7067	1.2061	3.2967	1.0100	0.0615	0.4262	0.7911	0.9811	1.7748	2.6816	1.1846	5.90	1.290
1.300	0.7474	0.3609	0.4829	0.7108	1.2014	3.3287	1.0112	0.0648	0.4270	0.7860	0.9794	1.8050	2.7136	1.1909	6.17	1.300
1.310	0.7445	0.3560	0.4782	0.7149	1.1965	3.3608	1.0124	0.0682	0.4277	0.7809	0.9776	1.8355	2.7459	1.1972	6.44	1.310
1.320	0.7416	0.3512	0.4736	0.7189	1.1916	3.3931	1.0136	0.0716	0.4283	0.7760	0.9758	1.8661	2.7784	1.2035	6.72	1.320
1.330	0.7387	0.3464	0.4690	0.7229	1.1866	3.4255	1.0149	0.0750	0.4289	0.7712	0.9738	1.8971	2.8112	1.2099	7.00	1.330
1.340	0.7358	0.3417	0.4644	0.7270	1.1815	3.4581	1.0161	0.0785	0.4294	0.7664	0.9718	1.9282	2.8444	1.2162	7.28	1.340
1.350	0.7329	0.3370	0.4598	0.7309	1.1763	3.4907	1.0174	0.0820	0.4299	0.7618	0.9697	1.9596	2.8778	1.2226	7.56	1.350
1.360	0.7300	0.3323	0.4553	0.7349	1.1710	3.5236	1.0187	0.0855	0.4303	0.7572	0.9676	1.9912	2.9115	1.2290	7.84	1.360
1.370	0.7271	0.3277	0.4508	0.7388	1.1656	3.5566	1.0200	0.0890	0.4306	0.7527	0.9653	2.0231	2.9455	1.2354	8.13	1.370
1.380	0.7242	0.3232	0.4463	0.7427	1.1601	3.5897	1.0213	0.0926	0.4308	0.7483	0.9630	2.0551	2.9798	1.2418	8.41	1.380
1.390	0.7213	0.3187	0.4418	0.7466	1.1546	3.6229	1.0226	0.0962	0.4310	0.7440	0.9607	2.0875	3.0144	1.2482	8.70	1.390
1.400	0.7184	0.3142	0.4374	0.7505	1.1490	3.6563	1.0240	0.0997	0.4311	0.7397	0.9582	2.1200	3.0492	1.2547	8.99	1.400
1.410	0.7155	0.3098	0.4330	0.7543	1.1433	3.6899	1.0253	0.1033	0.4312	0.7355	0.9557	2.1528	3.0844	1.2612	9.28	1.410
1.420	0.7126	0.3055	0.4287	0.7581	1.1375	3.7236	1.0267	0.1069	0.4312	0.7314	0.9531	2.1858	3.1198	1.2676	9.57	1.420
1.430	0.7097	0.3012	0.4244	0.7619	1.1317	3.7574	1.0281	0.1106	0.4311	0.7274	0.9504	2.2191	3.1555	1.2741	9.86	1.430
1.440	0.7069	0.2969	0.4201	0.7657	1.1258	3.7914	1.0295	0.1142	0.4310	0.7235	0.9476	2.2525	3.1915	1.2807	10.15	1.440
1.450	0.7040	0.2927	0.4158	0.7694	1.1198	3.8255	1.0308	0.1178	0.4308	0.7196	0.9448	2.2863	3.2278	1.2872	10.44	1.450
1.460	0.7011	0.2886	0.4116	0.7732	1.1138	3.8598	1.0323	0.1215	0.4306	0.7157	0.9420	2.3202	3.2643	1.2938	10.73	1.460
1.470	0.6982	0.2845	0.4074	0.7769	1.1077	3.8942	1.0337	0.1251	0.4303	0.7120	0.9390	2.3544	3.3011	1.3003	11.02	1.470
1.480	0.6954	0.2804	0.4032	0.7805	1.1016	3.9287	1.0351	0.1288	0.4299	0.7083	0.9360	2.3888	3.3382	1.3069	11.32	1.480
1.490	0.6925	0.2764	0.3991	0.7842	1.0954	3.9634	1.0365	0.1324	0.4295	0.7047	0.9329	2.4235	3.3756	1.3136	11.61	1.490
1.500	0.6897	0.2724	0.3950	0.7878	1.0891	3.9983	1.0379	0.1361	0.4290	0.7011	0.9298	2.4583	3.4133	1.3202	11.91	1.500

$$\gamma=1.400$$

M	$\frac{T}{T_0}$	$\frac{P}{P_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m} \sqrt{c_p T_0}}{A p_0}$	$\frac{\dot{m} \sqrt{c_p T_0}}{A p}$	F	$\frac{4 c_f L_{\max}}{D}$	$\frac{1}{2} \rho V^2$	M_s	$\frac{P_{0s}}{P_0}$	$\frac{P_s}{P}$	$\frac{P_{0s}}{P}$	$\frac{T_s}{T}$	ν	M
1.510	0.6868	0.2685	0.3909	0.7914	1.0829	4.0333	1.0394	0.1397	0.4285	0.6976	0.9266	2.4935	3.4512	1.3269	12.20	1.510
1.520	0.6840	0.2646	0.3869	0.7950	1.0765	4.0684	1.0408	0.1433	0.4279	0.6941	0.9233	2.5288	3.4894	1.3336	12.49	1.520
1.530	0.6811	0.2608	0.3829	0.7986	1.0702	4.1037	1.0423	0.1470	0.4273	0.6907	0.9200	2.5644	3.5279	1.3403	12.79	1.530
1.540	0.6783	0.2570	0.3789	0.8021	1.0638	4.1392	1.0437	0.1506	0.4266	0.6874	0.9166	2.6002	3.5667	1.3470	13.09	1.540
1.550	0.6754	0.2533	0.3750	0.8057	1.0573	4.1748	1.0452	0.1543	0.4259	0.6841	0.9132	2.6363	3.6057	1.3538	13.38	1.550
1.560	0.6726	0.2496	0.3710	0.8092	1.0508	4.2105	1.0467	0.1579	0.4252	0.6809	0.9097	2.6725	3.6450	1.3606	13.68	1.560
1.570	0.6698	0.2459	0.3672	0.8126	1.0443	4.2464	1.0481	0.1615	0.4243	0.6777	0.9062	2.7091	3.6846	1.3674	13.97	1.570
1.580	0.6670	0.2423	0.3633	0.8161	1.0378	4.2825	1.0496	0.1651	0.4235	0.6746	0.9026	2.7458	3.7244	1.3742	14.27	1.580
1.590	0.6642	0.2388	0.3595	0.8195	1.0312	4.3187	1.0511	0.1688	0.4226	0.6715	0.8989	2.7828	3.7646	1.3811	14.56	1.590
1.600	0.6614	0.2353	0.3557	0.8230	1.0246	4.3551	1.0526	0.1724	0.4216	0.6684	0.8952	2.8200	3.8050	1.3880	14.86	1.600
1.610	0.6586	0.2318	0.3520	0.8263	1.0180	4.3916	1.0541	0.1760	0.4206	0.6655	0.8915	2.8575	3.8456	1.3949	15.16	1.610
1.620	0.6558	0.2284	0.3483	0.8297	1.0114	4.4282	1.0555	0.1795	0.4196	0.6625	0.8877	2.8951	3.8866	1.4018	15.45	1.620
1.630	0.6530	0.2250	0.3446	0.8331	1.0047	4.4651	1.0570	0.1831	0.4185	0.6596	0.8838	2.9331	3.9278	1.4088	15.75	1.630
1.640	0.6502	0.2217	0.3409	0.8364	0.9980	4.5020	1.0585	0.1867	0.4174	0.6568	0.8799	2.9712	3.9693	1.4158	16.04	1.640
1.650	0.6475	0.2184	0.3373	0.8397	0.9913	4.5392	1.0600	0.1902	0.4162	0.6540	0.8760	3.0096	4.0110	1.4228	16.34	1.650
1.660	0.6447	0.2151	0.3337	0.8430	0.9846	4.5765	1.0615	0.1938	0.4150	0.6512	0.8720	3.0482	4.0531	1.4299	16.63	1.660
1.670	0.6419	0.2119	0.3302	0.8462	0.9779	4.6139	1.0630	0.1973	0.4138	0.6485	0.8680	3.0871	4.0953	1.4369	16.93	1.670
1.680	0.6392	0.2088	0.3266	0.8495	0.9712	4.6515	1.0645	0.2008	0.4125	0.6458	0.8639	3.1261	4.1379	1.4440	17.22	1.680
1.690	0.6364	0.2057	0.3232	0.8527	0.9644	4.6892	1.0660	0.2043	0.4112	0.6431	0.8599	3.1655	4.1807	1.4512	17.52	1.690
1.700	0.6337	0.2026	0.3197	0.8559	0.9577	4.7272	1.0674	0.2078	0.4098	0.6405	0.8557	3.2050	4.2238	1.4583	17.81	1.700
1.710	0.6310	0.1996	0.3163	0.8591	0.9509	4.7652	1.0689	0.2113	0.4085	0.6380	0.8516	3.2448	4.2672	1.4655	18.10	1.710
1.720	0.6283	0.1966	0.3129	0.8622	0.9442	4.8035	1.0704	0.2147	0.4071	0.6355	0.8474	3.2848	4.3108	1.4727	18.40	1.720
1.730	0.6256	0.1936	0.3095	0.8654	0.9374	4.8418	1.0719	0.2182	0.4056	0.6330	0.8431	3.3251	4.3547	1.4800	18.69	1.730
1.740	0.6229	0.1907	0.3062	0.8685	0.9307	4.8804	1.0734	0.2216	0.4041	0.6305	0.8389	3.3655	4.3989	1.4873	18.98	1.740
1.750	0.6202	0.1878	0.3029	0.8716	0.9239	4.9191	1.0749	0.2250	0.4026	0.6281	0.8346	3.4063	4.4433	1.4946	19.27	1.750

$$\gamma=1.400$$

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m} \sqrt{c_p T_0}}{A p_0}$	$\frac{\dot{m} \sqrt{c_p T_0}}{A p}$	F	$\frac{4 c_f L_{\max}}{D}$	$\frac{1}{2} \rho V^2$	M_s	$\frac{P_{0s}}{P_0}$	$\frac{P_s}{P}$	$\frac{P_{0s}}{P}$	$\frac{T_s}{T}$	ν	M
1.760	0.6175	0.1850	0.2996	0.8747	0.9172	4.9580	1.0764	0.2284	0.4011	0.6257	0.8302	3.4472	4.4880	1.5019	19.56	1.760
1.770	0.6148	0.1822	0.2964	0.8777	0.9104	4.9970	1.0779	0.2318	0.3996	0.6234	0.8259	3.4884	4.5330	1.5093	19.86	1.770
1.780	0.6121	0.1794	0.2931	0.8808	0.9037	5.0362	1.0793	0.2352	0.3980	0.6210	0.8215	3.5298	4.5782	1.5167	20.15	1.780
1.790	0.6095	0.1767	0.2900	0.8838	0.8970	5.0755	1.0808	0.2385	0.3964	0.6188	0.8171	3.5715	4.6237	1.5241	20.44	1.790
1.800	0.6068	0.1740	0.2868	0.8868	0.8902	5.1150	1.0823	0.2419	0.3947	0.6165	0.8127	3.6133	4.6695	1.5316	20.73	1.800
1.810	0.6041	0.1714	0.2837	0.8898	0.8835	5.1547	1.0838	0.2452	0.3931	0.6143	0.8082	3.6555	4.7155	1.5391	21.01	1.810
1.820	0.6015	0.1688	0.2806	0.8927	0.8768	5.1945	1.0852	0.2485	0.3914	0.6121	0.8038	3.6978	4.7618	1.5466	21.30	1.820
1.830	0.5989	0.1662	0.2776	0.8957	0.8701	5.2345	1.0867	0.2518	0.3897	0.6099	0.7993	3.7404	4.8084	1.5541	21.59	1.830
1.840	0.5963	0.1637	0.2745	0.8986	0.8634	5.2747	1.0882	0.2551	0.3879	0.6078	0.7948	3.7832	4.8552	1.5617	21.88	1.840
1.850	0.5936	0.1612	0.2715	0.9015	0.8568	5.3150	1.0896	0.2583	0.3862	0.6057	0.7902	3.8263	4.9023	1.5693	22.16	1.850
1.860	0.5910	0.1587	0.2686	0.9044	0.8501	5.3555	1.0911	0.2616	0.3844	0.6036	0.7857	3.8695	4.9497	1.5770	22.45	1.860
1.870	0.5884	0.1563	0.2656	0.9072	0.8435	5.3962	1.0926	0.2648	0.3826	0.6016	0.7811	3.9131	4.9973	1.5847	22.73	1.870
1.880	0.5859	0.1539	0.2627	0.9101	0.8368	5.4370	1.0940	0.2680	0.3808	0.5996	0.7765	3.9568	5.0452	1.5924	23.02	1.880
1.890	0.5833	0.1516	0.2598	0.9129	0.8302	5.4780	1.0955	0.2712	0.3790	0.5976	0.7720	4.0008	5.0934	1.6001	23.30	1.890
1.900	0.5807	0.1492	0.2570	0.9157	0.8237	5.5191	1.0969	0.2743	0.3771	0.5956	0.7674	4.0450	5.1418	1.6079	23.59	1.900
1.910	0.5782	0.1470	0.2542	0.9185	0.8171	5.5604	1.0984	0.2775	0.3753	0.5937	0.7627	4.0895	5.1905	1.6157	23.87	1.910
1.920	0.5756	0.1447	0.2514	0.9213	0.8106	5.6019	1.0998	0.2806	0.3734	0.5918	0.7581	4.1341	5.2394	1.6236	24.15	1.920
1.930	0.5731	0.1425	0.2486	0.9240	0.8041	5.6435	1.1012	0.2837	0.3715	0.5899	0.7535	4.1791	5.2886	1.6314	24.43	1.930
1.940	0.5705	0.1403	0.2459	0.9268	0.7976	5.6853	1.1027	0.2868	0.3696	0.5880	0.7488	4.2242	5.3381	1.6394	24.71	1.940
1.950	0.5680	0.1381	0.2432	0.9295	0.7911	5.7273	1.1041	0.2899	0.3677	0.5862	0.7442	4.2696	5.3878	1.6473	24.99	1.950
1.960	0.5655	0.1360	0.2405	0.9322	0.7846	5.7695	1.1055	0.2929	0.3657	0.5844	0.7395	4.3152	5.4378	1.6553	25.27	1.960
1.970	0.5630	0.1339	0.2378	0.9349	0.7782	5.8118	1.1069	0.2960	0.3638	0.5826	0.7349	4.3611	5.4881	1.6633	25.55	1.970
1.980	0.5605	0.1318	0.2352	0.9375	0.7718	5.8542	1.1084	0.2990	0.3618	0.5808	0.7302	4.4071	5.5386	1.6713	25.83	1.980
1.990	0.5580	0.1298	0.2326	0.9402	0.7655	5.8969	1.1098	0.3020	0.3598	0.5791	0.7255	4.4535	5.5894	1.6794	26.10	1.990
2.000	0.5556	0.1278	0.2300	0.9428	0.7591	5.9397	1.1112	0.3050	0.3579	0.5774	0.7209	4.5000	5.6404	1.6875	26.38	2.000

$$\gamma=1.400$$

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m} \sqrt{c_p T_0}}{A p_0}$	$\frac{\dot{m} \sqrt{c_p T_0}}{A p}$	F	$\frac{4 c_f L_{\max}}{D}$	$\frac{1}{2} \rho V^2$	M_s	$\frac{P_{0s}}{P_0}$	$\frac{P_s}{P}$	$\frac{P_{0s}}{P}$	$\frac{T_s}{T}$	ν	M
2.010	0.5531	0.1258	0.2275	0.9454	0.7528	5.9827	1.1126	0.3080	0.3559	0.5757	0.7162	4.5468	5.6918	1.6956	26.66	2.010
2.020	0.5506	0.1239	0.2250	0.9480	0.7465	6.0258	1.1140	0.3109	0.3539	0.5740	0.7115	4.5938	5.7433	1.7038	26.93	2.020
2.030	0.5482	0.1220	0.2225	0.9506	0.7403	6.0692	1.1154	0.3138	0.3518	0.5723	0.7069	4.6411	5.7952	1.7120	27.20	2.030
2.040	0.5458	0.1201	0.2200	0.9531	0.7340	6.1126	1.1167	0.3168	0.3498	0.5707	0.7022	4.6885	5.8473	1.7203	27.48	2.040
2.050	0.5433	0.1182	0.2176	0.9557	0.7279	6.1563	1.1181	0.3197	0.3478	0.5691	0.6975	4.7363	5.8996	1.7285	27.75	2.050
2.060	0.5409	0.1164	0.2152	0.9582	0.7217	6.2001	1.1195	0.3225	0.3458	0.5675	0.6928	4.7842	5.9523	1.7369	28.02	2.060
2.070	0.5385	0.1146	0.2128	0.9607	0.7156	6.2441	1.1209	0.3254	0.3437	0.5659	0.6882	4.8324	6.0051	1.7452	28.29	2.070
2.080	0.5361	0.1128	0.2104	0.9632	0.7095	6.2883	1.1222	0.3282	0.3417	0.5643	0.6835	4.8808	6.0583	1.7536	28.56	2.080
2.090	0.5337	0.1111	0.2081	0.9657	0.7034	6.3326	1.1236	0.3310	0.3396	0.5628	0.6789	4.9295	6.1117	1.7620	28.83	2.090
2.100	0.5313	0.1094	0.2058	0.9681	0.6974	6.3772	1.1250	0.3339	0.3376	0.5613	0.6742	4.9783	6.1654	1.7705	29.10	2.100
2.110	0.5290	0.1077	0.2035	0.9706	0.6914	6.4218	1.1263	0.3366	0.3355	0.5598	0.6696	5.0275	6.2193	1.7789	29.36	2.110
2.120	0.5266	0.1060	0.2013	0.9730	0.6854	6.4667	1.1276	0.3394	0.3334	0.5583	0.6649	5.0768	6.2735	1.7875	29.63	2.120
2.130	0.5243	0.1043	0.1990	0.9754	0.6795	6.5117	1.1290	0.3422	0.3314	0.5568	0.6603	5.1264	6.3280	1.7960	29.90	2.130
2.140	0.5219	0.1027	0.1968	0.9778	0.6736	6.5569	1.1303	0.3449	0.3293	0.5554	0.6557	5.1762	6.3827	1.8046	30.16	2.140
2.150	0.5196	0.1011	0.1946	0.9802	0.6677	6.6023	1.1317	0.3476	0.3272	0.5540	0.6511	5.2263	6.4377	1.8132	30.43	2.150
2.160	0.5173	0.0996	0.1925	0.9825	0.6619	6.6478	1.1330	0.3503	0.3252	0.5525	0.6464	5.2765	6.4929	1.8219	30.69	2.160
2.170	0.5150	0.0980	0.1903	0.9849	0.6561	6.6936	1.1343	0.3530	0.3231	0.5511	0.6419	5.3271	6.5484	1.8306	30.95	2.170
2.180	0.5127	0.0965	0.1882	0.9872	0.6503	6.7395	1.1356	0.3556	0.3210	0.5498	0.6373	5.3778	6.6042	1.8393	31.21	2.180
2.190	0.5104	0.0950	0.1861	0.9895	0.6446	6.7855	1.1369	0.3583	0.3189	0.5484	0.6327	5.4288	6.6602	1.8481	31.47	2.190
2.200	0.5081	0.0935	0.1841	0.9918	0.6389	6.8318	1.1382	0.3609	0.3169	0.5471	0.6281	5.4800	6.7165	1.8569	31.73	2.200
2.210	0.5059	0.0921	0.1820	0.9941	0.6333	6.8782	1.1395	0.3635	0.3148	0.5457	0.6236	5.5315	6.7730	1.8657	31.99	2.210
2.220	0.5036	0.0906	0.1800	0.9964	0.6277	6.9248	1.1408	0.3661	0.3127	0.5444	0.6191	5.5831	6.8298	1.8746	32.25	2.220
2.230	0.5014	0.0892	0.1780	0.9986	0.6221	6.9715	1.1421	0.3687	0.3106	0.5431	0.6145	5.6351	6.8869	1.8835	32.51	2.230
2.240	0.4991	0.0878	0.1760	1.0009	0.6165	7.0185	1.1434	0.3712	0.3085	0.5418	0.6100	5.6872	6.9442	1.8924	32.76	2.240
2.250	0.4969	0.0865	0.1740	1.0031	0.6110	7.0656	1.1446	0.3738	0.3065	0.5406	0.6055	5.7396	7.0018	1.9014	33.02	2.250

$$\gamma=1.400$$



M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m} \sqrt{c_p T_0}}{A p_0}$	$\frac{\dot{m} \sqrt{c_p T_0}}{A p}$	F	$\frac{4 c_f L_{\max}}{D}$	$\frac{1}{2} \frac{\rho V^2}{p_0}$	M_s	$\frac{P_{0s}}{P_0}$	$\frac{P_s}{P}$	$\frac{P_{0s}}{P}$	$\frac{T_s}{T}$	ν	M
2.260	0.4947	0.0851	0.1721	1.0053	0.6056	7.1129	1.1459	0.3763	0.3044	0.5393	0.6011	5.7922	7.0597	1.9104	33.27	2.260
2.270	0.4925	0.0838	0.1702	1.0075	0.6002	7.1603	1.1472	0.3788	0.3023	0.5381	0.5966	5.8451	7.1178	1.9194	33.53	2.270
2.280	0.4903	0.0825	0.1683	1.0097	0.5948	7.2080	1.1484	0.3813	0.3003	0.5368	0.5921	5.8981	7.1762	1.9285	33.78	2.280
2.290	0.4881	0.0812	0.1664	1.0118	0.5894	7.2558	1.1497	0.3838	0.2982	0.5356	0.5877	5.9515	7.2348	1.9376	34.03	2.290
2.300	0.4859	0.0800	0.1646	1.0140	0.5841	7.3038	1.1509	0.3862	0.2961	0.5344	0.5833	6.0050	7.2937	1.9468	34.28	2.300
2.310	0.4837	0.0787	0.1628	1.0161	0.5788	7.3520	1.1521	0.3887	0.2941	0.5332	0.5789	6.0588	7.3528	1.9560	34.53	2.310
2.320	0.4816	0.0775	0.1609	1.0182	0.5736	7.4003	1.1534	0.3911	0.2920	0.5321	0.5745	6.1128	7.4122	1.9652	34.78	2.320
2.330	0.4794	0.0763	0.1592	1.0204	0.5684	7.4488	1.1546	0.3935	0.2900	0.5309	0.5702	6.1671	7.4719	1.9745	35.03	2.330
2.340	0.4773	0.0751	0.1574	1.0224	0.5632	7.4975	1.1558	0.3959	0.2879	0.5297	0.5658	6.2215	7.5319	1.9838	35.28	2.340
2.350	0.4752	0.0740	0.1556	1.0245	0.5581	7.5464	1.1570	0.3983	0.2859	0.5286	0.5615	6.2763	7.5920	1.9931	35.53	2.350
2.360	0.4731	0.0728	0.1539	1.0266	0.5530	7.5955	1.1582	0.4006	0.2839	0.5275	0.5572	6.3312	7.6525	2.0025	35.77	2.360
2.370	0.4709	0.0717	0.1522	1.0286	0.5480	7.6447	1.1595	0.4030	0.2818	0.5264	0.5529	6.3864	7.7132	2.0119	36.02	2.370
2.380	0.4688	0.0706	0.1505	1.0307	0.5430	7.6941	1.1606	0.4053	0.2798	0.5253	0.5486	6.4418	7.7742	2.0213	36.26	2.380
2.390	0.4668	0.0695	0.1488	1.0327	0.5380	7.7437	1.1618	0.4076	0.2778	0.5242	0.5444	6.4975	7.8354	2.0308	36.50	2.390
2.400	0.4647	0.0684	0.1472	1.0347	0.5331	7.7935	1.1630	0.4099	0.2758	0.5231	0.5401	6.5533	7.8969	2.0403	36.75	2.400
2.410	0.4626	0.0673	0.1456	1.0367	0.5282	7.8434	1.1642	0.4122	0.2738	0.5221	0.5359	6.6095	7.9587	2.0499	36.99	2.410
2.420	0.4606	0.0663	0.1439	1.0387	0.5233	7.8935	1.1654	0.4144	0.2718	0.5210	0.5317	6.6658	8.0207	2.0595	37.23	2.420
2.430	0.4585	0.0653	0.1424	1.0407	0.5185	7.9438	1.1665	0.4167	0.2698	0.5200	0.5276	6.7224	8.0830	2.0691	37.47	2.430
2.440	0.4565	0.0643	0.1408	1.0426	0.5137	7.9943	1.1677	0.4189	0.2678	0.5189	0.5234	6.7792	8.1455	2.0788	37.71	2.440
2.450	0.4544	0.0633	0.1392	1.0446	0.5090	8.0450	1.1689	0.4211	0.2658	0.5179	0.5193	6.8363	8.2083	2.0885	37.95	2.450
2.460	0.4524	0.0623	0.1377	1.0465	0.5043	8.0958	1.1700	0.4233	0.2639	0.5169	0.5152	6.8935	8.2713	2.0982	38.18	2.460
2.470	0.4504	0.0613	0.1362	1.0484	0.4996	8.1468	1.1712	0.4255	0.2619	0.5159	0.5111	6.9511	8.3346	2.1080	38.42	2.470
2.480	0.4484	0.0604	0.1346	1.0503	0.4950	8.1980	1.1723	0.4277	0.2599	0.5149	0.5071	7.0088	8.3982	2.1178	38.66	2.480
2.490	0.4464	0.0594	0.1332	1.0522	0.4904	8.2494	1.1734	0.4298	0.2580	0.5140	0.5030	7.0668	8.4620	2.1276	38.89	2.490
2.500	0.4444	0.0585	0.1317	1.0541	0.4858	8.3010	1.1746	0.4320	0.2561	0.5130	0.4990	7.1250	8.5261	2.1375	39.12	2.500

$$\gamma=1.400$$

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m} \sqrt{c_p T_0}}{A p_0}$	$\frac{\dot{m} \sqrt{c_p T_0}}{A p}$	F	$\frac{4 c_f L_{\max}}{D}$	$\frac{1}{2} \frac{\rho V^2}{p_0}$	M_s	$\frac{P_{0s}}{P_0}$	$\frac{P_s}{P}$	$\frac{P_{0s}}{P}$	$\frac{T_s}{T}$	ν	M
2.510	0.4425	0.0576	0.1302	1.0560	0.4813	8.3527	1.1757	0.4341	0.2541	0.5120	0.4950	7.1835	8.5905	2.1474	39.36	2.510
2.520	0.4405	0.0567	0.1288	1.0578	0.4768	8.4046	1.1768	0.4362	0.2522	0.5111	0.4911	7.2421	8.6551	2.1574	39.59	2.520
2.530	0.4386	0.0559	0.1274	1.0597	0.4724	8.4567	1.1779	0.4383	0.2503	0.5102	0.4871	7.3011	8.7200	2.1674	39.82	2.530
2.540	0.4366	0.0550	0.1260	1.0615	0.4680	8.5090	1.1790	0.4404	0.2484	0.5092	0.4832	7.3602	8.7851	2.1774	40.05	2.540
2.550	0.4347	0.0542	0.1246	1.0633	0.4636	8.5615	1.1801	0.4425	0.2465	0.5083	0.4793	7.4196	8.8505	2.1875	40.28	2.550
2.560	0.4328	0.0533	0.1232	1.0651	0.4593	8.6141	1.1812	0.4445	0.2446	0.5074	0.4754	7.4792	8.9161	2.1976	40.51	2.560
2.570	0.4309	0.0525	0.1218	1.0669	0.4550	8.6670	1.1823	0.4466	0.2427	0.5065	0.4715	7.5391	8.9820	2.2077	40.74	2.570
2.580	0.4289	0.0517	0.1205	1.0687	0.4507	8.7200	1.1834	0.4486	0.2409	0.5056	0.4677	7.5991	9.0482	2.2179	40.96	2.580
2.590	0.4271	0.0509	0.1192	1.0705	0.4465	8.7732	1.1844	0.4506	0.2390	0.5047	0.4639	7.6595	9.1146	2.2281	41.19	2.590
2.600	0.4252	0.0501	0.1179	1.0722	0.4423	8.8265	1.1855	0.4526	0.2371	0.5039	0.4601	7.7200	9.1813	2.2383	41.41	2.600
2.610	0.4233	0.0493	0.1166	1.0740	0.4382	8.8801	1.1866	0.4546	0.2353	0.5030	0.4564	7.7808	9.2483	2.2486	41.64	2.610
2.620	0.4214	0.0486	0.1153	1.0757	0.4341	8.9338	1.1876	0.4565	0.2335	0.5022	0.4526	7.8418	9.3155	2.2590	41.86	2.620
2.630	0.4196	0.0478	0.1140	1.0774	0.4300	8.9877	1.1887	0.4585	0.2317	0.5013	0.4489	7.9031	9.3829	2.2693	42.09	2.630
2.640	0.4177	0.0471	0.1128	1.0791	0.4260	9.0418	1.1897	0.4604	0.2298	0.5005	0.4452	7.9645	9.4506	2.2797	42.31	2.640
2.650	0.4159	0.0464	0.1115	1.0808	0.4220	9.0961	1.1908	0.4624	0.2280	0.4996	0.4416	8.0263	9.5186	2.2902	42.53	2.650
2.660	0.4141	0.0457	0.1103	1.0825	0.4180	9.1506	1.1918	0.4643	0.2262	0.4988	0.4379	8.0882	9.5869	2.3006	42.75	2.660
2.670	0.4122	0.0450	0.1091	1.0842	0.4141	9.2052	1.1928	0.4662	0.2245	0.4980	0.4343	8.1504	9.6554	2.3111	42.97	2.670
2.680	0.4104	0.0443	0.1079	1.0859	0.4102	9.2601	1.1939	0.4681	0.2227	0.4972	0.4307	8.2128	9.7241	2.3217	43.19	2.680
2.690	0.4086	0.0436	0.1067	1.0875	0.4063	9.3151	1.1949	0.4700	0.2209	0.4964	0.4271	8.2755	9.7931	2.3323	43.40	2.690
2.700	0.4068	0.0430	0.1056	1.0892	0.4025	9.3703	1.1959	0.4718	0.2192	0.4956	0.4236	8.3383	9.8624	2.3429	43.62	2.700
2.710	0.4051	0.0423	0.1044	1.0908	0.3987	9.4257	1.1969	0.4737	0.2174	0.4949	0.4201	8.4015	9.9319	2.3536	43.84	2.710
2.720	0.4033	0.0417	0.1033	1.0924	0.3949	9.4812	1.1979	0.4755	0.2157	0.4941	0.4166	8.4648	10.0017	2.3642	44.05	2.720
2.730	0.4015	0.0410	0.1022	1.0941	0.3912	9.5370	1.1989	0.4773	0.2140	0.4933	0.4131	8.5284	10.0718	2.3750	44.27	2.730
2.740	0.3998	0.0404	0.1010	1.0957	0.3875	9.5929	1.1999	0.4791	0.2123	0.4926	0.4097	8.5922	10.1421	2.3858	44.48	2.740
2.750	0.3980	0.0398	0.0999	1.0973	0.3838	9.6490	1.2009	0.4809	0.2106	0.4918	0.4062	8.6563	10.2127	2.3966	44.69	2.750

$$\gamma=1.400$$

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m} \sqrt{c_p T_0}}{A p_0}$	$\frac{\dot{m} \sqrt{c_p T_0}}{A p}$	F	$\frac{4c_f L_{\max}}{D}$	$\frac{1}{2} \frac{\rho V^2}{p_0}$	M_s	$\frac{P_{0s}}{P_0}$	$\frac{P_s}{P}$	$\frac{P_{0s}}{P}$	$\frac{T_s}{T}$	v	M
2.760	0.3963	0.0392	0.0989	1.0988	0.3802	9.7053	1.2019	0.4827	0.2089	0.4911	0.4028	8.7205	10.2835	2.4074	44.91	2.760
2.770	0.3945	0.0386	0.0978	1.1004	0.3766	9.7618	1.2029	0.4845	0.2072	0.4903	0.3994	8.7851	10.3546	2.4183	45.12	2.770
2.780	0.3928	0.0380	0.0967	1.1020	0.3730	9.8185	1.2038	0.4863	0.2055	0.4896	0.3961	8.8498	10.4259	2.4292	45.33	2.780
2.790	0.3911	0.0374	0.0957	1.1035	0.3695	9.8753	1.2048	0.4880	0.2039	0.4889	0.3928	8.9148	10.4975	2.4402	45.54	2.790
2.800	0.3894	0.0368	0.0946	1.1051	0.3660	9.9324	1.2058	0.4898	0.2022	0.4882	0.3895	8.9800	10.5694	2.4512	45.75	2.800
2.810	0.3877	0.0363	0.0936	1.1066	0.3625	9.9896	1.2067	0.4915	0.2006	0.4875	0.3862	9.0455	10.6415	2.4622	45.95	2.810
2.820	0.3860	0.0357	0.0926	1.1081	0.3591	10.0470	1.2077	0.4932	0.1990	0.4868	0.3829	9.1111	10.7139	2.4733	46.16	2.820
2.830	0.3844	0.0352	0.0916	1.1096	0.3557	10.1046	1.2086	0.4949	0.1973	0.4861	0.3797	9.1771	10.7865	2.4844	46.37	2.830
2.840	0.3827	0.0347	0.0906	1.1111	0.3523	10.1624	1.2095	0.4966	0.1957	0.4854	0.3765	9.2432	10.8594	2.4955	46.57	2.840
2.850	0.3810	0.0341	0.0896	1.1126	0.3490	10.2204	1.2105	0.4983	0.1941	0.4847	0.3733	9.3096	10.9326	2.5067	46.78	2.850
2.860	0.3794	0.0336	0.0886	1.1141	0.3457	10.2785	1.2114	0.5000	0.1926	0.4840	0.3701	9.3762	11.0060	2.5179	46.98	2.860
2.870	0.3777	0.0331	0.0877	1.1156	0.3424	10.3368	1.2123	0.5016	0.1910	0.4833	0.3670	9.4431	11.0797	2.5292	47.19	2.870
2.880	0.3761	0.0326	0.0867	1.1171	0.3392	10.3954	1.2132	0.5033	0.1894	0.4827	0.3639	9.5101	11.1536	2.5405	47.39	2.880
2.890	0.3745	0.0321	0.0858	1.1185	0.3359	10.4541	1.2142	0.5049	0.1879	0.4820	0.3608	9.5775	11.2278	2.5518	47.59	2.890
2.900	0.3729	0.0317	0.0849	1.1199	0.3328	10.5130	1.2151	0.5065	0.1863	0.4814	0.3577	9.6450	11.3022	2.5632	47.79	2.900
2.910	0.3712	0.0312	0.0840	1.1214	0.3296	10.5720	1.2160	0.5081	0.1848	0.4807	0.3547	9.7128	11.3770	2.5746	47.99	2.910
2.920	0.3696	0.0307	0.0831	1.1228	0.3265	10.6313	1.2169	0.5097	0.1833	0.4801	0.3517	9.7808	11.4519	2.5861	48.19	2.920
2.930	0.3681	0.0302	0.0822	1.1242	0.3234	10.6908	1.2178	0.5113	0.1818	0.4795	0.3487	9.8491	11.5271	2.5976	48.39	2.930
2.940	0.3665	0.0298	0.0813	1.1256	0.3203	10.7504	1.2187	0.5129	0.1803	0.4788	0.3457	9.9175	11.6026	2.6091	48.59	2.940
2.950	0.3649	0.0293	0.0804	1.1270	0.3173	10.8102	1.2195	0.5145	0.1788	0.4782	0.3428	9.9863	11.6784	2.6206	48.78	2.950
2.960	0.3633	0.0289	0.0796	1.1284	0.3143	10.8702	1.2204	0.5160	0.1773	0.4776	0.3398	10.0552	11.7544	2.6322	48.98	2.960
2.970	0.3618	0.0285	0.0787	1.1298	0.3113	10.9304	1.2213	0.5176	0.1758	0.4770	0.3369	10.1244	11.8306	2.6439	49.18	2.970
2.980	0.3602	0.0281	0.0779	1.1312	0.3083	10.9908	1.2222	0.5191	0.1744	0.4764	0.3340	10.1938	11.9072	2.6555	49.37	2.980
2.990	0.3587	0.0276	0.0770	1.1325	0.3054	11.0514	1.2230	0.5206	0.1729	0.4758	0.3312	10.2635	11.9839	2.6673	49.56	2.990
3.000	0.3571	0.0272	0.0762	1.1339	0.3025	11.1122	1.2239	0.5222	0.1715	0.4752	0.3283	10.3333	12.0610	2.6790	49.76	3.000

GAS FLOW TABLES ($\gamma=1.333$): SUBSONIC FLOW

M	$\frac{T}{T_0}$	$\frac{P}{P_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap_0}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap}$	$\frac{F}{\dot{m}\sqrt{c_p T_0}}$	$\frac{4c_f L_{\max}}{D}$	$\frac{\frac{1}{2}\rho V^2}{P_0}$
0.010	1.0000	0.9999	1.0000	0.0058	0.0231	0.0231	43.2958	7493.200	0.0001
0.020	0.9999	0.9997	0.9998	0.0115	0.0462	0.0462	21.6560	1868.007	0.0003
0.030	0.9999	0.9994	0.9996	0.0173	0.0693	0.0693	14.4464	826.7890	0.0006
0.040	0.9997	0.9989	0.9992	0.0231	0.0923	0.0924	10.8442	462.6179	0.0011
0.050	0.9996	0.9983	0.9988	0.0288	0.1153	0.1155	8.6851	294.2161	0.0017
0.060	0.9994	0.9976	0.9982	0.0346	0.1383	0.1386	7.2475	202.8455	0.0024
0.070	0.9992	0.9967	0.9976	0.0404	0.1612	0.1618	6.2222	147.8292	0.0033
0.080	0.9989	0.9957	0.9968	0.0461	0.1841	0.1849	5.4546	112.1800	0.0042
0.090	0.9987	0.9946	0.9960	0.0519	0.2069	0.2080	4.8587	87.7848	0.0054
0.100	0.9983	0.9934	0.9950	0.0577	0.2297	0.2312	4.3831	70.3719	0.0066
0.110	0.9980	0.9920	0.9940	0.0634	0.2523	0.2544	3.9949	57.5186	0.0080
0.120	0.9976	0.9905	0.9928	0.0692	0.2749	0.2775	3.6724	47.7680	0.0095
0.130	0.9972	0.9888	0.9916	0.0749	0.2974	0.3007	3.4003	40.2012	0.0111
0.140	0.9967	0.9870	0.9903	0.0807	0.3197	0.3239	3.1678	34.2155	0.0129
0.150	0.9963	0.9851	0.9888	0.0864	0.3420	0.3471	2.9670	29.4027	0.0148
0.160	0.9958	0.9831	0.9873	0.0921	0.3641	0.3704	2.7920	25.4777	0.0168
0.170	0.9952	0.9810	0.9857	0.0979	0.3861	0.3936	2.6383	22.2372	0.0189
0.180	0.9946	0.9787	0.9840	0.1036	0.4080	0.4169	2.5022	19.5326	0.0211
0.190	0.9940	0.9763	0.9822	0.1093	0.4298	0.4402	2.3809	17.2536	0.0235
0.200	0.9934	0.9738	0.9803	0.1150	0.4514	0.4635	2.2724	15.3166	0.0260
0.210	0.9927	0.9711	0.9783	0.1207	0.4728	0.4869	2.1747	13.6578	0.0285
0.220	0.9920	0.9684	0.9762	0.1264	0.4941	0.5102	2.0863	12.2273	0.0312
0.230	0.9913	0.9655	0.9740	0.1321	0.5152	0.5336	2.0061	10.9859	0.0340
0.240	0.9905	0.9625	0.9717	0.1378	0.5362	0.5570	1.9330	9.9026	0.0370
0.250	0.9897	0.9594	0.9694	0.1435	0.5569	0.5805	1.8662	8.9522	0.0400
0.260	0.9889	0.9562	0.9669	0.1492	0.5775	0.6040	1.8049	8.1146	0.0431
0.270	0.9880	0.9529	0.9644	0.1549	0.5979	0.6275	1.7486	7.3731	0.0463
0.280	0.9871	0.9494	0.9618	0.1605	0.6181	0.6510	1.6966	6.7140	0.0496
0.290	0.9862	0.9459	0.9591	0.1662	0.6380	0.6746	1.6486	6.1261	0.0530
0.300	0.9852	0.9422	0.9563	0.1718	0.6578	0.6982	1.6042	5.5998	0.0565
0.310	0.9843	0.9384	0.9534	0.1775	0.6774	0.7218	1.5629	5.1272	0.0601
0.320	0.9832	0.9346	0.9505	0.1831	0.6967	0.7455	1.5245	4.7016	0.0638
0.330	0.9822	0.9306	0.9475	0.1887	0.7158	0.7692	1.4888	4.3173	0.0675
0.340	0.9811	0.9265	0.9444	0.1943	0.7347	0.7929	1.4555	3.9693	0.0714
0.350	0.9800	0.9224	0.9412	0.1999	0.7533	0.8167	1.4244	3.6535	0.0753
0.360	0.9789	0.9181	0.9379	0.2055	0.7717	0.8405	1.3953	3.3663	0.0793
0.370	0.9777	0.9137	0.9346	0.2111	0.7898	0.8644	1.3680	3.1046	0.0834
0.380	0.9765	0.9093	0.9311	0.2167	0.8077	0.8883	1.3425	2.8655	0.0875
0.390	0.9753	0.9047	0.9276	0.2223	0.8253	0.9122	1.3185	2.6469	0.0917
0.400	0.9741	0.9001	0.9241	0.2278	0.8427	0.9362	1.2959	2.4466	0.0960
0.410	0.9728	0.8954	0.9204	0.2334	0.8598	0.9603	1.2747	2.2627	0.1003
0.420	0.9715	0.8906	0.9167	0.2389	0.8766	0.9843	1.2548	2.0937	0.1047
0.430	0.9701	0.8857	0.9130	0.2444	0.8932	1.0085	1.2360	1.9382	0.1091
0.440	0.9688	0.8807	0.9091	0.2499	0.9095	1.0326	1.2183	1.7949	0.1136
0.450	0.9674	0.8757	0.9052	0.2554	0.9255	1.0569	1.2016	1.6627	0.1182
0.460	0.9660	0.8706	0.9012	0.2609	0.9412	1.0811	1.1858	1.5405	0.1228
0.470	0.9645	0.8654	0.8972	0.2664	0.9567	1.1055	1.1710	1.4276	0.1274
0.480	0.9631	0.8601	0.8931	0.2718	0.9718	1.1299	1.1569	1.3231	0.1321
0.490	0.9616	0.8548	0.8890	0.2773	0.9867	1.1543	1.1436	1.2263	0.1368
0.500	0.9600	0.8494	0.8847	0.2827	1.0012	1.1788	1.1310	1.1365	0.1415

$$\gamma=1.333$$

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap_0}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap}$	$\frac{F}{\dot{m}\sqrt{c_p T_0}}$	$\frac{4c_f L_{\max}}{D}$	$\frac{1}{2}\frac{\rho V^2}{p_0}$
0.510	0.9585	0.8439	0.8805	0.2881	1.0155	1.2033	1.1192	1.0532	0.1463
0.520	0.9569	0.8384	0.8761	0.2935	1.0295	1.2279	1.1079	0.9759	0.1511
0.530	0.9553	0.8328	0.8717	0.2989	1.0431	1.2526	1.0973	0.9041	0.1559
0.540	0.9537	0.8271	0.8673	0.3043	1.0565	1.2773	1.0872	0.8373	0.1608
0.550	0.9520	0.8214	0.8628	0.3097	1.0696	1.3021	1.0777	0.7752	0.1656
0.560	0.9504	0.8157	0.8583	0.3150	1.0823	1.3269	1.0687	0.7174	0.1705
0.570	0.9487	0.8099	0.8537	0.3204	1.0948	1.3518	1.0601	0.6636	0.1754
0.580	0.9470	0.8040	0.8490	0.3257	1.1069	1.3768	1.0520	0.6136	0.1803
0.590	0.9452	0.7981	0.8443	0.3310	1.1188	1.4018	1.0444	0.5669	0.1852
0.600	0.9434	0.7921	0.8396	0.3363	1.1303	1.4269	1.0371	0.5235	0.1901
0.610	0.9417	0.7861	0.8348	0.3416	1.1415	1.4521	1.0303	0.4830	0.1950
0.620	0.9398	0.7801	0.8300	0.3469	1.1524	1.4773	1.0238	0.4452	0.1999
0.630	0.9380	0.7740	0.8252	0.3521	1.1630	1.5026	1.0176	0.4101	0.2048
0.640	0.9362	0.7679	0.8203	0.3573	1.1733	1.5280	1.0118	0.3773	0.2096
0.650	0.9343	0.7618	0.8153	0.3626	1.1833	1.5534	1.0063	0.3467	0.2145
0.660	0.9324	0.7556	0.8104	0.3678	1.1930	1.5789	1.0011	0.3183	0.2194
0.670	0.9305	0.7494	0.8054	0.3729	1.2023	1.6045	0.9962	0.2918	0.2242
0.680	0.9285	0.7431	0.8003	0.3781	1.2114	1.6301	0.9916	0.2671	0.2290
0.690	0.9266	0.7368	0.7953	0.3833	1.2201	1.6559	0.9872	0.2441	0.2338
0.700	0.9246	0.7306	0.7902	0.3884	1.2285	1.6817	0.9831	0.2227	0.2386
0.710	0.9226	0.7242	0.7850	0.3935	1.2367	1.7075	0.9792	0.2028	0.2433
0.720	0.9205	0.7179	0.7799	0.3986	1.2445	1.7335	0.9755	0.1843	0.2480
0.730	0.9185	0.7116	0.7747	0.4037	1.2520	1.7595	0.9721	0.1671	0.2527
0.740	0.9164	0.7052	0.7695	0.4088	1.2592	1.7856	0.9688	0.1512	0.2574
0.750	0.9144	0.6988	0.7643	0.4139	1.2661	1.8118	0.9658	0.1364	0.2620
0.760	0.9123	0.6924	0.7590	0.4189	1.2727	1.8381	0.9629	0.1227	0.2666
0.770	0.9102	0.6860	0.7537	0.4239	1.2790	1.8644	0.9603	0.1100	0.2711
0.780	0.9080	0.6796	0.7484	0.4289	1.2850	1.8908	0.9578	0.0983	0.2756
0.790	0.9059	0.6732	0.7431	0.4339	1.2907	1.9174	0.9554	0.0875	0.2800
0.800	0.9037	0.6668	0.7378	0.4389	1.2961	1.9440	0.9533	0.0776	0.2844
0.810	0.9015	0.6603	0.7325	0.4438	1.3013	1.9706	0.9513	0.0685	0.2888
0.820	0.8993	0.6539	0.7271	0.4487	1.3061	1.9974	0.9494	0.0601	0.2930
0.830	0.8971	0.6475	0.7217	0.4536	1.3107	2.0243	0.9477	0.0524	0.2973
0.840	0.8949	0.6411	0.7164	0.4585	1.3149	2.0512	0.9461	0.0454	0.3015
0.850	0.8926	0.6346	0.7110	0.4634	1.3189	2.0782	0.9446	0.0391	0.3056
0.860	0.8904	0.6282	0.7056	0.4683	1.3226	2.1053	0.9433	0.0333	0.3097
0.870	0.8881	0.6218	0.7002	0.4731	1.3260	2.1326	0.9420	0.0281	0.3137
0.880	0.8858	0.6154	0.6948	0.4779	1.3292	2.1599	0.9409	0.0235	0.3176
0.890	0.8835	0.6090	0.6893	0.4827	1.3321	2.1873	0.9399	0.0193	0.3215
0.900	0.8812	0.6026	0.6839	0.4875	1.3347	2.2147	0.9390	0.0156	0.3253
0.910	0.8788	0.5963	0.6785	0.4923	1.3370	2.2423	0.9383	0.0124	0.3291
0.920	0.8765	0.5899	0.6731	0.4970	1.3391	2.2700	0.9376	0.0096	0.3328
0.930	0.8741	0.5836	0.6676	0.5018	1.3410	2.2978	0.9370	0.0072	0.3364
0.940	0.8717	0.5773	0.6622	0.5065	1.3425	2.3256	0.9365	0.0052	0.3400
0.950	0.8694	0.5710	0.6568	0.5111	1.3439	2.3536	0.9360	0.0035	0.3435
0.960	0.8670	0.5647	0.6514	0.5158	1.3449	2.3817	0.9357	0.0022	0.3469
0.970	0.8646	0.5585	0.6459	0.5205	1.3458	2.4098	0.9354	0.0012	0.3502
0.980	0.8621	0.5522	0.6405	0.5251	1.3464	2.4381	0.9353	0.0005	0.3535
0.990	0.8597	0.5460	0.6351	0.5297	1.3467	2.4664	0.9351	0.0001	0.3567
1.000	0.8573	0.5398	0.6297	0.5343	1.3468	2.4949	0.9351	0.0000	0.3598

GAS FLOW TABLES ($\gamma=1.333$): SUPERSONIC FLOW

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap_0}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap}$	$\frac{F}{\dot{m}\sqrt{c_p T_0}}$	$\frac{4c_f L_{\max}}{D}$	$\frac{1}{2}\frac{\rho V^2}{p_0}$
1.010	0.8548	0.5337	0.6243	0.5389	1.3467	2.5234	0.9351	0.0001	0.3628
1.020	0.8524	0.5276	0.6189	0.5434	1.3464	2.5521	0.9352	0.0005	0.3658
1.030	0.8499	0.5215	0.6136	0.5479	1.3458	2.5809	0.9354	0.0011	0.3687
1.040	0.8474	0.5154	0.6082	0.5525	1.3450	2.6097	0.9356	0.0019	0.3715
1.050	0.8449	0.5093	0.6028	0.5569	1.3440	2.6387	0.9359	0.0029	0.3743
1.060	0.8424	0.5033	0.5975	0.5614	1.3428	2.6678	0.9363	0.0042	0.3769
1.070	0.8399	0.4974	0.5922	0.5659	1.3414	2.6970	0.9367	0.0056	0.3795
1.080	0.8374	0.4914	0.5869	0.5703	1.3397	2.7263	0.9371	0.0071	0.3820
1.090	0.8349	0.4855	0.5816	0.5747	1.3379	2.7557	0.9376	0.0089	0.3845
1.100	0.8323	0.4796	0.5763	0.5791	1.3359	2.7852	0.9381	0.0108	0.3868
1.110	0.8298	0.4738	0.5710	0.5835	1.3337	2.8148	0.9387	0.0128	0.3891
1.120	0.8272	0.4680	0.5658	0.5878	1.3313	2.8446	0.9394	0.0150	0.3913
1.130	0.8247	0.4622	0.5605	0.5922	1.3287	2.8744	0.9401	0.0173	0.3934
1.140	0.8221	0.4565	0.5553	0.5965	1.3259	2.9043	0.9408	0.0197	0.3954
1.150	0.8195	0.4508	0.5501	0.6008	1.3229	2.9344	0.9415	0.0223	0.3974
1.160	0.8170	0.4452	0.5449	0.6050	1.3198	2.9646	0.9424	0.0250	0.3993
1.170	0.8144	0.4396	0.5398	0.6093	1.3165	2.9949	0.9432	0.0277	0.4011
1.180	0.8118	0.4340	0.5347	0.6135	1.3131	3.0253	0.9441	0.0306	0.4028
1.190	0.8092	0.4285	0.5295	0.6177	1.3094	3.0558	0.9450	0.0335	0.4044
1.200	0.8066	0.4230	0.5245	0.6219	1.3057	3.0864	0.9459	0.0366	0.4060
1.210	0.8040	0.4176	0.5194	0.6261	1.3017	3.1172	0.9469	0.0397	0.4075
1.220	0.8014	0.4122	0.5143	0.6302	1.2976	3.1481	0.9479	0.0429	0.4089
1.230	0.7988	0.4068	0.5093	0.6344	1.2934	3.1791	0.9489	0.0462	0.4102
1.240	0.7962	0.4015	0.5043	0.6385	1.2890	3.2102	0.9500	0.0495	0.4115
1.250	0.7936	0.3963	0.4994	0.6426	1.2845	3.2414	0.9511	0.0529	0.4127
1.260	0.7909	0.3911	0.4944	0.6466	1.2798	3.2727	0.9522	0.0564	0.4138
1.270	0.7883	0.3859	0.4895	0.6507	1.2751	3.3042	0.9533	0.0599	0.4148
1.280	0.7857	0.3808	0.4846	0.6547	1.2701	3.3358	0.9545	0.0634	0.4158
1.290	0.7830	0.3757	0.4798	0.6587	1.2651	3.3675	0.9557	0.0670	0.4167
1.300	0.7804	0.3706	0.4749	0.6627	1.2599	3.3993	0.9569	0.0707	0.4175
1.310	0.7778	0.3657	0.4701	0.6667	1.2547	3.4313	0.9581	0.0744	0.4182
1.320	0.7751	0.3607	0.4654	0.6706	1.2493	3.4633	0.9594	0.0781	0.4189
1.330	0.7725	0.3558	0.4606	0.6746	1.2438	3.4955	0.9606	0.0819	0.4195
1.340	0.7698	0.3510	0.4559	0.6785	1.2382	3.5279	0.9619	0.0857	0.4200
1.350	0.7672	0.3462	0.4512	0.6824	1.2325	3.5603	0.9632	0.0895	0.4205
1.360	0.7646	0.3414	0.4465	0.6862	1.2266	3.5929	0.9645	0.0934	0.4209
1.370	0.7619	0.3367	0.4419	0.6901	1.2207	3.6256	0.9659	0.0973	0.4212
1.380	0.7593	0.3320	0.4373	0.6939	1.2147	3.6584	0.9672	0.1012	0.4215
1.390	0.7566	0.3274	0.4328	0.6977	1.2086	3.6914	0.9686	0.1051	0.4216
1.400	0.7540	0.3229	0.4282	0.7015	1.2025	3.7245	0.9700	0.1091	0.4218
1.410	0.7513	0.3183	0.4237	0.7053	1.1962	3.7577	0.9714	0.1130	0.4218
1.420	0.7487	0.3139	0.4192	0.7090	1.1899	3.7910	0.9728	0.1170	0.4218
1.430	0.7460	0.3094	0.4148	0.7127	1.1835	3.8245	0.9742	0.1210	0.4217
1.440	0.7434	0.3051	0.4104	0.7164	1.1770	3.8581	0.9756	0.1250	0.4216
1.450	0.7407	0.3007	0.4060	0.7201	1.1704	3.8918	0.9771	0.1290	0.4214
1.460	0.7381	0.2965	0.4017	0.7238	1.1638	3.9257	0.9785	0.1331	0.4212
1.470	0.7354	0.2922	0.3974	0.7275	1.1571	3.9597	0.9800	0.1371	0.4209
1.480	0.7328	0.2880	0.3931	0.7311	1.1504	3.9938	0.9815	0.1411	0.4205
1.490	0.7301	0.2839	0.3888	0.7347	1.1435	4.0281	0.9829	0.1452	0.4201
1.500	0.7275	0.2798	0.3846	0.7383	1.1367	4.0625	0.9844	0.1492	0.4196

$$\gamma=1.333$$

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap_0}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap}$	$\frac{F}{\dot{m}\sqrt{c_p T_0}}$	$\frac{4c_f L_{\max}}{D}$	$\frac{\frac{1}{2}\rho V^2}{p_0}$
1.510	0.7248	0.2758	0.3804	0.7419	1.1298	4.0970	0.9859	0.1532	0.4191
1.520	0.7222	0.2718	0.3763	0.7454	1.1228	4.1317	0.9874	0.1573	0.4185
1.530	0.7195	0.2678	0.3722	0.7489	1.1158	4.1665	0.9889	0.1613	0.4178
1.540	0.7169	0.2639	0.3681	0.7524	1.1087	4.2014	0.9905	0.1654	0.4171
1.550	0.7143	0.2600	0.3641	0.7559	1.1016	4.2365	0.9920	0.1694	0.4164
1.560	0.7116	0.2562	0.3600	0.7594	1.0945	4.2717	0.9935	0.1734	0.4156
1.570	0.7090	0.2524	0.3561	0.7629	1.0873	4.3070	0.9950	0.1775	0.4147
1.580	0.7064	0.2487	0.3521	0.7663	1.0801	4.3425	0.9966	0.1815	0.4138
1.590	0.7038	0.2450	0.3482	0.7697	1.0729	4.3782	0.9981	0.1855	0.4129
1.600	0.7011	0.2414	0.3443	0.7731	1.0656	4.4139	0.9997	0.1895	0.4119
1.610	0.6985	0.2378	0.3405	0.7765	1.0583	4.4498	1.0012	0.1935	0.4109
1.620	0.6959	0.2343	0.3367	0.7799	1.0510	4.4859	1.0028	0.1975	0.4098
1.630	0.6933	0.2308	0.3329	0.7832	1.0436	4.5220	1.0043	0.2015	0.4087
1.640	0.6907	0.2273	0.3291	0.7865	1.0363	4.5584	1.0059	0.2055	0.4075
1.650	0.6881	0.2239	0.3254	0.7898	1.0289	4.5948	1.0075	0.2094	0.4063
1.660	0.6855	0.2206	0.3217	0.7931	1.0215	4.6314	1.0090	0.2134	0.4051
1.670	0.6829	0.2172	0.3181	0.7964	1.0141	4.6682	1.0106	0.2173	0.4038
1.680	0.6803	0.2139	0.3145	0.7996	1.0066	4.7051	1.0122	0.2213	0.4025
1.690	0.6777	0.2107	0.3109	0.8028	0.9992	4.7421	1.0137	0.2252	0.4011
1.700	0.6751	0.2075	0.3074	0.8061	0.9918	4.7793	1.0153	0.2291	0.3997
1.710	0.6726	0.2044	0.3039	0.8093	0.9843	4.8166	1.0169	0.2330	0.3983
1.720	0.6700	0.2012	0.3004	0.8124	0.9769	4.8541	1.0184	0.2369	0.3968
1.730	0.6674	0.1982	0.2969	0.8156	0.9694	4.8917	1.0200	0.2407	0.3953
1.740	0.6649	0.1951	0.2935	0.8187	0.9620	4.9294	1.0216	0.2446	0.3938
1.750	0.6623	0.1922	0.2901	0.8218	0.9545	4.9673	1.0232	0.2484	0.3922
1.760	0.6597	0.1892	0.2868	0.8249	0.9471	5.0054	1.0247	0.2522	0.3906
1.770	0.6572	0.1863	0.2835	0.8280	0.9396	5.0435	1.0263	0.2560	0.3890
1.780	0.6546	0.1834	0.2802	0.8311	0.9322	5.0819	1.0279	0.2598	0.3874
1.790	0.6521	0.1806	0.2770	0.8341	0.9248	5.1204	1.0294	0.2636	0.3857
1.800	0.6496	0.1778	0.2737	0.8372	0.9173	5.1590	1.0310	0.2673	0.3840
1.810	0.6471	0.1751	0.2706	0.8402	0.9099	5.1978	1.0326	0.2711	0.3822
1.820	0.6445	0.1723	0.2674	0.8432	0.9025	5.2367	1.0341	0.2748	0.3805
1.830	0.6420	0.1697	0.2643	0.8461	0.8951	5.2758	1.0357	0.2785	0.3787
1.840	0.6395	0.1670	0.2612	0.8491	0.8878	5.3150	1.0373	0.2822	0.3769
1.850	0.6370	0.1644	0.2581	0.8521	0.8804	5.3544	1.0388	0.2858	0.3751
1.860	0.6345	0.1619	0.2551	0.8550	0.8731	5.3939	1.0404	0.2895	0.3732
1.870	0.6320	0.1593	0.2521	0.8579	0.8658	5.4336	1.0419	0.2931	0.3714
1.880	0.6295	0.1568	0.2491	0.8608	0.8585	5.4734	1.0435	0.2967	0.3695
1.890	0.6271	0.1544	0.2462	0.8636	0.8512	5.5134	1.0450	0.3003	0.3676
1.900	0.6246	0.1520	0.2433	0.8665	0.8439	5.5535	1.0466	0.3039	0.3656
1.910	0.6221	0.1496	0.2404	0.8693	0.8367	5.5938	1.0481	0.3074	0.3637
1.920	0.6197	0.1472	0.2376	0.8722	0.8295	5.6342	1.0497	0.3110	0.3617
1.930	0.6172	0.1449	0.2348	0.8750	0.8223	5.6748	1.0512	0.3145	0.3598
1.940	0.6148	0.1426	0.2320	0.8778	0.8152	5.7155	1.0527	0.3180	0.3578
1.950	0.6123	0.1404	0.2292	0.8805	0.8081	5.7564	1.0543	0.3215	0.3558
1.960	0.6099	0.1382	0.2265	0.8833	0.8010	5.7974	1.0558	0.3249	0.3537
1.970	0.6075	0.1360	0.2238	0.8860	0.7939	5.8386	1.0573	0.3284	0.3517
1.980	0.6051	0.1338	0.2212	0.8888	0.7869	5.8800	1.0588	0.3318	0.3497
1.990	0.6026	0.1317	0.2185	0.8915	0.7799	5.9215	1.0603	0.3352	0.3476
2.000	0.6002	0.1296	0.2159	0.8942	0.7729	5.9631	1.0619	0.3386	0.3455

Oblique Shock Tables ($\gamma = 1.4$)

M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$	M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{P_2}{P_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$
1.05	0.558	79.937	1.0803	1.0567	0.9845	0.99995	1.40	8.000	75.893	1.9842	1.6163	1.2276	0.8184	0.96806
1.10	1.515	76.297	1.1658	1.0449	0.9711	0.99963		6.000	80.485	2.0575	1.6562	1.2423	0.7762	0.96286
1.15	2.000	67.003	1.1408	1.0384	0.9598	0.99977	1.45	2.000	46.004	1.1028	1.0723	1.0284	1.3808	0.99990
2.671	73.822	81.173	1.2565	1.0678	0.9598	0.99879	4.000	4.000	48.679	1.2169	1.1503	1.0579	1.3091	0.99923
2.000			1.3399	1.0880	0.9007	0.99745	6.000	6.000	51.755	1.3463	1.2357	1.0895	1.2325	0.99733
1.20	2.000	61.050	1.1197	1.0841	1.1113	0.99985	8.000	8.000	55.517	1.5000	1.3333	1.1250	1.1460	0.99325
3.944	71.977	83.861	1.3525	1.0329	0.9502	0.99720	10.000	10.000	61.046	1.7114	1.4613	1.1712	1.0317	0.98440
2.000			1.4941	1.1237	0.8551	0.99344	10.785	67.097	72.994	1.9147	1.5779	1.2135	0.9235	0.97269
1.25	2.000	56.844	1.1110	1.0306	1.1696	0.99988	10.000	72.994	78.197	2.0764	1.6664	1.2461	0.8366	0.96147
4.000	61.986	70.540	1.2541	1.0672	1.0721	0.99882	8.000	8.000	81.733	2.1836	1.7232	1.2672	0.7777	0.95324
5.286	79.385	85.211	1.4539	1.1459	0.9423	0.99468	6.000	6.000	84.702	2.2355	1.7501	1.2774	0.7485	0.94905
4.000			1.5944	1.1566	0.8525	0.98975	4.000	4.000	87.406	2.2653	1.7654	1.2832	0.7316	0.94659
2.000			1.6435	1.1566	0.8209	0.98763	2.000	2.000		2.2812	1.7736	1.2862	0.7225	0.94526
1.30	2.000	53.474	1.1065	1.0294	1.2244	0.99989	1.50	2.000	44.065	1.1030	1.0725	1.0284	1.4316	0.99990
4.000	57.423	73.459	1.2334	1.0621	1.1398	0.99906	4.000	4.000	46.543	1.2165	1.1500	1.0578	1.3615	0.99923
6.000	63.459	75.372	1.4113	1.1048	1.0274	0.99585	6.000	6.000	49.326	1.3433	1.2337	1.0888	1.2879	0.99739
6.662	69.395	81.649	1.5608	1.1386	0.9359	0.99108	8.000	8.000	52.571	1.4887	1.3263	1.1224	1.2079	0.99362
6.000			1.6793	1.1643	0.8636	0.98598	10.000	10.000	56.679	1.6662	1.4345	1.1615	1.1144	0.98660
4.000	81.649	86.058	1.7634	1.1822	0.8118	0.98169	12.000	12.000	64.359	1.9668	1.6068	1.2241	0.9607	0.96925
2.000			1.7957	1.1889	0.7918	0.97990	12.113	66.589	68.790	2.0439	1.6489	1.2396	0.9213	0.96385
1.35	2.000	50.634	1.1042	1.0287	1.2774	0.99990	12.000	75.995	79.712	2.1147	1.6869	1.2537	0.8849	0.95860
4.000	53.965	76.232	1.2238	1.0596	1.1994	0.99916	8.000	8.000	82.662	2.3046	1.7855	1.2908	0.7854	0.94329
6.000	58.232	78.660	1.3702	1.0952	1.1089	0.99682	6.000	6.000	85.256	2.3746	1.8207	1.3042	0.7476	0.93725
8.000	66.914	83.028	1.6327	1.1543	0.9543	0.98812	4.000	4.000	87.668	2.4155	1.8410	1.3121	0.7250	0.93363
8.048	68.470		1.6732	1.1630	0.9307	0.98627	2.000	2.000		2.4404	1.8533	1.3168	0.7112	0.93141
8.000	70.023		1.7114	1.1712	0.9085	0.98440	2.000	2.000		2.4540	1.8599	1.3194	0.7035	0.93018
6.000			1.8774	1.2058	0.8111	0.97506	1.55	2.000	42.315	1.1036	1.0729	1.0286	1.4821	0.99990
4.000	83.028	86.644	1.9283	1.2163	0.7807	0.97182	4.000	4.000	44.642	1.2173	1.1505	1.0580	1.4130	0.99923
2.000			1.9523	1.2211	0.7662	0.97023	6.000	6.000	47.214	1.3430	1.2336	1.0887	1.3414	0.99739
1.40	2.000	48.173	1.1030	1.0284	1.3295	0.99990	8.000	8.000	50.131	1.4845	1.3236	1.1215	1.2651	0.99375
4.000	51.117	73.459	1.2189	1.0584	1.2553	0.99921	10.000	10.000	53.598	1.6491	1.4243	1.1578	1.1804	0.98738
6.000	54.633	76.232	1.3539	1.0913	1.1737	0.99717	12.000	12.000	58.240	1.8597	1.5469	1.2022	1.0758	0.97615
8.000	59.367	81.649	1.5263	1.1309	1.0744	0.99235	13.403	66.171	73.668	2.1787	1.7206	1.2663	0.9198	0.95362
9.427	67.716		1.7912	1.1880	0.9266	0.98016	12.000	77.804	80.825	2.4151	1.8408	1.3120	0.8014	0.93367
							10.000	80.825	83.385	2.5112	1.8877	1.3302	0.7515	0.92496
							8.000	83.385	85.699	2.5650	1.9136	1.3404	0.7229	0.91995
							6.000	85.699	87.879	2.5991	1.9298	1.3468	0.7045	0.91673
							4.000	87.879		2.6205	1.9399	1.3508	0.6928	0.91470
							2.000			2.6324	1.9455	1.3531	0.6862	0.91356

Oblique Shock Tables ($\gamma = 1.4$)

M_1	θ	β	$\frac{p_2}{p_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{p_{02}}{p_{01}}$	M_1	θ	β	$\frac{p_2}{p_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{p_{02}}{p_{01}}$
1.60	2.000	40.724	1.1046	1.0289	1.5323	0.99990	1.70	6.000	84.848	3.1778	1.4534	0.6547	0.85856
	4.000	42.931	1.2189	1.0584	1.4638	0.99921		4.000	86.619	3.1933	1.4562	0.6467	0.85695
	6.000	45.344	1.3446	1.0891	1.3934	0.99736		2.000	88.325	3.2021	1.4578	0.6421	0.85602
	8.000	48.030	1.4843	1.1215	1.3195	0.99376							
	10.000	51.116	1.6430	1.1565	1.2397	0.98766							
	12.000	54.889	1.8320	1.1965	1.1483	0.97781	1.75	2.000	36.689	1.1087	1.0300	1.6816	0.99989
	14.000	60.537	2.0974	1.2502	1.0232	0.95990		4.000	38.651	1.2271	1.0605	1.6133	0.99913
	14.652	65.828	2.3192	1.2936	0.9188	0.94204		6.000	40.756	1.3561	1.0918	1.5441	0.99713
	14.000	70.895	2.5000	1.3281	0.8320	0.92598		8.000	43.034	1.4973	1.1244	1.4733	0.99334
	12.000	75.900	2.6428	1.3550	0.7611	0.91256		10.000	45.531	1.6529	1.1586	1.3995	0.98721
	10.000	79.102	2.7132	1.3682	0.7250	0.90574		12.000	48.319	1.8263	1.1953	1.3210	0.97814
	8.000	81.691	2.7576	1.3764	0.7018	0.90139		14.000	51.547	2.0245	1.2357	1.2348	0.96524
	6.000	83.967	2.7870	1.3819	0.6862	0.89848		16.000	55.589	2.2652	1.2831	1.1329	0.94660
	4.000	86.061	2.8059	1.3854	0.6761	0.89660		18.000	62.944	2.6670	1.3595	0.9645	0.91023
	2.000	88.054	2.8166	1.3873	0.6703	0.89554		18.121	65.134	2.7745	1.3795	0.9189	0.89972
1.65	2.000	39.267	1.1058	1.0292	1.5823	0.99990		18.000	67.269	2.8728	1.3977	0.8766	0.88991
	4.000	41.377	1.2212	1.0590	1.5140	0.99919		16.000	73.757	3.1267	1.4441	0.7635	0.86389
	6.000	43.665	1.3475	1.0898	1.4444	0.99730		14.000	76.988	3.2251	1.4620	0.7175	0.85362
	8.000	46.181	1.4869	1.1221	1.3720	0.99367		12.000	79.465	3.2868	1.4731	0.6878	0.84714
	10.000	49.007	1.6429	1.1565	1.2952	0.98766		10.000	83.451	3.3295	1.4808	0.6669	0.84266
	12.000	52.312	1.8224	1.1945	1.2527	0.97837		8.000	85.190	3.3598	1.4862	0.6518	0.83947
	14.000	56.541	2.0441	1.2396	1.1090	0.96384		6.000	85.190	3.3811	1.4901	0.6409	0.83722
	15.855	65.547	2.4653	1.3215	0.9184	0.92915		4.000	86.838	3.3954	1.4926	0.6337	0.83571
	14.000	73.864	2.7642	1.3776	0.7782	0.90073		2.000	88.432	3.4036	1.4941	0.6295	0.83485
	12.000	77.411	2.8587	1.3951	0.7317	0.89132	1.80	2.000	35.538	1.1104	1.0304	1.7312	0.99988
	10.000	80.102	2.9157	1.4056	0.7029	0.88557		4.000	37.444	1.2306	1.0613	1.6624	0.99909
	8.000	82.389	2.9539	1.4126	0.6833	0.88169		6.000	39.481	1.3615	1.0931	1.5932	0.99701
	6.000	84.446	2.9798	1.4174	0.6697	0.87904		8.000	41.673	1.5044	1.1260	1.5225	0.99310
	4.000	86.364	2.9968	1.4205	0.6607	0.87730		10.000	44.057	1.6611	1.1604	1.4494	0.98683
	2.000	88.200	3.0065	1.4222	0.6556	0.87631		12.000	46.686	1.8345	1.1970	1.3725	0.97766
1.70	2.000	37.927	1.1072	1.0295	1.6320	0.99989		14.000	49.661	2.0295	1.2367	1.2896	0.96489
	4.000	39.957	1.2239	1.0597	1.5638	0.99916		16.000	53.198	2.2568	1.2815	1.1958	0.94729
	6.000	42.145	1.3514	1.0907	1.4946	0.99722		18.000	57.995	2.5516	1.3379	1.0766	0.92120
	8.000	44.528	1.4914	1.1231	1.4232	0.99353		19.183	64.987	2.9376	1.4096	0.9195	0.88335
	10.000	47.167	1.6466	1.1573	1.3482	0.98750		18.000	71.424	3.2972	1.4628	0.7956	0.85313
	12.000	50.168	1.8216	1.1943	1.2674	0.97841		16.000	75.324	3.3707	1.4882	0.7327	0.83832
	14.000	53.771	2.0273	1.2362	1.1757	0.96504		14.000	78.020	3.4505	1.5025	0.6958	0.82990
	16.000	58.794	2.2999	1.2898	1.0569	0.94369		12.000	80.214	3.5041	1.5121	0.6703	0.82423
	17.012	65.319	2.6171	1.3502	0.9185	0.91502		10.000	82.128	3.5424	1.5189	0.6518	0.82018
	16.000	71.426	2.8629	1.3959	0.8077	0.89090		8.000	83.865	3.5702	1.5239	0.6381	0.81725
	14.000	75.670	2.9984	1.4208	0.7439	0.87713		6.000	85.485	3.5899	1.5274	0.6283	0.81516
	12.000	78.555	3.0722	1.4342	0.7080	0.86953		4.000	87.028	3.6032	1.5298	0.6216	0.81376
	10.000	80.906	3.1208	1.4431	0.6838	0.86450		2.000	88.525	3.6108	1.5311	0.6178	0.81295
	8.000	82.965	3.1544	1.4492	0.6667	0.86100							

Oblique Shock Tables ($\gamma = 1.4$)

M_1	θ	β	$\frac{p_2}{p_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{p_{02}}{p_{01}}$	M_1	θ	β	$\frac{p_2}{p_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{p_{02}}{p_{01}}$
1.85	2.000	34.466	1.1121	1.0309	1.7805	0.99988	1.95	2.000	32.528	1.1160	1.0815	1.8790	0.99987
	4.000	36.323	1.2343	1.0623	1.7114	0.99905		4.000	34.304	1.2424	1.1674	1.8085	0.99896
	6.000	38.302	1.3672	1.0945	1.6418	0.99689		6.000	36.191	1.3801	1.2575	1.7380	0.99660
	8.000	40.424	1.5123	1.1278	1.5711	0.99284		8.000	38.204	1.5302	1.3521	1.6666	0.99221
	10.000	42.717	1.6709	1.1625	1.4983	0.98638		10.000	40.360	1.6938	1.4509	1.5938	0.98528
	12.000	45.223	1.8453	1.1992	1.4224	0.97701		12.000	42.688	1.8726	1.5542	1.5185	0.97535
	14.000	48.014	2.0395	1.2387	1.3415	0.96417		14.000	45.230	2.0693	1.6625	1.4396	0.96200
	16.000	51.232	2.2607	1.2822	1.2524	0.94697		16.000	48.059	2.2879	1.7770	1.3553	0.94470
	18.000	55.227	2.5275	1.3333	1.1476	0.92345		18.000	51.320	2.5368	1.9001	1.2622	0.92258
	20.000	62.099	2.9519	1.4123	0.9818	0.88189		20.000	55.381	2.8378	2.0397	1.1520	0.89342
	20.198	64.872	3.1062	1.4404	0.9205	0.86601		22.000	62.860	3.3464	2.2553	0.9655	0.84087
	20.000	67.544	3.2437	1.4653	0.8648	0.85167		22.092	64.716	3.4603	2.3003	0.9229	0.82885
	18.000	73.440	3.5019	1.5117	0.7560	0.82446		22.000	66.523	3.5655	2.3410	0.8829	0.81774
	16.000	76.511	3.6090	1.5308	0.7085	0.81314		20.000	72.926	3.8872	2.4601	0.7555	0.78384
	14.000	78.861	3.6772	1.5429	0.6773	0.80593		18.000	75.964	4.0086	2.5030	0.7045	0.77114
	12.000	80.844	3.7252	1.5514	0.6548	0.80088		16.000	78.253	4.0857	2.5297	0.6710	0.76313
	10.000	82.606	3.7601	1.5576	0.6381	0.79719		14.000	80.165	4.1401	2.5484	0.6467	0.75750
	8.000	84.222	3.7858	1.5622	0.6257	0.79449		12.000	81.849	4.1804	2.5620	0.6283	0.75335
	6.000	85.740	3.8042	1.5655	0.6166	0.79255		10.000	83.381	4.2106	2.5722	0.6142	0.75024
	4.000	87.193	3.8167	1.5677	0.6105	0.79124		8.000	84.808	4.2333	2.5798	0.6036	0.74791
	2.000	88.606	3.8239	1.5689	0.6069	0.79048		6.000	86.163	4.2497	2.5853	0.5957	0.74623
1.90	2.000	33.466	1.1140	1.0314	1.8298	0.99987		4.000	87.467	4.2609	2.5890	0.5904	0.74508
	4.000	35.279	1.2382	1.0633	1.7600	0.99901		2.000	88.741	4.2674	2.5912	0.5872	0.74441
	6.000	37.209	1.3735	1.0959	1.6901	0.99675	2.00	2.000	31.647	1.1180	1.0829	1.9280	0.99986
	8.000	39.272	1.5209	1.1297	1.6191	0.99254		4.000	33.390	1.2468	1.1702	1.8568	0.99891
	10.000	41.490	1.6818	1.1649	1.5464	0.98586		6.000	35.241	1.3871	1.2620	1.7856	0.99644
	12.000	43.898	1.8582	1.2019	1.4709	0.97624		8.000	37.210	1.5400	1.3581	1.7138	0.99186
	14.000	46.550	2.0530	1.2414	1.3913	0.96319		10.000	39.314	1.7066	1.4584	1.6405	0.98464
	16.000	49.544	2.2718	1.2844	1.3052	0.94605		12.000	41.575	1.8884	1.5631	1.5651	0.97437
	18.000	53.095	2.5263	1.3331	1.2077	0.92356		14.000	44.029	2.0876	1.6724	1.4866	0.96064
	20.000	57.900	2.8557	1.3946	1.0835	0.89162		16.000	46.731	2.3076	1.7870	1.4034	0.94304
	21.167	64.783	3.2805	1.4720	0.9216	0.84781		18.000	49.785	2.5546	1.9086	1.3131	0.92092
	20.000	71.057	3.6012	1.5294	0.7935	0.81397		20.000	53.423	2.8429	2.0420	1.2102	0.89291
	18.000	74.861	3.7578	1.5572	0.7274	0.79744		22.000	58.457	3.2228	2.2051	1.0760	0.85385
	16.000	77.463	3.8466	1.5729	0.6884	0.78810		22.974	64.669	3.6458	2.3715	0.9243	0.80926
	14.000	79.565	3.9068	1.5836	0.6611	0.78178		20.000	70.332	3.9714	2.4899	0.8017	0.77503
	12.000	81.383	3.9504	1.5913	0.6409	0.77721		18.000	76.862	4.1570	2.5541	0.7278	0.75576
	10.000	83.020	3.9828	1.5970	0.6257	0.77383		16.000	78.921	4.2589	2.6110	0.6854	0.74529
	8.000	84.534	4.0068	1.6012	0.6142	0.77133		14.000	80.684	4.3277	2.6610	0.6558	0.73827
	6.000	85.965	4.0241	1.6042	0.6058	0.76953		12.000	82.257	4.3777	2.6274	0.6337	0.73319
	4.000	87.338	4.0359	1.6063	0.6001	0.76830		10.000	83.700	4.4438	2.6396	0.6168	0.72939
	2.000	88.677	4.0428	1.6075	0.5967	0.76759		8.000	85.052	4.4653	2.6556	0.6037	0.72652
	2.000	31.647	1.1180	1.0324	1.8298	0.99987		2.000	88.798	4.4917	2.6640	0.5937	0.72436
	4.000	33.390	1.2468	1.0654	1.7600	0.99891		4.000	86.339	4.4917	2.6606	0.5864	0.72278
	6.000	35.241	1.3871	1.0991	1.6901	0.99675		6.000	84.810	4.4917	2.6606	0.5813	0.72171
	8.000	37.210	1.5400	1.1339	1.6191	0.99254		8.000	83.700	4.4917	2.6606	0.5783	0.72108
	10.000	39.314	1.7066	1.1702	1.5464	0.98586		10.000	82.650	4.4917	2.6606	0.5783	0.72108
	12.000	41.575	1.8884	1.2081	1.4709	0.97624		12.000	81.600	4.4917	2.6606	0.5783	0.72108
	14.000	44.029	2.0876	1.2483	1.3913	0.96319		14.000	80.550	4.4917	2.6606	0.5783	0.72108
	16.000	46.731	2.3076	1.2913	1.3052	0.94605		16.000	79.500	4.4917	2.6606	0.5783	0.72108
	18.000	49.785	2.5546	1.3384	1.2077	0.92356		18.000	78.450	4.4917	2.6606	0.5783	0.72108
	20.000	53.423	2.8429	1.3922	1.0835	0.89162		20.000	77.400	4.4917	2.6606	0.5783	0.72108
	22.000	58.457	3.2228	1.4616	0.9216	0.84781		22.000	76.350	4.4917	2.6606	0.5783	0.72108
	22.974	64.669	3.6458	1.5373	0.7935	0.81397		22.974	75.300	4.4917	2.6606	0.5783	0.72108
	20.000	70.332	3.9714	1.5950	0.7274	0.79744		20.000	74.250	4.4917	2.6606	0.5783	0.72108
	18.000	76.862	4.1570	1.6276	0.6611	0.78178		18.000	73.200	4.4917	2.6606	0.5783	0.72108
	16.000	78.921	4.2589	1.6574	0.6257	0.77383		16.000	72.150	4.4917	2.6606	0.5783	0.72108
	14.000	80.684	4.3277	1.6862	0.6058	0.76953		14.000	71.100	4.4917	2.6606	0.5783	0.72108
	12.000	82.257	4.4153	1.7177	0.6001	0.76830		12.000	70.050	4.4917	2.6606	0.5783	0.72108
	10.000	83.700	4.4438	1.7477	0.5967	0.76759		10.000	69.000	4.4917	2.6606	0.5783	0.72108
	8.000	85.052	4.4653	1.7777				8.000	67.950	4.4917	2.6606	0.5783	0.72108
	6.000	86.339	4.4810	1.8085				6.000	66.900	4.4917	2.6606	0.5783	0.72108
	4.000	87.582	4.4917	1.8391				4.000	65.850	4.4917	2.6606	0.5783	0.72108
	2.000	88.798	4.4979	1.8697				2.000	64.800	4.4979	2.6660	0.5783	0.72108

Oblique Shock Tables ($\gamma = 1.4$)

M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$	M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$
2.05	2.000	30.816	1.1200	1.0330	1.9771	0.99985	2.10	4.000	87.778	4.9706	1.7691	0.5648	0.67494
	4.000	32.532	1.2512	1.0665	1.9050	0.99885		2.000	88.894	4.9764	1.7701	0.5622	0.67438
	6.000	34.350	1.3943	1.1008	1.8330	0.99627							
	8.000	36.281	1.5502	1.1362	1.7605	0.99148							
	10.000	38.341	1.7201	1.1730	1.6868	0.98396	2.15	2.000	29.293	1.1243	1.0341	2.0749	0.99984
	12.000	40.547	1.9053	1.2116	1.6111	0.97330		4.000	30.960	1.2606	1.0688	2.0008	0.99874
	14.000	42.928	2.1076	1.2522	1.5326	0.95914		6.000	32.725	1.4094	1.1043	1.9271	0.99590
	16.000	45.528	2.3300	1.2956	1.4500	0.94112		8.000	34.596	1.5719	1.1410	1.8529	0.99065
	18.000	48.428	2.5774	1.3427	1.3614	0.91878		10.000	36.584	1.7490	1.1791	1.7778	0.98246
	20.000	51.785	2.8600	1.3953	1.2630	0.89120		12.000	38.702	1.9417	1.2190	1.7011	0.97093
	22.000	56.032	3.2057	1.4585	1.1444	0.85565		14.000	40.971	2.1518	1.2610	1.6221	0.95574
	23.814	64.638	3.8367	1.5712	0.9257	0.78913		16.000	43.422	2.3813	1.3055	1.5397	0.93666
	22.000	72.193	4.2777	1.6487	0.7626	0.74336		18.000	46.104	2.6337	1.3533	1.4527	0.91343
	20.000	75.324	4.4215	1.6738	0.7056	0.72876		20.000	49.106	2.9150	1.4055	1.3588	0.88564
	18.000	77.614	4.5107	1.6894	0.6688	0.71981		22.000	52.618	3.2384	1.4644	1.2534	0.85222
	16.000	79.498	4.5734	1.7003	0.6422	0.71356		24.000	57.217	3.6452	1.5372	1.1223	0.80932
	14.000	81.138	4.6199	1.7084	0.6219	0.70894		25.376	64.616	4.2352	1.6413	0.9289	0.74772
	12.000	82.617	4.6553	1.7145	0.6062	0.70545		24.000	71.164	4.6641	1.7160	0.7794	0.70458
	10.000	83.983	4.6824	1.7192	0.5939	0.70278		22.000	74.564	4.8442	1.7472	0.7122	0.68703
	8.000	85.269	4.7029	1.7228	0.5846	0.70077		20.000	76.920	4.9500	1.7656	0.6709	0.67689
	6.000	86.497	4.7179	1.7254	0.5776	0.69930		18.000	78.817	5.0234	1.7782	0.6413	0.66994
	4.000	87.685	4.7283	1.7272	0.5728	0.69829		16.000	80.444	5.0776	1.7876	0.6188	0.66484
	2.000	88.849	4.7343	1.7282	0.5700	0.69770		14.000	81.896	5.1191	1.7947	0.6012	0.66097
2.10	2.000	30.033	1.1222	1.0335	2.0260	0.99984							
	4.000	31.723	1.2558	1.0676	1.9530	0.99880							
	6.000	33.513	1.4017	1.1025	1.8801	0.99609							
	8.000	35.412	1.5608	1.1386	1.8069	0.99108							
	10.000	37.433	1.7342	1.1760	1.7325	0.98324							
	12.000	39.592	1.9230	1.2152	1.6564	0.97216							
	14.000	41.912	2.1290	1.2565	1.5777	0.95750	2.20	2.000	28.592	1.1266	1.0347	2.1237	0.99983
	16.000	44.430	2.3547	1.3004	1.4954	0.93899		4.000	30.238	1.2654	1.0700	2.0485	0.99867
	18.000	47.210	2.6041	1.3478	1.4078	0.91626		6.000	31.981	1.4173	1.1061	1.9738	0.99569
	20.000	50.365	2.8848	1.3999	1.3122	0.88870		8.000	33.827	1.5832	1.1435	1.8987	0.99020
	22.000	54.169	3.2152	1.4602	1.2019	0.85466		10.000	35.785	1.7641	1.1823	1.8228	0.98165
	24.000	59.767	3.6739	1.5424	1.0493	0.80628		12.000	37.869	1.9611	1.2229	1.7454	0.96964
	24.614	64.621	4.0332	1.6058	0.9273	0.76858		14.000	40.095	2.1756	1.2656	1.6657	0.95387
	24.000	69.104	4.3238	1.6568	0.8245	0.73867		16.000	42.489	2.4095	1.3109	1.5831	0.93417
	22.000	73.521	4.6852	1.6987	0.7345	0.71445		18.000	45.092	2.6658	1.3593	1.4963	0.91035
	20.000	76.189	4.9644	1.7197	0.6870	0.70251		20.000	47.975	2.9494	1.4118	1.4035	0.88215
	18.000	78.257	4.7652	1.7336	0.6543	0.69468		22.000	51.277	3.2704	1.4701	1.3013	0.84887
	16.000	80.001	4.8232	1.7436	0.6299	0.68906		24.000	55.356	3.6552	1.5390	1.1805	0.80826
	14.000	81.539	4.8669	1.7512	0.6111	0.68484		26.000	62.695	4.2918	1.6512	0.9795	0.74193
	12.000	82.938	4.9006	1.7570	0.5964	0.68162		26.103	64.620	4.4426	1.6775	0.9305	0.72663
	10.000	84.237	4.9264	1.7615	0.5849	0.67914		26.000	66.480	4.5807	1.7015	0.8849	0.71283
	8.000	85.463	4.9461	1.7649	0.5760	0.67726		24.000	72.560	4.9728	1.7695	0.7490	0.67473
	6.000	86.638	4.9606	1.7674	0.5694	0.67588		22.000	75.420	5.1222	1.7953	0.6936	0.66068

Oblique Shock Tables ($\gamma = 1.4$)

M_1	θ	β	$\frac{p_2}{p_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{p_{02}}{p_{01}}$	M_1	θ	β	$\frac{p_2}{p_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{p_{02}}{p_{01}}$
2.20	20.00	77.549	5.2175	1.8117	0.5568	0.65185	2.30	16.000	40.816	2.4701	1.3224	1.6676	0.92872
	18.00	79.308	5.2856	1.8234	0.6296	0.64562		18.000	43.299	2.7360	1.3724	1.5804	0.90351
	16.00	80.839	5.3369	1.8323	0.6086	0.64096		20.000	46.007	3.0276	1.4261	1.4885	0.87413
	14.00	82.216	5.3764	1.8391	0.5921	0.63739		22.000	49.026	3.3514	1.4847	1.3894	0.84035
	12.00	83.483	5.4073	1.8444	0.5789	0.63462		24.000	52.536	3.7216	1.5508	1.2788	0.80125
	10.00	84.670	5.4313	1.8485	0.5686	0.63247		26.000	57.077	4.1819	1.6319	1.1425	0.75319
	8.00	85.798	5.4497	1.8517	0.5605	0.63083		27.454	64.653	4.8739	1.7524	0.9338	0.68417
	6.00	86.883	5.4633	1.8540	0.5545	0.62962		28.000	71.264	5.3682	1.8377	0.7743	0.63813
	4.00	87.938	5.4727	1.8556	0.5503	0.62879		29.000	74.512	5.6649	1.8714	0.7060	0.62065
	2.00	88.973	5.4782	1.8565	0.5479	0.62830		22.000	76.770	5.6817	1.8915	0.6635	0.61049
								20.000	78.582	5.7631	1.9054	0.6328	0.60352
								18.000	80.133	5.8238	1.9158	0.6092	0.59838
								16.000	81.509	5.8705	1.9238	0.5906	0.59445
								14.000	82.764	5.9071	1.9301	0.5757	0.59139
								12.000	83.928	5.9360	1.9350	0.5638	0.58899
2.25	20.00	27.926	1.1288	1.0353	2.1725	0.99982		10.000	85.026	5.9586	1.9389	0.5543	0.58712
	4.00	29.555	1.2703	1.0712	2.0962	0.98661		8.000	86.074	5.9761	1.9419	0.5469	0.58568
	6.00	31.277	1.4254	1.1080	2.0203	0.98973		6.000	87.085	5.9890	1.9441	0.5413	0.58461
	8.00	33.102	1.5949	1.1461	1.9443	0.98973		4.000	88.070	5.9980	1.9456	0.5374	0.58387
	10.00	35.034	1.7798	1.1856	1.8674	0.98079		2.000	89.039	6.0033	1.9465	0.5352	0.58344
	12.00	37.088	1.9812	1.2270	1.7891	0.96827							
	14.00	39.277	2.2004	1.2705	1.7088	0.95189							
	16.00	41.623	2.4392	1.3166	1.6257	0.93152							
	18.00	44.161	2.7000	1.3657	1.5388	0.90703							
	20.00	46.948	2.9871	1.4187	1.4466	0.87829							
	22.00	50.091	3.3085	1.4770	1.3464	0.84486							
	24.00	53.837	3.6830	1.5440	1.2318	0.80532							
	26.00	59.122	4.1839	1.6323	1.0792	0.75298							
	26.795	64.633	4.6556	1.7145	0.9321	0.70542							
2.30	20.00	69.627	5.0238	1.7783	0.8115	0.66991	2.35	2.000	26.692	1.1334	1.0365	2.2698	0.99980
	24.00	73.634	5.2707	1.8209	0.7254	0.64698		4.000	28.289	1.2804	1.0736	2.1911	0.99846
	26.00	76.145	5.4009	1.8433	0.6775	0.63519		6.000	29.979	1.4420	1.1118	2.1129	0.99502
	22.00	79.744	5.5523	1.8693	0.6189	0.62175		8.000	31.765	1.6189	1.1513	2.0346	0.98872
	20.00	81.192	5.6011	1.8776	0.5993	0.61749		10.000	33.657	1.8124	1.1924	1.9557	0.97895
	18.00	82.504	5.6391	1.8842	0.5836	0.61418		12.000	35.662	2.0232	1.2354	1.8755	0.96534
	16.00	83.716	5.6688	1.8893	0.5711	0.61161		14.000	37.790	2.2526	1.2807	1.7934	0.94765
	14.00	84.856	5.6921	1.8932	0.5612	0.60960		16.000	40.060	2.5021	1.3285	1.7089	0.92580
	12.00	85.942	5.7100	1.8963	0.5535	0.60806		18.000	42.497	2.7736	1.3794	1.6212	0.89981
	10.00	86.988	5.7233	1.8986	0.5477	0.60692		20.000	45.140	3.0705	1.4339	1.5291	0.86971
	8.00	88.007	5.7324	1.9002	0.5437	0.60614		22.000	48.059	3.3981	1.4931	1.4308	0.83542
	6.00	89.008	5.7378	1.9011	0.5413	0.60568		24.000	51.393	3.7677	1.5590	1.3227	0.79639
								26.000	55.500	4.2092	1.6367	1.1954	0.75038
								28.000	62.973	4.9459	1.7648	0.9810	0.67729
								28.082	64.679	5.0977	1.7911	0.9354	0.66296
								28.000	66.328	5.2377	1.8152	0.8927	0.65000
2.30	20.00	27.294	1.1311	1.0359	2.2212	0.99981		26.000	72.454	5.6907	1.8930	0.7474	0.60972
	4.00	28.906	1.2753	1.0724	2.1437	0.9854		24.000	75.251	5.8587	1.9218	0.6895	0.59544
	6.00	30.611	1.4336	1.1099	2.0667	0.9826		22.000	77.317	5.9657	1.9401	0.6510	0.58653
	8.00	32.415	1.6068	1.1487	1.9896	0.9823		20.000	79.014	6.0423	1.9532	0.6224	0.58024
	10.00	34.326	1.7959	1.1890	1.9117	0.97989		18.000	80.483	6.1001	1.9631	0.6002	0.57554
	12.00	36.354	2.0019	1.2311	1.8325	0.96684		16.000	81.798	6.1451	1.9707	0.5826	0.57191
	14.00	38.510	2.2261	1.2755	1.7514	0.94982		14.000	83.001	6.1806	1.9768	0.5683	0.56907
								12.000	84.122	6.2087	1.9816	0.5569	0.56683
								10.000	85.182	6.2308	1.9854	0.5478	0.56508
								8.000	86.195	6.2479	1.9883	0.5406	0.56372

Oblique Shock Tables ($\gamma = 1.4$)

M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{P_2}{P_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$	M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{P_2}{P_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$
2.35	6.000	87.174	6.2606	3.1453	1.9904	0.5353	0.56272	2.45	26.000	53.045	4.3053	2.6037	1.6535	1.2861	0.74055
	4.000	88.129	6.2694	3.1474	1.9919	0.5315	0.56203		28.000	57.780	4.8455	2.7729	1.7475	1.1385	0.68691
	2.000	89.068	6.2745	3.1486	1.9928	0.5293	0.56162		29.253	64.744	5.5614	2.9727	1.8708	0.9386	0.62095
									28.000	70.828	6.0810	3.1029	1.9598	0.7837	0.57709
									26.000	74.185	6.3161	3.1582	1.9999	0.7082	0.55836
									24.000	76.446	6.4516	3.1891	2.0230	0.6623	0.54787
2.40	4.000	27.702	1.1358	1.0951	1.0371	2.3184	0.99979		20.000	78.236	6.5451	3.2101	2.0389	0.6294	0.54076
	6.000	29.377	1.2856	1.1960	1.0749	2.2383	0.99839		22.000	79.752	6.6146	3.2254	2.0508	0.6042	0.53555
	8.000	31.149	1.6314	1.3023	1.1138	2.1589	0.99478		18.000	81.089	6.6682	3.2372	2.0599	0.5842	0.53157
	10.000	33.023	1.8292	1.5295	1.1959	1.9994	0.97797		16.000	82.299	6.7105	3.2464	2.0671	0.5681	0.52845
	12.000	35.007	2.0450	1.6495	1.2398	1.9181	0.96377		14.000	83.416	6.7442	3.2536	2.0728	0.5550	0.52599
	14.000	37.112	2.2798	1.7729	1.2860	1.8350	0.94538		12.000	84.462	6.7710	3.2594	2.0774	0.5444	0.52403
	16.000	39.351	2.5351	1.8993	1.3348	1.7497	0.92274		10.000	85.455	6.7923	3.2640	2.0810	0.5359	0.52249
	18.000	41.748	2.8128	2.0285	1.3866	1.6613	0.89592		8.000	86.408	6.8088	3.2675	2.0838	0.5292	0.52129
	20.000	44.336	3.1155	2.1604	1.4421	1.5689	0.86505		6.000	87.331	6.8211	3.2701	2.0859	0.5242	0.52041
	22.000	47.174	3.4480	2.2955	1.5021	1.4709	0.83015		4.000	88.232	6.8296	3.2719	2.0873	0.51979	0.51979
	24.000	50.371	3.8196	2.4357	1.5682	1.3644	0.79093		2.000	89.119	6.8346	3.2730	2.0882	0.5186	0.51943
	26.000	54.184	4.2521	2.5861	1.6442	1.2426	0.74598								
	28.000	59.656	4.8382	2.7707	1.7462	1.0779	0.68761								
	28.681	64.710	5.3269	2.9100	1.8305	0.9370	0.64187	2.50	2.000	25.050	1.1405	1.0984	1.0384	2.4155	0.99977
	28.000	69.291	5.7130	3.0119	1.8968	0.8201	0.60781		4.000	26.609	1.2961	1.2029	1.0775	2.3326	0.99822
	26.000	73.400	6.0048	3.0845	1.9468	0.7260	0.58331		6.000	28.259	1.4679	1.3133	1.1177	2.2505	0.99427
	24.000	75.889	6.1539	3.1203	1.9722	0.6751	0.57121		8.000	30.005	1.6568	1.4289	1.1595	2.1685	0.98703
	22.000	77.803	6.2534	3.1436	1.9892	0.6397	0.56329		10.000	31.851	1.8639	1.5493	1.2031	2.0859	0.97589
	20.000	79.402	6.3260	3.1605	2.0016	0.6129	0.55758		12.000	33.802	2.0900	1.6737	1.2488	2.0022	0.96046
	18.000	80.800	6.3816	3.1732	2.0111	0.5919	0.55326		14.000	35.866	2.3364	1.8015	1.2969	1.9169	0.94057
	16.000	82.059	6.4251	3.1831	2.0185	0.5751	0.54990		16.000	38.057	2.6042	1.9322	1.3478	1.8295	0.91625
	14.000	83.217	6.4596	3.1909	2.0244	0.5615	0.54726		18.000	40.389	2.8949	2.0652	1.4018	1.7394	0.88767
	12.000	84.299	6.4870	3.1971	2.0290	0.5505	0.54517		20.000	42.890	3.2109	2.2002	1.4594	1.6458	0.85510
	10.000	85.324	6.5087	3.2019	2.0327	0.5416	0.54352		22.000	45.602	3.5558	2.3373	1.5213	1.5475	0.81877
	8.000	86.306	6.5254	3.2057	2.0356	0.5348	0.54225		24.000	48.600	3.9361	2.4775	1.5887	1.4426	0.77871
	6.000	87.255	6.5379	3.2085	2.0377	0.5296	0.54131		26.000	52.036	4.3657	2.6235	1.6641	1.3268	0.73441
	4.000	88.182	6.5466	3.2104	2.0392	0.5260	0.54065		28.000	56.335	4.8844	2.7844	1.7542	1.1888	0.68317
	2.000	89.094	6.5517	3.2115	2.0400	0.5238	0.54027		29.797	64.782	5.8014	3.0342	1.9120	0.9402	0.60027
									28.000	71.949	6.4249	3.1831	2.0185	0.94992	0.54992
									26.000	74.856	6.6273	3.2282	2.0529	0.9288	0.53460
									24.000	76.939	6.7526	3.2555	2.0742	0.9059	0.52537
2.45	2.000	25.572	1.1381	1.0968	1.0377	2.3670	0.99978		22.000	78.625	6.8414	3.2744	2.0893	0.6201	0.51894
	4.000	27.143	1.2908	1.1994	1.0762	2.2855	0.99831		20.000	80.070	6.9082	3.2885	2.1007	0.5962	0.51417
	6.000	28.805	1.4591	1.3078	1.1157	2.2048	0.99453		18.000	81.353	6.9602	3.2994	2.1095	0.5770	0.51048
	8.000	30.563	1.6440	1.4212	1.1567	2.1241	0.98765		16.000	82.518	7.0014	3.3080	2.1165	0.5616	0.50759
	10.000	32.422	1.8463	1.5393	1.1994	2.0428	0.97695		14.000	83.598	7.0343	3.3148	2.1221	0.5489	0.50528
	12.000	34.388	2.0672	1.6615	1.2442	1.9603	0.96215		12.000	84.612	7.0607	3.3202	2.1266	0.5387	0.50345
	14.000	36.472	2.3078	1.7871	1.2914	1.8762	0.94302		10.000	85.576	7.0816	3.3245	2.1301	0.5304	0.50200
	16.000	38.685	2.5692	1.9156	1.3412	1.7898	0.91955		8.000	86.502	7.0979	3.3278	2.1329	0.5240	0.50088
	18.000	41.047	2.8532	2.0466	1.3941	1.7006	0.89187		6.000	87.400	7.1100	3.3285	2.1350	0.5191	0.50005
	20.000	43.588	3.1623	2.1800	1.4506	1.6077	0.86018		4.000	88.277	7.1184	3.3320	2.1364	0.5157	0.49947
	22.000	46.358	3.5007	2.3160	1.5115	1.5097	0.82459		2.000	89.142	7.1234	3.3330	2.1372	0.5137	0.49913
	24.000	49.445	3.8759	2.4560	1.5781	1.4042	0.78502								

Oblique Shock Tables ($\gamma = 1.4$)

M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$	M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$
2.55	2.000	24.550	1.1429	1.0390	2.4639	0.99976	2.60	30.814	64.866	6.2972	3.1538	0.9433	0.55984
	4.000	26.099	1.3015	1.0788	2.3796	0.99814		30.000	69.778	6.7777	3.2609	0.8111	0.52354
	6.000	27.739	1.4768	1.1198	2.2961	0.99399		28.000	73.590	7.0906	3.3263	0.7189	0.50138
	8.000	29.474	1.6699	1.1623	2.2128	0.98642		26.000	75.955	7.2555	3.3596	0.6673	0.49015
	10.000	31.307	1.8817	1.2067	2.1288	0.97479		24.000	77.778	7.3665	3.3815	0.6311	0.48276
	12.000	33.244	2.1133	1.2534	2.0438	0.95871		22.000	79.299	7.4481	3.3974	0.6035	0.47742
	14.000	35.293	2.3656	1.3025	1.9603	0.93803		20.000	80.626	7.5108	3.4095	0.5817	0.47336
	16.000	37.463	2.6399	1.3545	1.8687	0.91283		18.000	81.815	7.5602	3.4189	0.5641	0.47020
	18.000	39.770	2.9378	1.4097	1.7776	0.88333		16.000	82.906	7.5997	3.4264	0.5497	0.46768
	20.000	42.236	3.2611	1.4685	1.6832	0.84985		14.000	83.922	7.6316	3.4324	0.5378	0.46566
	22.000	44.899	3.6130	1.5315	1.5845	0.81272		12.000	84.879	7.6572	3.4372	0.5282	0.46405
	24.000	47.822	3.9995	1.5999	1.4797	0.77209		10.000	85.792	7.6775	3.4411	0.5204	0.46277
	26.000	51.130	4.4319	1.6756	1.3655	0.72722		8.000	86.671	7.6934	3.4440	0.5143	0.46178
	28.000	55.131	4.9401	1.7638	1.2334	0.67784		6.000	87.524	7.7053	3.4462	0.5096	0.46104
	30.000	61.449	5.6866	1.8923	1.0385	0.61007		4.000	88.359	7.7135	3.4478	0.5064	0.46053
	30.317	64.823	6.0466	1.9539	0.9418	0.57989		2.000	89.183	7.7184	3.4487	0.5045	0.46022
	30.000	67.966	6.3519	2.0060	0.8568	0.55557							
	28.000	72.844	6.7595	2.0754	0.7364	0.52487							
	26.000	75.440	6.9402	2.1061	0.6793	0.51190							
	24.000	77.380	7.0575	2.1260	0.6405	0.50368	2.65	2.000	23.613	1.1479	1.1034	2.5607	0.99973
2.60	2.000	24.071	1.1454	1.0396	2.5123	0.99975		4.000	25.144	1.3124	1.2136	2.4734	0.99796
	4.000	25.611	1.3070	1.0801	2.4265	0.99805		6.000	26.766	1.4950	1.3302	2.3869	0.99341
	6.000	27.241	1.4858	1.1218	2.3416	0.99371		8.000	28.482	1.6966	1.4525	2.3007	0.98514
	8.000	28.966	1.6831	1.1651	2.2568	0.98579		10.000	30.295	1.9182	1.5798	2.2139	0.97247
	10.000	30.789	1.8998	1.2105	2.1715	0.97365		12.000	32.210	2.1610	1.7113	2.1262	0.95502
	12.000	32.714	2.1369	1.2580	2.0852	0.95690		14.000	34.232	2.4260	1.8462	2.0370	0.93270
	14.000	34.749	2.3955	1.3082	1.9973	0.93541		16.000	36.368	2.7141	1.9835	1.9459	0.90566
	16.000	36.901	2.6767	1.3613	1.9075	0.90930		18.000	38.632	3.0267	2.1226	1.8524	0.87423
	18.000	39.185	2.9817	1.4177	1.8152	0.87884		20.000	41.043	3.3657	2.2630	1.7560	0.83884
	20.000	41.621	3.3126	1.4778	1.7199	0.84443		22.000	43.627	3.7335	2.4042	1.6559	0.80000
	22.000	44.242	3.6723	1.5421	1.6205	0.80645		24.000	46.433	4.1347	2.5465	1.5507	0.75806
	24.000	47.102	4.0658	1.6116	1.5157	0.76520		26.000	49.549	4.5776	2.6911	1.4380	0.71313
	26.000	50.305	4.5028	1.6880	1.4025	0.72060		28.000	53.164	5.0815	2.8416	1.3126	0.66448
	28.000	54.088	5.0067	1.7754	1.2744	0.67151		30.000	57.877	5.7097	3.0110	1.1576	0.60809
	30.000	59.352	5.6706	1.8896	1.1062	0.61145		31.288	64.910	6.5531	3.2118	0.9447	0.54016
								30.000	70.983	7.1564	3.3397	0.7814	0.49687
								28.000	74.230	7.4211	3.3922	0.7039	0.47918
								26.000	76.415	7.5745	3.4216	0.6565	0.46930
								24.000	78.138	7.6801	3.4415	0.6224	0.46262
								22.000	79.592	7.7589	3.4562	0.5962	0.45771
								20.000	80.870	7.8200	3.4674	0.5752	0.45396
								18.000	82.020	7.8684	3.4763	0.5582	0.45101
								16.000	83.079	7.9073	3.4833	0.5442	0.44866
								14.000	84.066	7.9387	3.4890	0.5327	0.44677
								12.000	84.998	7.9640	3.4935	0.5234	0.44526
								10.000	85.888	7.9841	3.4972	0.5158	0.44406
								8.000	86.746	7.9999	3.5000	0.5098	0.44312
								6.000	87.579	8.0116	3.5021	0.5053	0.44242

Oblique Shock Tables ($\gamma = 1.4$)

M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$	M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{T_2}{T_1}$	$\frac{P_2}{P_1}$	M_2	$\frac{P_{02}}{P_{01}}$
2.65	4.000	88.396	8.0198	2.2891	0.5021	0.44194	2.75	24.000	45.225	4.2794	2.5951	2.5951	1.6181	0.74319
	2.000	89.200	8.0247	2.2899	0.5003	0.44165		26.000	48.206	4.7375	2.7404	2.7404	1.5056	0.69739
2.70	4.000	23.173	1.1503	1.0409	2.6090	0.99972	28.000	51.579	55.674	5.2490	2.8886	2.8886	1.3832	0.64896
	6.000	26.311	1.3179	1.0827	2.5201	0.99786	30.000	55.674	62.549	5.8507	3.0466	3.0466	1.2416	0.59611
	8.000	28.019	1.5042	1.1260	2.4321	0.99311	32.000	62.549	65.002	6.7812	3.2616	3.2616	1.0209	0.52329
	10.000	29.824	1.7102	1.1709	2.3444	0.98446	32.173	65.002	72.678	7.0807	3.3243	3.3243	0.9476	0.50207
	12.000	31.728	1.9369	1.2180	2.2561	0.97425	32.000	72.678	80.110	7.3448	3.3773	3.3773	0.8812	0.48420
	14.000	33.739	2.1855	1.2676	2.1689	0.96309	30.000	80.110	88.070	7.8741	3.4773	3.4773	0.8212	0.45066
	16.000	35.862	2.4569	1.3199	2.0763	0.95291	28.000	88.070	95.285	8.3214	3.5154	3.5154	0.7689	0.43799
	18.000	38.109	2.7523	1.3754	1.9838	0.94343	26.000	95.285	100.110	8.2233	3.5393	3.5393	0.7378	0.43010
	20.000	40.496	3.0727	1.4343	1.8990	0.93311	24.000	100.110	108.454	8.3960	3.5561	3.5561	0.6071	0.42454
	22.000	43.049	3.4200	1.4970	1.7915	0.92337	22.000	108.454	118.386	8.5014	3.5688	3.5688	0.5829	0.42037
	24.000	45.809	3.7964	1.5641	1.6905	0.91391	20.000	118.386	129.837	8.5392	3.5786	3.5786	0.5634	0.41714
	26.000	48.852	4.6560	1.6362	1.5848	0.90268	18.000	129.837	143.324	8.5948	3.5927	3.5927	0.5474	0.41457
	28.000	52.334	5.1626	1.7146	1.4723	0.89038	16.000	143.324	159.699	8.6146	3.5978	3.5978	0.5343	0.41251
	30.000	56.687	5.7730	1.8022	1.3488	0.87692	14.000	159.699	179.882	8.6301	3.6019	3.6019	0.5145	0.40951
	31.741	64.956	6.8143	1.9071	1.2018	0.86268	10.000	179.882	200.110	8.6418	3.6051	3.6051	0.5072	0.40845
	30.000	71.913	7.5186	2.0442	0.9462	0.85209	8.000	200.110	224.286	8.6499	3.6077	3.6077	0.5015	0.40762
	28.000	74.790	7.7529	2.2439	0.7587	0.84286	6.000	224.286	250.000	8.6547	3.6096	3.6096	0.4972	0.40700
	26.000	76.828	7.9967	2.2682	0.6907	0.83008	4.000	250.000	279.619	8.6547	3.6109	3.6109	0.4942	0.40656
	24.000	78.466	7.9983	2.2854	0.6468	0.81430	2.000	279.619	300.234	8.6547	3.6117	3.6117	0.4924	0.40631
2.75	22.000	79.862	8.0748	2.2984	0.6145	0.80321	2.80	2.000	22.344	1.1553	1.1085	1.1085	2.7056	0.99969
	20.000	81.095	8.1345	2.3085	0.5893	0.79370		4.000	23.854	1.3292	1.2246	1.2246	2.6133	0.99766
	18.000	82.210	8.1821	2.3165	0.5691	0.78522		6.000	25.455	1.5230	1.3476	1.3476	2.5222	0.99246
	16.000	83.238	8.2204	2.3230	0.5527	0.77824		8.000	27.150	1.7379	1.4768	1.4768	2.4313	0.98304
	14.000	84.199	8.2515	2.3282	0.5391	0.77250		10.000	28.940	1.9751	1.6113	1.6113	2.3399	0.96869
	12.000	85.109	8.2765	2.3324	0.5279	0.76780		12.000	30.830	2.2357	1.7502	1.7502	2.2476	0.94903
	10.000	85.978	8.2965	2.3358	0.5188	0.76408		14.000	32.822	2.5205	1.8923	1.8923	2.1540	0.92409
	8.000	86.816	8.3121	2.3385	0.5114	0.76114		16.000	34.923	2.8309	2.0367	2.0367	2.0585	0.89411
	6.000	87.631	8.3238	2.3404	0.5056	0.75866		18.000	37.141	3.1677	2.1822	2.1822	1.9610	0.85962
	4.000	88.430	8.3319	2.3418	0.5012	0.75641		20.000	39.490	3.5324	2.3283	2.3283	1.8610	0.82123
	2.000	89.218	8.3367	2.3426	0.4981	0.75439		22.000	41.990	3.9271	2.4743	2.4743	1.7578	0.77965
					0.4962	0.75268		24.000	44.676	4.3550	2.6200	2.6200	1.6506	0.73549
								26.000	47.604	4.8219	2.7658	2.7658	1.5379	0.68919
								28.000	50.887	5.3398	2.9135	2.9135	1.4163	0.64070
								30.000	54.786	5.9387	3.0683	3.0683	1.2783	0.58877
								32.000	60.433	6.7529	3.2555	3.2555	1.0909	0.52535
								32.587	65.050	7.3524	3.3788	3.3788	0.9490	0.48369
								32.000	69.211	7.8278	3.4689	3.4689	0.8307	0.45348
								30.000	73.328	8.2272	3.5399	3.5399	0.7243	0.42988
								28.000	75.728	8.4241	3.5735	3.5735	0.6684	0.41882
								26.000	77.543	8.5544	3.5952	3.5952	0.6296	0.41169
								24.000	79.042	8.6495	3.6108	3.6108	0.6002	0.40659
								22.000	80.339	8.7224	3.6227	3.6227	0.5769	0.40273
								20.000	81.496	8.7800	3.6319	3.6319	0.5580	0.39971

Oblique Shock Tables ($\gamma = 1.4$)

M_1	θ	β	$\frac{p_2}{p_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{p_{02}}{p_{01}}$	M_1	θ	β	$\frac{p_2}{p_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{p_{02}}{p_{01}}$
2.80	18.000	82.550	8.8262	2.4252	0.5425	0.39731	2.90	6.000	24.666	1.5421	1.1344	2.6117	0.99178
	16.000	83.525	8.8637	2.4316	0.5297	0.39538		8.000	26.350	1.7663	1.1828	2.5175	0.98153
	14.000	84.440	8.8942	2.4367	0.5191	0.39382		10.000	28.129	2.0143	1.2336	2.4229	0.96597
	12.000	85.308	8.9188	2.4409	0.5103	0.39256		12.000	30.007	2.2873	1.2874	2.3273	0.94475
	10.000	86.140	8.9385	2.4442	0.5033	0.39156		14.000	31.985	2.5863	1.3444	2.2304	0.91794
	8.000	86.943	8.9540	2.4468	0.4977	0.39078		16.000	34.069	2.9123	1.4050	2.1318	0.88591
	6.000	87.725	8.9656	2.4487	0.4935	0.39019		18.000	36.264	3.2663	1.4694	2.0313	0.84930
	4.000	88.492	8.9737	2.4501	0.4905	0.38978		20.000	38.584	3.6496	1.5380	1.9285	0.80886
	2.000	89.248	8.9784	2.4509	0.4887	0.38954		22.000	41.044	4.0638	1.6112	1.8229	0.76540
								24.000	43.672	4.5119	1.6896	1.7138	0.71969
2.85	2.000	21.954	1.1579	1.0429	2.7537	0.99968		26.000	46.515	4.9984	1.7739	1.5999	0.67230
	4.000	23.457	1.3349	1.0868	2.6598	0.99755		28.000	49.655	5.5328	1.8659	1.4788	0.62347
	6.000	25.052	1.5325	1.1323	2.5670	0.99213		30.000	53.274	6.1364	1.9692	1.3453	0.57262
	8.000	26.742	1.7520	1.1798	2.4744	0.98230		32.000	57.931	6.8791	2.0957	1.1827	0.51624
	10.000	28.526	1.9946	1.2297	2.3815	0.96735		33.363	65.145	7.9116	2.2708	0.9516	0.44840
	12.000	30.410	2.2613	1.2824	2.2876	0.94692		32.000	71.287	8.6350	2.3930	0.7771	0.40736
	14.000	32.394	2.5532	1.3382	2.1923	0.92105		30.000	74.392	9.3947	2.4435	0.6985	0.39175
	16.000	34.486	2.8712	1.3974	2.0953	0.89006		28.000	76.490	9.1095	2.4730	0.6500	0.38301
	18.000	36.692	3.2165	1.4604	1.9964	0.85451		26.000	78.142	9.2307	2.4934	0.6149	0.37709
	20.000	39.025	3.5904	1.5275	1.8950	0.81511		24.000	79.533	9.3212	2.5087	0.5878	0.37275
2.90	2.000	21.578	1.1604	1.0435	2.8019	0.99966		22.000	80.750	9.3915	2.5205	0.5660	0.36942
	4.000	23.076	1.3406	1.0882	2.7062	0.99744		20.000	81.843	9.4475	2.5300	0.5482	0.36680
								18.000	82.845	9.4928	2.5376	0.5335	0.36469
								16.000	83.775	9.5296	2.5438	0.5212	0.36299
								14.000	84.651	9.5597	2.5489	0.5111	0.36161
								12.000	85.484	9.5842	2.5530	0.5027	0.36049
								10.000	86.283	9.6038	2.5563	0.4959	0.35960
								8.000	87.055	9.6191	2.5588	0.4906	0.35890
								6.000	87.808	9.6306	2.5608	0.4865	0.35838
								4.000	88.546	9.6387	2.5621	0.4836	0.35802
2.95	2.000	21.216	1.1630	1.0442	2.8500	0.99965		2.000	89.275	9.6434	2.5629	0.4819	0.35780
	4.000	22.708	1.3464	1.0895	2.7526	0.99732							
	6.000	24.294	1.5518	1.1366	2.6563	0.99142							
	8.000	25.974	1.7807	1.1858	2.5604	0.98074							
	10.000	27.749	2.0343	1.2377	2.4640	0.96454							
	12.000	29.621	2.3137	1.2925	2.3668	0.94252							
	14.000	31.593	2.6199	1.3507	2.2682	0.91475							
	16.000	33.670	2.9540	1.4126	2.1679	0.88168							
	18.000	35.856	3.3169	1.4785	2.0658	0.84339							
	20.000	38.164	3.7098	1.5487	1.9615	0.80249							
2.99	2.000	21.035	1.1630	1.0442	2.8959	0.99965		2.000	89.275	9.6434	2.5629	0.4819	0.35780
	4.000	22.527	1.3464	1.0895	2.7985	0.99732							
	6.000	24.119	1.5518	1.1366	2.7011	0.99142							
	8.000	25.711	1.7807	1.1858	2.6037	0.98074							
	10.000	27.486	2.0343	1.2377	2.5063	0.96454							
	12.000	29.358	2.3137	1.2925	2.4089	0.94252							
	14.000	31.329	2.6199	1.3507	2.3115	0.91475							
	16.000	33.399	2.9540	1.4126	2.2141	0.88168							
	18.000	35.569	3.3169	1.4785	2.1167	0.84339							
	20.000	37.838	3.7098	1.5487	2.0193	0.80249							

Oblique Shock Tables ($\gamma = 1.4$)

M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{P_2}{P_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$	M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{P_2}{P_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$
2.95	32.000	56.997	6.9741	3.3023	2.1119	1.2199	0.50950	3.00	14.000	84.837	10.2483	3.8459	2.6647	0.5038	0.33180
	33.726	65.193	8.1990	3.5350	2.3194	0.9528	0.43150		12.000	85.638	10.2726	3.8491	2.6688	0.4958	0.33081
	32.000	72.020	9.0188	3.6996	2.4577	0.7585	0.3752		10.000	86.408	10.2921	3.8517	2.6721	0.4892	0.33001
	30.000	74.838	9.2917	3.7112	2.5037	0.6877	0.37416		8.000	87.154	10.3074	3.8537	2.6747	0.4841	0.32939
	28.000	76.821	9.4585	3.7359	2.5318	0.6420	0.36628		6.000	87.881	10.3190	3.8553	2.6766	0.4801	0.32892
	26.000	78.407	9.5762	3.7530	2.5516	0.6084	0.36086		4.000	88.594	10.3270	3.8563	2.6779	0.4774	0.32860
	24.000	79.752	9.6649	3.7657	2.5666	0.5821	0.35684								
	22.000	80.935	9.7342	3.7755	2.5782	0.5610	0.35374		2.000	89.299	10.3318	3.8569	2.6787	0.4757	0.32841
	20.000	82.000	9.7896	3.7834	2.5875	0.5437	0.35128								
	18.000	82.978	9.8345	3.7896	2.5951	0.5293	0.34931	3.05	2.000	20.530	1.1681	1.1173	1.0455	2.9462	0.99962
	16.000	83.889	9.8712	3.7947	2.6013	0.5173	0.34771		4.000	22.014	1.3581	1.2433	1.0923	2.8450	0.99708
	14.000	84.747	9.9012	3.7989	2.6063	0.5074	0.34641		6.000	23.591	1.5716	1.3774	1.1409	2.7451	0.99066
	12.000	85.563	9.9255	3.8023	2.6104	0.4992	0.34536		8.000	25.263	1.8100	1.5186	1.1919	2.6457	0.97909
	10.000	86.348	9.9450	3.8050	2.6137	0.4925	0.34452		10.000	27.031	2.0749	1.6656	1.2458	2.5458	0.96158
	8.000	87.106	9.9604	3.8071	2.6163	0.4872	0.34386		12.000	28.895	2.3674	1.8171	1.3029	2.4450	0.93788
	6.000	87.845	9.9719	3.8087	2.6182	0.4832	0.34336		14.000	30.859	2.6886	1.9717	1.3636	2.3429	0.90814
	4.000	88.571	9.9799	3.8098	2.6196	0.4804	0.34302		16.000	32.923	3.0394	2.1281	1.4282	2.2392	0.87292
	2.000	89.288	9.9847	3.8104	2.6204	0.4788	0.34282		18.000	35.095	3.4208	2.2848	1.4972	2.1338	0.83303
									20.000	37.382	3.8338	2.4408	1.5707	2.0263	0.78944
									22.000	39.797	4.2796	2.5952	1.6490	1.9166	0.74317
3.00	2.000	20.867	1.1656	1.1155	1.0449	2.8981	0.99963		24.000	42.361	4.7607	2.7474	1.7328	1.8039	0.69513
	4.000	22.355	1.3522	1.2395	1.0909	2.7988	0.99721		26.000	45.110	5.2806	2.8973	1.8226	1.6874	0.64608
	6.000	23.936	1.5616	1.3714	1.1387	2.7008	0.99105		28.000	48.102	5.8462	3.0455	1.9196	1.5654	0.59649
	8.000	25.611	1.7953	1.5101	1.1888	2.6031	0.97993		30.000	51.455	6.4722	3.1938	2.0265	1.4345	0.54630
	10.000	27.383	2.0545	1.6546	1.2417	2.5050	0.96308		32.000	55.456	7.1967	3.3478	2.1497	1.2858	0.49412
	12.000	29.251	2.3404	1.8036	1.2977	2.4060	0.94022		34.000	61.505	8.2161	3.5380	2.3222	1.0765	0.43052
	14.000	31.218	2.6540	1.9556	1.3571	2.3056	0.91148		36.000	65.288	8.7895	3.6335	2.4190	0.9552	0.39922
	16.000	33.288	2.9964	2.1264	1.4204	2.2037	0.87734		38.000	68.742	9.2596	3.7064	2.4983	0.8514	0.37570
	18.000	35.467	3.3685	2.2641	1.4878	2.1000	0.83855		40.000	73.184	9.7779	3.7817	2.5856	0.7291	0.35180
	20.000	37.764	3.7713	2.4181	1.5596	1.9941	0.79602		42.000	75.604	10.0154	3.8146	2.6255	0.6689	0.34151
	22.000	40.192	4.2064	2.5708	1.6362	1.8858	0.75068		44.000	77.406	10.1703	3.8355	2.6516	0.6276	0.33501
	24.000	42.775	4.6761	2.7216	1.7181	1.7744	0.70340		46.000	78.880	10.2825	3.8505	2.6705	0.5965	0.33040
	26.000	45.552	5.1844	2.8706	1.8060	1.6589	0.65491		48.000	80.145	10.3683	3.8617	2.6849	0.5719	0.32694
	28.000	48.586	5.7388	3.0184	1.9012	1.5374	0.60560		50.000	81.267	10.4361	3.8705	2.6963	0.5518	0.32423
	30.000	52.014	6.3559	3.1673	2.0067	1.4059	0.55526		52.000	82.284	10.4906	3.8776	2.7055	0.5353	0.32208
	32.000	56.182	7.0810	3.3244	2.1300	1.2541	0.50205		54.000	83.221	10.5350	3.8833	2.7129	0.5215	0.32034
	34.000	63.673	8.2682	3.5470	2.3310	1.0029	0.42755		56.000	84.095	10.5714	3.8879	2.7190	0.5100	0.31892
	34.073	65.241	8.4917	3.5848	2.3688	0.9540	0.41510		58.000	84.921	10.6012	3.8917	2.7240	0.5005	0.31777
	34.000	66.749	8.6971	3.6186	2.4035	0.9083	0.40406		60.000	85.709	10.6255	3.8948	2.7281	0.4926	0.31683
	32.000	72.642	9.3988	3.7271	2.5217	0.7428	0.36908		62.000	86.466	10.6450	3.8973	2.7314	0.4861	0.31608
	30.000	75.239	9.6517	3.7638	2.5643	0.6779	0.35743		64.000	87.199	10.6603	3.8992	2.7340	0.4810	0.31549
	28.000	77.126	9.8121	3.7865	2.5913	0.6345	0.35029		66.000	87.914	10.6719	3.9007	2.7359	0.4772	0.31505
	26.000	78.652	9.9268	3.8024	2.6106	0.6022	0.34530		68.000	88.617	10.6799	3.9017	2.7373	0.4744	0.31474
	24.000	79.956	10.0139	3.8144	2.6253	0.5768	0.34157		70.000	89.310	10.6847	3.9023	2.7381	0.4728	0.31456
	22.000	81.106	10.0824	3.8237	2.6368	0.5563	0.33868								
	20.000	82.147	10.1373	3.8311	2.6460	0.5394	0.33638								
	18.000	83.103	10.1819	3.8371	2.6536	0.5253	0.33453	3.10	2.000	20.205	1.1707	1.1190	1.0462	2.9942	0.99960
	16.000	83.996	10.2184	3.8420	2.6597	0.5136	0.33302		4.000	21.684	1.3640	1.2471	1.0937	2.8911	0.99696

Oblique Shock Tables ($\gamma = 1.4$)

M_1	θ	β	$\frac{p_2}{p_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{p_{02}}{p_{01}}$	M_1	θ	β	$\frac{p_2}{p_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{p_{02}}{p_{01}}$
3.10	6.000	23.258	1.5815	1.1431	2.7894	0.99027	3.15	28.000	47.216	6.0688	1.9577	1.6194	0.57808
	8.000	24.927	1.8249	1.1950	2.6881	0.97822		30.000	50.449	6.7158	2.0680	1.4886	0.52806
	10.000	26.692	2.0956	1.2499	2.5864	0.96504		32.000	54.201	7.4487	2.1924	1.3441	0.47738
	12.000	28.554	2.3949	1.3081	2.4837	0.95046		34.000	59.196	8.3736	2.3489	1.1632	0.42162
	14.000	30.513	2.7236	1.3701	2.3798	0.90473		35.033	65.382	9.4008	2.5221	0.9575	0.36898
	16.000	32.574	3.0831	1.4362	2.2743	0.86841		34.000	70.719	10.1474	2.6478	0.7974	0.33596
	18.000	34.739	3.4740	1.5067	2.1672	0.82741		32.000	74.089	10.5396	2.7137	0.7064	0.32016
	20.000	37.017	3.8973	1.5819	2.0581	0.78278		30.000	76.244	10.7550	2.7499	0.6531	0.31190
	22.000	39.421	4.3543	1.6621	1.9468	0.73556		28.000	77.906	10.9014	2.7745	0.6152	0.30644
	24.000	41.968	4.8470	1.7477	1.8329	0.68676		26.000	79.289	11.0097	2.7927	0.5860	0.30248
	26.000	44.692	5.3788	1.8395	1.7154	0.63718		24.000	80.490	11.0936	2.8068	0.5627	0.29947
	28.000	47.646	5.9563	1.9385	1.5928	0.58731		22.000	81.560	11.1602	2.8180	0.5436	0.29710
	30.000	50.935	6.5922	2.0470	1.4620	0.53722		20.000	82.535	11.2142	2.8270	0.5278	0.29520
	32.000	54.800	7.3197	2.1705	1.3157	0.48586		18.000	83.436	11.2583	2.8344	0.5145	0.29366
	34.000	60.205	8.2768	2.3325	1.1241	0.42706		16.000	84.279	11.2945	2.8405	0.5035	0.29240
	34.726	65.335	9.0925	2.4701	0.9564	0.38385		14.000	85.076	11.3243	2.8455	0.4942	0.29138
	34.000	69.872	9.7174	2.7732	0.8203	0.35449		12.000	85.838	11.3486	2.8496	0.4865	0.29054
	32.000	73.661	10.1577	2.6495	0.7171	0.33553		10.000	86.571	11.3682	2.8529	0.4803	0.28987
	30.000	75.938	10.3831	2.6874	0.6607	0.32634		8.000	87.281	11.3835	2.8555	0.4754	0.28935
	28.000	77.666	10.5334	2.7126	0.6212	0.32040		6.000	87.976	11.3951	2.8574	0.4716	0.28895
	26.000	79.091	10.6435	2.7311	0.5911	0.31614		4.000	88.657	11.4032	2.8588	0.4690	0.28867
	24.000	80.324	10.7282	2.7454	0.5671	0.31291		2.000	89.330	11.4080	2.8596	0.4674	0.28851
3.15	22.000	81.419	10.7954	2.7567	0.5476	0.31038							
	20.000	82.413	10.8496	2.7658	0.5314	0.30836	3.20	2.000	19.587	1.1760	1.0475	3.0901	0.99957
	18.000	83.331	10.8938	2.7732	0.5179	0.30672		4.000	21.059	1.3759	1.0965	2.9831	0.99670
	16.000	84.189	10.9301	2.7793	0.5067	0.30539		6.000	22.628	1.6017	1.1475	2.8776	0.98944
	14.000	85.001	10.9599	2.7843	0.4973	0.30430		8.000	24.292	1.8552	1.2013	2.7725	0.97642
	12.000	85.775	10.9842	2.7884	0.4895	0.30341		10.000	26.052	2.1377	1.2582	2.6670	0.95684
	10.000	86.520	11.0037	2.7917	0.4832	0.30270		12.000	27.909	2.4507	1.3188	2.5605	0.93048
	8.000	87.242	11.0190	2.7942	0.4781	0.30215		14.000	29.863	2.7952	1.3834	2.4528	0.89766
	6.000	87.945	11.0306	2.7962	0.4743	0.30173		16.000	31.915	3.1723	1.4524	2.3437	0.85914
	4.000	88.637	11.0387	2.7975	0.4716	0.30144		18.000	34.071	3.5828	1.5261	2.2329	0.81591
	2.000	89.321	11.0434	2.7983	0.4701	0.30127		20.000	36.335	4.0273	1.6048	2.1205	0.76919
								22.000	38.718	4.5073	1.6888	2.0061	0.72014
								24.000	41.238	5.0245	1.7784	1.8893	0.66984
								26.000	43.920	5.5816	1.8743	1.7695	0.61919
								28.000	46.811	6.1840	1.9774	1.6454	0.56880
								30.000	49.994	6.8427	2.0895	1.5144	0.51885
								32.000	53.651	7.5832	2.2152	1.3711	0.46873
								34.000	58.350	8.4906	2.3686	1.1976	0.41516
								35.327	65.428	9.7141	2.5748	0.9585	0.35463
								34.000	71.408	10.5657	2.7181	0.7791	0.31914
								32.000	74.475	10.9242	2.7783	0.6967	0.30560
								30.000	76.526	11.1314	2.8131	0.6461	0.29812
3.15	28.000	79.130	11.2746	2.8372	1.7678	0.72789		28.000	78.130	11.2746	2.8372	0.6096	0.29310
	26.000	79.475	11.3814	2.8551	1.8613	0.67833		26.000	79.475	11.3814	2.8551	0.5812	0.28942
	24.000	80.646	11.4644	2.8690	1.7427	0.62820		24.000	80.646	11.4644	2.8690	0.5585	0.28660

Oblique Shock Tables ($\gamma = 1.4$)

M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{P_2}{P_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$	M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{P_2}{P_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$
3.20	22.000	81.694	11.5307	4.0035	2.8802	0.5398	0.28438	3.30	2.000	19.009	1.1812	1.1262	1.0489	3.1858	0.99953
	20.000	82.649	11.5844	4.0096	2.8892	0.5243	0.28260		4.000	20.475	1.3880	1.2626	1.0993	3.0748	0.99642
	18.000	83.533	11.6285	4.0146	2.8966	0.5113	0.28115		6.000	22.039	1.6222	1.4082	1.1520	2.9653	0.98858
	16.000	84.363	11.6647	4.0187	2.9026	0.5004	0.27996		8.000	23.699	1.8859	1.5617	1.2076	2.8563	0.97453
	14.000	85.147	11.6945	4.0220	2.9076	0.4913	0.27899		10.000	25.457	2.1807	1.7216	1.2666	2.7468	0.95347
	12.000	85.897	11.7188	4.0247	2.9117	0.4837	0.27820		12.000	27.310	2.5078	1.8861	1.3296	2.6364	0.92526
	10.000	86.619	11.7385	4.0269	2.9150	0.4776	0.27757		14.000	29.261	2.8688	2.0536	1.3970	2.5248	0.89031
	8.000	87.320	11.7539	4.0286	2.9176	0.4727	0.27707		16.000	31.308	3.2640	2.2219	1.4690	2.4118	0.84954
	6.000	88.003	11.7655	4.0299	2.9196	0.4690	0.27669		18.000	33.456	3.6947	2.3898	1.5460	2.2974	0.80409
	4.000	88.675	11.7736	4.0308	2.9209	0.4664	0.27643		20.000	35.710	4.1617	2.5557	1.6284	2.1813	0.75527
	2.000	89.340	11.7784	4.0313	2.9217	0.4649	0.27628		22.000	38.077	4.6655	2.7184	1.7163	2.0636	0.70444
									24.000	40.573	5.2081	2.8773	1.8101	1.9439	0.65272
									26.000	43.222	5.7918	3.0318	1.9103	1.8215	0.60108
									28.000	46.062	6.4212	3.1822	2.0178	1.6955	0.55020
									30.000	49.163	7.1057	3.3294	2.1342	1.5638	0.50034
3.25	2.000	19.293	1.1786	1.1244	1.0482	3.1380	0.99955		32.000	52.667	7.8658	3.4758	2.2630	1.4218	0.45116
	4.000	20.762	1.3818	1.2586	1.0979	3.0290	0.99656		34.000	56.963	8.7622	3.6291	2.4144	1.2575	0.40064
	6.000	22.328	1.6119	1.4019	1.1498	2.9215	0.98749		36.000	61.518	10.3564	3.8602	2.6829	0.9606	0.32741
	8.000	23.990	1.8704	1.5530	1.2044	2.8145	0.97549		38.000	67.501	11.3896	3.9873	2.8565	0.7502	0.28914
	10.000	25.749	2.1590	1.7103	1.2624	2.7070	0.95518		40.000	75.148	11.7036	4.0230	2.9092	0.6797	0.27869
	12.000	27.604	2.4791	1.8722	1.3242	2.5986	0.92789		42.000	84.543	11.8983	4.0445	2.9418	0.6336	0.27247
	14.000	29.556	2.8318	2.0370	1.3901	2.4889	0.89402		44.000	95.832	12.0364	4.0595	2.9650	0.5993	0.26817
	16.000	31.606	3.2179	2.2030	1.4607	2.3779	0.85437		46.000	109.12	12.1408	4.0706	2.9825	0.5725	0.26497
	18.000	33.757	3.6384	2.3687	1.5360	2.2653	0.81004		48.000	124.884	12.2287	4.0793	2.9963	0.5507	0.26251
	20.000	36.016	4.0940	2.5326	1.6165	2.1511	0.76227		50.000	143.200	12.2884	4.0862	3.0073	0.5328	0.26055
	22.000	38.390	4.5858	2.6937	1.7024	2.0350	0.71232		52.000	164.260	12.3420	4.0918	3.0163	0.5178	0.25896
	24.000	40.898	5.1156	2.8513	1.7941	1.9168	0.66129		54.000	188.714	12.3860	4.0964	3.0236	0.5052	0.25767
	26.000	43.563	5.6858	3.0049	1.8922	1.7958	0.61015		56.000	217.457	12.4223	4.1001	3.0297	0.4946	0.25662
	28.000	46.426	6.3015	3.1548	1.9974	1.6707	0.55950		58.000	251.278	12.4523	4.1032	3.0348	0.4858	0.25575
	30.000	49.566	6.9727	3.3020	2.1116	1.5394	0.50960		60.000	291.390	12.4767	4.1057	3.0389	0.4785	0.25504
3.25	32.000	53.141	7.7223	3.4494	2.2387	1.3970	0.45998		62.000	338.708	12.4964	4.1077	3.0422	0.4725	0.25448
	34.000	57.616	8.6213	3.6062	2.3907	1.2287	0.40809		64.000	394.007	12.5120	4.1093	3.0448	0.4677	0.25403
	36.000	63.473	10.0327	3.8170	2.6285	0.9596	0.34078		66.000	459.180	12.5237	4.1105	3.0467	0.4641	0.25369
	38.000	71.993	10.9786	3.9386	2.7875	0.7636	0.30361		68.000	537.390	12.5319	4.1114	3.0481	0.4616	0.25346
	40.000	82.827	11.3120	3.9783	2.8434	0.6878	0.29180		70.000	631.167	12.5367	4.1119	3.0489	0.4601	0.25332
	42.000	95.787	11.5124	4.0014	2.8771	0.6396	0.28499		72.000	745.710					
	44.000	110.839	11.6529	4.0173	2.9007	0.6043	0.28035		74.000	883.357					
	46.000	128.649	11.7584	4.0291	2.9184	0.5767	0.27692		76.000						
	48.000	149.793	11.8408	4.0382	2.9322	0.5545	0.27429		78.000						
	50.000	175.819	11.9067	4.0454	2.9433	0.5362	0.27220		80.000						
	52.000	208.627	11.9604	4.0513	2.9523	0.5210	0.27052		82.000						
	54.000	249.446	12.0044	4.0560	2.9596	0.5082	0.26916		84.000						
	56.000	300.000	12.0407	4.0599	2.9657	0.4974	0.26804		86.000						
	58.000	363.214	12.0705	4.0631	2.9707	0.4885	0.26712		88.000						
	60.000	441.949	12.0949	4.0658	2.9748	0.4810	0.26637		90.000						
3.25	62.000	539.953	12.1145	4.0679	2.9781	0.4750	0.26577		92.000						
	64.000	663.356	12.1300	4.0695	2.9807	0.4702	0.26530		94.000						
	66.000	820.000	12.1417	4.0707	2.9827	0.4665	0.26495		96.000						
	68.000	1000.000	12.1498	4.0716	2.9840	0.4639	0.26470		98.000						
	70.000		12.1547	4.0721	2.9848	0.4624	0.26455		100.000						

Oblique Shock Tables ($\gamma = 1.4$)

M_1	θ	β	$\frac{P_2}{P_1}$	M_2	$\frac{P_{02}}{P_{01}}$	M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$
3.35	24.000	40.264	5.3024	1.9704	0.64409	3.40	34.000	73.352	12.2131	4.0783	2.9946	0.7279	0.26279
	26.000	42.898	5.8998	1.8468	0.59200		32.000	75.717	12.4992	4.1080	3.0426	0.6653	0.25440
	28.000	45.716	6.5433	1.7198	0.54090		30.000	77.467	12.6849	4.1268	3.0738	0.6225	0.24914
	30.000	48.782	7.2416	1.5874	0.49109		28.000	78.891	12.8193	4.1402	3.0963	0.5902	0.24542
	32.000	52.225	8.0134	1.4458	0.44232		26.000	80.110	12.9221	4.1503	3.1135	0.5646	0.24263
	34.000	56.375	8.9114	1.2844	0.39294		24.000	81.185	13.0033	4.1582	3.1271	0.5437	0.24046
	36.000	63.380	10.2976	1.0339	0.32979		22.000	82.156	13.0688	4.1645	3.1381	0.5264	0.23872
	36.143	65.562	10.6853	0.9616	0.31454		20.000	83.047	13.1224	4.1697	3.1471	0.5119	0.23732
	36.000	67.623	11.0286	0.8957	0.29958		18.000	83.876	13.1665	4.1739	3.1545	0.4997	0.23617
	34.000	72.950	11.8006	0.7384	0.26553		16.000	84.656	13.2030	4.1774	3.1606	0.4894	0.23522
	32.000	75.444	12.0992	0.6623	0.24624		14.000	85.396	13.2331	4.1802	3.1657	0.4808	0.23445
	30.000	77.255	12.2891	0.6279	0.23555		12.000	86.105	13.2578	4.1826	3.1698	0.4736	0.23381
	28.000	78.719	12.4252	0.5946	0.22653		10.000	86.789	13.2777	4.1844	3.1731	0.4678	0.23330
	26.000	79.965	12.5287	0.5684	0.21924		8.000	87.453	13.2934	4.1859	3.1757	0.4632	0.23290
	24.000	81.062	12.6102	0.5471	0.21355		6.000	88.103	13.3052	4.1870	3.1777	0.4596	0.23260
	22.000	82.050	12.6758	0.5295	0.20939		4.000	88.741	13.3135	4.1878	3.1791	0.4572	0.23239
	20.000	82.956	12.7293	0.5148	0.20670		2.000	89.372	13.3184	4.1883	3.1799	0.4557	0.23227
	18.000	83.798	12.7734	0.5024	0.20468								
	16.000	84.588	12.8098	0.4920	0.20324								
	14.000	85.339	12.8398	0.4832	0.20246	3.45	2.000	18.209	1.1892	1.1316	1.0509	3.3292	0.99947
	12.000	86.057	12.8644	0.4760	0.20200		4.000	19.668	1.4063	1.2743	1.1036	3.2118	0.99597
3.40	10.000	86.750	12.8842	0.4701	0.20166		6.000	21.226	1.6536	1.4270	1.1588	3.0962	0.98718
	8.000	87.422	12.8998	0.4654	0.20142		8.000	22.884	1.9331	1.5881	1.2172	2.9809	0.97149
	6.000	88.080	12.9116	0.4618	0.20124		10.000	24.639	2.2468	1.7559	1.2796	2.8653	0.94812
	4.000	88.726	12.9198	0.4593	0.20113		12.000	26.491	2.5962	1.9284	1.3463	2.7486	0.91701
	2.000	89.365	12.9246	0.4578	0.20106		14.000	28.438	2.9823	2.1035	1.4178	2.6309	0.87878
							16.000	30.481	3.4063	2.2791	1.4946	2.5118	0.83456
							18.000	32.621	3.8688	2.4535	1.5769	2.3915	0.78577
							20.000	34.863	4.3706	2.6251	1.6649	2.2698	0.73391
							22.000	37.213	4.9123	2.7926	1.7590	2.1468	0.68049
							24.000	39.683	5.4951	2.9552	1.8595	2.0224	0.62680
							26.000	42.292	6.1211	3.1125	1.9666	1.8960	0.57385
							28.000	45.073	6.7941	3.2644	2.0813	1.7667	0.52235
							30.000	48.080	7.5215	3.4115	2.2047	1.6329	0.47267
							32.000	51.420	8.3194	3.5558	2.3397	1.4914	0.42466
							34.000	55.344	9.2294	3.7018	2.4932	1.3339	0.37715
							36.000	60.903	10.4358	3.8705	2.6962	1.1265	0.32424
							36.635	65.647	11.3584	3.9837	2.8512	0.9634	0.29020
							36.000	69.850	12.0718	4.0633	2.9709	0.8302	0.26708
							36.000	73.716	12.6278	4.1211	3.0642	0.7184	0.25074
3.40							32.000	75.970	12.9035	4.1485	3.1104	0.6589	0.24313
							30.000	77.665	13.0858	4.1662	3.1410	0.6175	0.23828
							28.000	79.054	13.2189	4.1789	3.1633	0.5860	0.23481
							26.000	80.246	13.3210	4.1885	3.1804	0.5609	0.23220
							24.000	81.302	13.4020	4.1961	3.1939	0.5404	0.23016
							22.000	82.256	13.4675	4.2021	3.2049	0.5234	0.22852
							20.000	83.134	13.5211	4.2071	3.2139	0.5091	0.22719
							18.000	83.951	13.5654	4.2111	3.2213	0.4971	0.22611

Oblique Shock Tables ($\gamma = 1.4$)

M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$	M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$
3.45	16.000	84.720	13.6020	3.2275	0.4869	0.22521	3.55	2.000	17.715	1.1947	1.1353	3.4246	0.99943
	14.000	85.451	13.6322	3.2325	0.4784	0.22448		4.000	19.170	1.4187	1.2822	3.3029	0.99566
	12.000	86.151	13.6570	3.2367	0.4714	0.22388		6.000	20.726	1.6748	1.4396	3.1829	0.98619
	10.000	86.826	13.6770	3.2400	0.4656	0.22340		8.000	22.383	1.9653	1.6059	3.0633	0.96935
	8.000	87.482	13.6928	3.2427	0.4610	0.22302		10.000	24.138	2.2920	1.7791	2.9433	0.94435
	6.000	88.125	13.7047	3.2447	0.4575	0.22273		12.000	25.989	2.6566	1.9569	2.8224	0.91123
	4.000	88.756	13.7130	3.2461	0.4551	0.22253		14.000	27.936	3.0603	2.1370	2.7003	0.87077
	2.000	89.379	13.7180	3.2469	0.4536	0.22241		16.000	29.977	3.5040	2.3174	2.5771	0.82424
								18.000	32.115	3.9887	2.4961	2.4526	0.77322
								20.000	34.352	4.5148	2.6714	2.3271	0.71939
3.50	2.000	17.958	1.1920	1.0516	3.3769	0.99945		22.000	36.692	5.0827	2.8419	2.2005	0.66437
	4.000	19.415	1.4125	1.1050	3.2574	0.99582		24.000	39.149	5.6937	3.0069	2.0727	0.60946
	6.000	20.972	1.6642	1.1611	3.1396	0.98669		26.000	41.738	6.3495	3.1659	1.9434	0.55575
	8.000	22.629	1.9491	1.2205	3.0222	0.97044		28.000	44.488	7.0535	3.3187	1.8117	0.50395
	10.000	24.384	2.2693	1.2839	2.9044	0.94626		30.000	47.447	7.8120	3.4660	1.6762	0.45445
	12.000	26.236	2.6262	1.3519	2.7856	0.91415		32.000	50.705	8.6392	3.6092	1.5342	0.40714
	14.000	28.182	3.0211	1.4249	2.6657	0.87481		34.000	54.463	9.5691	3.7520	1.3790	0.36118
	16.000	30.225	3.4549	1.5033	2.5445	0.82942		36.000	59.399	10.7262	3.9075	1.1885	0.31299
	18.000	32.363	3.9283	1.5874	2.4747	0.77952		37.091	65.729	12.0520	4.0612	0.9651	0.26768
	20.000	34.602	4.4421	1.6774	2.2986	0.72668		38.000	71.121	12.9969	4.1576	0.7943	0.24063
	22.000	36.947	4.9969	1.7737	2.1739	0.67245		39.000	74.353	13.4667	4.2021	0.7018	0.22854
	24.000	39.410	5.5936	1.8764	2.0478	0.61813		40.000	76.427	13.7265	4.2257	0.6473	0.22221
	26.000	42.009	6.2345	1.9860	1.9199	0.56478		41.000	78.025	13.9033	4.2415	0.6083	0.21803
	28.000	44.774	6.9227	2.1032	1.7894	0.51313		42.000	79.351	14.0342	4.2530	0.5782	0.21501
	30.000	47.755	7.6654	2.2291	1.6549	0.46353		43.000	80.497	14.1355	4.2618	0.5541	0.21271
	32.000	51.053	8.4777	2.3664	1.5131	0.41586		44.000	81.517	14.2163	4.2687	0.5343	0.21090
	34.000	54.888	9.3968	2.5214	1.3570	0.36917		45.000	82.442	14.2819	4.2743	0.5178	0.20944
	36.000	60.090	10.5715	2.7191	1.1594	0.31891		46.000	83.294	14.3358	4.2789	0.5039	0.20826
	38.000	65.689	11.7027	2.9090	0.9643	0.27872		47.000	84.090	14.3804	4.2827	0.4922	0.20729
	40.000	70.545	12.5396	3.0494	0.8105	0.25324		48.000	84.839	14.4173	4.2858	0.4823	0.20649
	42.000	74.048	13.0455	3.1342	0.7098	0.23934		49.000	85.552	14.4478	4.2883	0.4740	0.20583
	44.000	76.207	13.3126	3.1790	0.6529	0.23241		50.000	86.235	14.4729	4.2904	0.4671	0.20529
	46.000	77.851	13.4920	3.2090	0.6128	0.22791		51.000	86.895	14.4931	4.2921	0.4615	0.20485
	48.000	79.207	13.6238	3.2311	0.5820	0.22468		52.000	87.537	14.5091	4.2934	0.4570	0.20451
	50.000	80.375	13.7255	3.2481	0.5574	0.22223		53.000	88.165	14.5212	4.2944	0.4535	0.20425
	52.000	82.352	13.8719	3.2617	0.5373	0.22031		54.000	88.782	14.5296	4.2951	0.4511	0.20407
	54.000	84.216	13.9256	3.2727	0.5205	0.21877		55.000	89.392	14.5346	4.2956	0.4497	0.20397
	56.000	85.922	13.9700	3.2817	0.5065	0.21751							
	58.000	87.481	14.0067	3.2891	0.4946	0.21649							
	60.000	88.903	14.0371	3.2952	0.4846	0.21564	3.60	2.000	17.479	1.1973	1.1371	3.4722	0.99940
	62.000	90.194	14.0620	3.3003	0.4762	0.21494		4.000	18.932	1.4250	1.2862	3.3482	0.99549
	64.000	91.352	14.0822	3.3045	0.4692	0.21438		6.000	20.488	1.6857	1.4461	3.2260	0.98567
	66.000	92.486	14.0980	3.3079	0.4635	0.21392		8.000	22.144	1.9816	1.6149	3.1043	0.96824
	68.000	93.598	14.1100	3.3105	0.4590	0.21356		10.000	23.899	2.3149	1.7907	2.9821	0.94241
	70.000	94.687	14.1184	3.3125	0.4555	0.21329		12.000	25.751	2.6873	1.9711	2.8590	0.90827
	72.000	95.759	14.1234	3.3139	0.4531	0.21310		14.000	27.698	3.0999	2.1538	2.7347	0.86667
	74.000	96.806		3.3148	0.4516	0.21298		16.000	29.740	3.5540	2.3366	2.6092	0.81895
	76.000	97.836						18.000	31.876	4.0498	2.5174	2.4827	0.76685

Oblique Shock Tables ($\gamma = 1.4$)

M_1	θ	β	$\frac{p_2}{p_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{p_{02}}{p_{01}}$	M_1	θ	β	$\frac{p_2}{p_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{p_{02}}{p_{01}}$
3.60	20.000	34.110	4.5883	1.7029	2.3552	0.71207	3.65	37.513	65.808	12.7662	3.0874	0.9668	0.24688
	22.000	36.448	5.1699	1.8035	2.2267	0.65625		36.000	72.054	13.9006	3.2775	0.7684	0.21810
	24.000	38.898	5.7953	1.9109	2.0973	0.60079		34.000	74.894	14.3206	3.3478	0.6877	0.20859
	26.000	41.478	6.4663	2.0255	1.9664	0.54674		32.000	76.827	14.5690	3.3894	0.6371	0.20324
	28.000	44.215	7.1862	2.1479	1.8335	0.49483		30.000	78.345	14.7420	3.4183	0.6000	0.19962
	30.000	47.153	7.9610	2.2791	1.6971	0.44543		28.000	79.617	14.8713	3.4400	0.5712	0.19697
	32.000	50.376	8.8038	2.4215	1.5547	0.39847		26.000	80.723	14.9723	3.4569	0.5480	0.19493
	34.000	54.066	9.7460	2.5802	1.4002	0.35321		24.000	81.712	15.0533	3.4705	0.5287	0.19302
	36.000	58.793	10.8943	2.7733	1.2149	0.30670		22.000	82.610	15.1191	3.4815	0.5127	0.19202
	37.306	65.769	12.4065	3.0271	0.9660	0.25708		20.000	83.440	15.1734	3.4906	0.4992	0.19096
	36.000	71.617	13.4496	3.2019	0.7805	0.22897		18.000	84.215	15.2184	3.4981	0.4877	0.19009
	34.000	74.634	13.8916	3.2760	0.6945	0.21831		16.000	84.947	15.2557	3.5043	0.4781	0.18937
	32.000	76.633	14.1452	3.3184	0.6420	0.21249		14.000	85.644	15.2866	3.5095	0.4699	0.18878
	30.000	78.190	14.3199	3.3477	0.6041	0.20861		12.000	86.313	15.3120	3.5137	0.4632	0.18829
	28.000	79.487	14.4502	3.3695	0.5746	0.20578		10.000	86.959	15.3325	3.5172	0.4576	0.18790
	26.000	80.614	14.5512	3.3864	0.5510	0.20362		8.000	87.587	15.3487	3.5199	0.4532	0.18759
	24.000	81.617	14.6320	3.3999	0.5315	0.20191		6.000	88.201	15.3609	3.5219	0.4499	0.18736
	22.000	82.528	14.6976	3.4109	0.5152	0.20054		4.000	88.807	15.3695	3.5234	0.4475	0.18720
	20.000	83.369	14.7517	3.4200	0.5015	0.19942		2.000	89.405	15.3746	3.5242	0.4461	0.18710
3.70	18.000	84.154	14.7965	3.4275	0.4899	0.19849							
	16.000	84.894	14.8336	3.4337	0.4801	0.19774							
	14.000	85.599	14.8643	3.4388	0.4719	0.19711							
	12.000	86.275	14.8895	3.4430	0.4651	0.19660							
	10.000	86.928	14.9099	3.4465	0.4595	0.19619							
	8.000	87.562	14.9260	3.4491	0.4551	0.19586							
	6.000	88.184	14.9381	3.4512	0.4517	0.19562							
	4.000	88.794	14.9466	3.4526	0.4493	0.19545							
	2.000	89.398	14.9517	3.4534	0.4479	0.19535							
							3.70	2.000	17.027	1.2029	1.0544	3.5674	0.99936
								4.000	18.478	1.4377	1.1108	3.4388	0.99515
								6.000	20.032	1.7073	1.1703	3.3121	0.98461
								8.000	21.688	2.0146	1.2337	3.1858	0.96594
								10.000	23.444	2.3615	1.3017	3.0591	0.93840
								12.000	25.297	2.7496	1.3749	2.9315	0.90218
								14.000	27.246	3.1808	1.4539	2.8026	0.85825
								16.000	29.287	3.6554	1.5391	2.6728	0.80824
								18.000	31.423	4.1745	1.6306	2.5420	0.75395
3.85	2.000	17.250	1.1390	1.0537	3.5198	0.99938							
	4.000	18.701	1.2902	1.1094	3.3936	0.99532							
	6.000	20.256	1.4524	1.1680	3.2691	0.98515							
	8.000	21.913	1.6239	1.2304	3.1451	0.96710							
	10.000	23.668	1.8024	1.2972	3.0207	0.94042							
	12.000	25.520	2.0183	1.3691	2.8953	0.90525							
	14.000	27.468	2.2707	1.4466	2.7688	0.86248							
	16.000	29.509	2.5643	1.5300	2.6412	0.81364							
	18.000	31.645	2.8887	1.6196	2.5125	0.76044							
	20.000	33.878	3.2581	1.7158	2.3830	0.70470							
	22.000	36.212	3.6811	1.8187	2.2527	0.64814							
	24.000	38.658	4.1530	1.9286	2.1215	0.59212							
	26.000	41.230	4.6849	2.0457	1.9891	0.53777							
	28.000	43.954	5.2610	2.1707	1.8549	0.48578							
	30.000	46.873	5.8984	2.3047	1.7176	0.43650							
	32.000	50.064	6.5994	2.4497	1.5746	0.38990							
	34.000	53.694	7.3622	2.6107	1.4207	0.34529							
	36.000	58.251	8.1927	2.8033	1.2394	0.30022							

Oblique Shock Tables ($\gamma = 1.4$)

M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$	M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$
3.70	20.000	83.507	15.6008	3.5621	0.4969	0.18289	3.75	2.000	89.416	16.2379	4.4261	0.4428	0.17169
	18.000	84.274	15.6460	3.5696	0.4856	0.18206							
	16.000	84.998	15.6836	3.5759	0.4760	0.18138		3.80	2.000	1.2083	1.1445	3.6624	0.99931
	14.000	85.687	15.7147	3.5811	0.4680	0.18082				1.2083	1.1445	3.6624	0.99931
	12.000	86.348	15.7402	3.5854	0.4613	0.18035		4.000	18.048	1.4503	1.3022	3.5291	0.99479
	10.000	86.988	15.7609	3.5889	0.4558	0.17998		6.000	19.602	1.7294	1.4718	3.3978	0.98349
	8.000	87.610	15.7772	3.5916	0.4515	0.17969		8.000	21.258	2.0480	1.6511	3.2669	0.96355
	6.000	88.219	15.7896	3.5937	0.4481	0.17947		10.000	23.016	2.4088	1.8377	3.1354	0.93423
	4.000	88.817	15.7982	3.5951	0.4458	0.17932		12.000	24.872	2.8134	2.0288	3.0031	0.89586
	2.000	89.411	15.8033	3.5960	0.4444	0.17922		14.000	26.821	3.2631	2.2216	2.8697	0.84963
3.75							3.80	16.000	28.864	3.7592	2.4137	2.7353	0.79728
								18.000	31.000	4.3021	2.6026	2.6001	0.74088
								20.000	33.229	4.8923	2.7867	2.4644	0.68241
								22.000	35.556	5.5299	2.9644	2.3283	0.62373
								24.000	37.989	6.2157	3.1348	2.1919	0.56627
								26.000	40.542	6.9510	3.2975	2.0548	0.51113
								28.000	43.234	7.7378	3.4523	1.9166	0.45902
								30.000	46.105	8.5816	3.5997	1.7761	0.41022
								32.000	49.218	9.4943	3.7408	1.6313	0.36471
								34.000	52.702	10.4920	3.8780	1.4778	0.32194
								36.000	56.894	11.6543	4.0175	1.3044	0.28030
								38.000	64.192	13.4871	4.2039	1.0293	0.22804
								38.092	65.921	13.8756	4.2390	0.9690	0.21868
								38.000	67.568	14.2269	4.2696	0.9133	0.21066
								36.000	73.114	15.2586	4.3536	0.7394	0.18932
								34.000	75.572	15.6341	4.3822	0.6701	0.18228
								32.000	77.342	15.8710	4.3997	0.6238	0.17802
								30.000	78.762	16.0402	4.4120	0.5892	0.17506
								28.000	79.967	16.1687	4.4212	0.5619	0.17286
								26.000	81.022	16.2697	4.4284	0.5397	0.17116
								24.000	81.969	16.3512	4.4341	0.5213	0.16980
3.85							3.85	22.000	83.634	16.4178	4.4387	0.5058	0.16870
								20.000	85.092	16.5567	4.4484	0.4927	0.16780
								18.000	86.415	16.5186	4.4457	0.4816	0.16706
								16.000	87.567	16.5882	4.4505	0.4644	0.16594
								14.000	88.641	16.6141	4.4523	0.4578	0.16552
								12.000	89.403	16.6352	4.4537	0.4524	0.16518
								10.000	90.043	16.6518	4.4549	0.4481	0.16492
								8.000	90.653	16.6643	4.4557	0.4448	0.16472
								6.000	91.239	16.6731	4.4563	0.4426	0.16458
								4.000	91.793	16.6783	4.4567	0.4412	0.16450
								2.000	92.321				
4.000							4.000	2.000	92.839	16.6831	4.4567	0.4412	0.16450
4.000							4.000	3.85	2.000	1.2110	1.1463	3.7099	0.99928
								4.000	17.843	1.4568	1.3063	3.5741	0.99460
								6.000	19.396	1.7405	1.4783	3.4404	0.98291
								8.000	21.053	2.0650	1.6603	3.3071	0.96231

Oblique Shock Tables ($\gamma = 1.4$)

M_1	θ	β	$\frac{p_2}{p_1}$	$\frac{p_2}{\rho_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{p_{02}}{p_{01}}$	M_1	θ	β	$\frac{p_2}{p_1}$	$\frac{p_2}{\rho_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{p_{02}}{p_{01}}$
3.85	10.000	22.812	2.4328	1.8495	1.3153	3.1734	0.93209	3.90	24.000	37.584	6.4345	3.1853	2.0201	2.2371	0.54918
	12.000	24.668	2.8456	2.0432	1.3927	3.0386	0.89264		26.000	40.126	7.2035	3.3492	2.1508	2.0968	0.49366
	14.000	26.619	3.3050	2.2386	1.4764	2.9028	0.84523		28.000	42.802	8.0258	3.5046	2.2901	1.9558	0.44158
	16.000	28.664	3.8121	2.4330	1.5668	2.7661	0.79172		30.000	45.646	8.9059	3.6519	2.4387	1.8131	0.39322
	18.000	30.799	4.3670	2.6239	1.6643	2.6239	0.73428		32.000	48.716	9.8536	3.7923	2.5983	1.6668	0.34848
	20.000	33.028	4.9706	2.8097	1.7691	2.4909	0.67493		34.000	52.126	10.8901	3.9278	2.7726	1.5130	0.30686
	22.000	35.353	5.6230	2.9887	1.8814	2.3529	0.61558		36.000	56.149	12.0723	4.0633	2.9710	1.3425	0.26706
	24.000	37.783	6.3245	3.1601	2.0013	2.2146	0.55770		38.000	62.087	13.6897	4.2224	3.2421	1.1106	0.22309
	26.000	40.330	7.0764	3.3234	2.1293	2.0760	0.50236		38.445	65.991	14.6407	4.3043	3.4014	0.9704	0.20173
	28.000	43.014	7.8808	3.4785	2.2656	1.9364	0.45026		38.000	69.501	15.4023	4.3647	3.5289	0.8527	0.18658
	30.000	45.871	8.7425	3.6259	2.4111	1.7948	0.40167		36.000	73.678	16.1768	4.4218	3.6584	0.7240	0.17273
	32.000	48.961	9.6715	3.7666	2.5677	1.6493	0.35654		34.000	75.956	16.5334	4.4626	3.7181	0.6600	0.16682
	34.000	52.407	10.6904	3.9030	2.7390	1.4957	0.31434		32.000	77.640	16.7653	4.4738	3.7569	0.6160	0.16313
	36.000	56.508	11.8605	4.0404	2.9355	1.3239	0.27366		30.000	79.006	16.9330	4.4738	3.7849	0.5828	0.16052
	38.000	62.939	13.5472	4.2095	3.2183	1.0767	0.22655		28.000	80.172	17.0613	4.4823	3.8064	0.5563	0.15857
	38.272	65.956	14.2556	4.2721	3.3369	0.9697	0.21003		26.000	81.199	17.1629	4.4890	3.8234	0.5347	0.15705
	38.000	68.733	14.8512	4.3214	3.4366	0.8764	0.19738		24.000	82.121	17.2449	4.4943	3.8371	0.5168	0.15583
	36.000	73.407	15.7160	4.3883	3.5814	0.7314	0.18079		22.000	82.966	17.3122	4.4986	3.8483	0.5016	0.15485
	34.000	75.770	16.0813	4.4150	3.6425	0.6649	0.17436		20.000	83.749	17.3680	4.5022	3.8576	0.4888	0.15404
	32.000	77.495	16.3155	4.4316	3.6816	0.6198	0.17039		18.000	84.483	17.4143	4.5052	3.8654	0.4780	0.15337
	30.000	78.888	16.4839	4.4433	3.7098	0.5859	0.16762		16.000	85.177	17.4529	4.5076	3.8718	0.4688	0.15281
	28.000	80.072	16.6122	4.4522	3.7313	0.5591	0.16555		14.000	85.840	17.4850	4.5097	3.8772	0.4610	0.15235
	26.000	81.112	16.7135	4.4591	3.7482	0.5372	0.16394		12.000	86.477	17.5113	4.5114	3.8816	0.4545	0.15198
	24.000	82.047	16.7952	4.4646	3.7619	0.5190	0.16286		10.000	87.093	17.5327	4.5127	3.8852	0.4492	0.15167
	22.000	82.901	16.8622	4.4691	3.7731	0.5037	0.16162		8.000	87.693	17.5496	4.5138	3.8880	0.4450	0.15143
	20.000	83.692	16.9175	4.4728	3.7823	0.4907	0.16076		6.000	88.280	17.5623	4.5146	3.8901	0.4418	0.15125
	18.000	84.434	16.9636	4.4758	3.7900	0.4758	0.16006		4.000	88.858	17.5713	4.5151	3.8916	0.4395	0.15113
	16.000	85.136	17.0019	4.4784	3.7964	0.4705	0.15947		2.000	89.430	17.5766	4.5155	3.8925	0.4382	0.15105
	14.000	85.804	17.0337	4.4805	3.8017	0.4627	0.15899								
	12.000	86.447	17.0598	4.4822	3.8061	0.4561	0.15859								
	10.000	87.068	17.0810	4.4836	3.8097	0.4508	0.15827	3.95	2.000	16.001	1.2166	1.1500	1.0578	3.8047	0.99923
	8.000	87.674	17.0978	4.4847	3.8125	0.4458	0.15802		4.000	17.447	1.4697	1.3144	1.1182	3.6641	0.99421
	6.000	88.266	17.1104	4.4855	3.8146	0.4433	0.15783		6.000	19.001	1.7630	1.4915	1.1821	3.5255	0.98171
	4.000	88.849	17.1193	4.4861	3.8161	0.4410	0.15770		8.000	20.660	2.0992	1.6786	1.2506	3.3874	0.95977
	2.000	89.426	17.1245	4.4865	3.8169	0.4397	0.15762		10.000	22.422	2.4815	1.8734	1.3246	3.2486	0.92768
3.90									12.000	24.280	2.9112	2.0724	1.4048	3.1090	0.88602
									14.000	26.234	3.3902	2.2727	1.4917	2.9684	0.83626
	2.000	16.196	1.2138	1.1482	1.0571	3.7573	0.99926		16.000	28.281	3.9194	2.4716	1.5858	2.8270	0.78046
	4.000	17.642	1.4633	1.3104	1.1167	3.6191	0.99441		18.000	30.417	4.4992	2.6664	1.6874	2.6851	0.72095
	6.000	19.196	1.7517	1.4849	1.1797	3.4830	0.98232		20.000	32.646	5.1304	2.8554	1.7967	2.5430	0.65992
	8.000	20.854	2.0821	1.6694	1.2472	3.3473	0.96105		22.000	34.969	5.8125	3.0370	1.9139	2.4010	0.59933
	10.000	22.614	2.4570	1.8614	1.3200	3.2111	0.92990		24.000	37.393	6.5462	3.2103	2.0391	2.2591	0.54068
	12.000	24.472	2.8783	2.0578	1.3987	3.0739	0.88935		26.000	39.929	7.3323	3.3748	2.1727	2.1172	0.48503
	14.000	26.424	3.3474	2.2557	1.4840	2.9357	0.84077		28.000	42.598	8.1726	3.5304	2.3149	1.9748	0.43302
	16.000	28.469	3.8655	2.4523	1.5763	2.7967	0.78611		30.000	45.431	9.0717	3.6778	2.4666	1.8310	0.38488
	18.000	30.605	4.4329	2.6452	1.6758	2.6570	0.72761		32.000	48.483	10.0386	3.8178	2.6294	1.6838	0.34053
	20.000	32.834	5.0501	2.8326	1.7828	2.5171	0.66743		34.000	51.859	11.0931	3.9524	2.8067	1.5299	0.29949
	22.000	35.157	5.7171	3.0129	1.8975	2.3771	0.60746		36.000	55.812	12.2888	4.0863	3.0073	1.3604	0.26054

Oblique Shock Tables ($\gamma = 1.4$)

M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$	M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$
3.95	38.000	61.406	13.8667	3.2718	1.1389	0.21889	4.00	28.000	80.359	17.9765	4.5402	3.9594	0.5513	0.14555
	38.612	66.026	15.0309	3.4667	0.9711	0.19376		26.000	81.359	18.0787	4.5464	3.9765	0.5302	0.14419
	38.000	70.101	15.9275	3.6167	0.8345	0.17703		24.000	82.261	18.1615	4.5514	3.9903	0.5126	0.14310
	36.000	73.928	16.6412	3.7361	0.7172	0.16509		22.000	83.087	18.2296	4.5555	4.0017	0.4978	0.14221
	34.000	76.131	16.9904	3.7945	0.6554	0.15965		20.000	83.854	18.2861	4.5588	4.0111	0.4852	0.14148
	32.000	77.777	17.2203	3.8330	0.6125	0.15620		18.000	84.574	18.3331	4.5616	4.0190	0.4746	0.14087
	30.000	79.120	17.3877	3.8609	0.5798	0.15375		16.000	85.256	18.3723	4.5639	4.0255	0.4655	0.14037
	28.000	80.268	17.5161	3.8824	0.5537	0.15191		14.000	85.907	18.4049	4.5659	4.0310	0.4579	0.13996
	26.000	81.281	17.6179	3.8994	0.5324	0.15047		12.000	86.533	18.4317	4.5674	4.0355	0.4515	0.13962
	24.000	82.192	17.7003	3.9132	0.5147	0.14932		10.000	87.139	18.4535	4.5687	4.0391	0.4463	0.13934
	22.000	83.028	17.7680	3.9245	0.4997	0.14838		8.000	87.730	18.4707	4.5697	4.0420	0.4421	0.13912
	20.000	83.803	17.8241	3.9339	0.4870	0.14761		6.000	88.307	18.4837	4.5705	4.0442	0.4390	0.13896
	18.000	84.529	17.8708	3.9417	0.4762	0.14698		4.000	88.876	18.4928	4.5710	4.0457	0.4367	0.13885
	16.000	85.218	17.9097	3.9482	0.4671	0.14645		2.000	89.439	18.4982	4.5713	4.0466	0.4354	0.13878
	14.000	85.874	17.9420	3.9536	0.4594	0.14601								
	12.000	86.505	17.9686	3.9581	0.4530	0.14566								
	10.000	87.116	17.9902	3.9617	0.4477	0.14537								
	8.000	87.711	18.0072	3.9645	0.4435	0.14514								
	6.000	88.294	18.0201	3.9667	0.4404	0.14497								
	4.000	88.868	18.0291	3.9682	0.4381	0.14485								
	2.000	89.435	18.0345	3.9691	0.4368	0.14478								

4.00	2.000	15.813	1.2194	1.0586	3.8521	0.99920								
	4.000	17.258	1.4763	1.1196	3.7089	0.99401								
	6.000	18.812	1.7743	1.1844	3.5679	0.98110								
	8.000	20.471	2.1166	1.2540	3.4273	0.95845								
	10.000	22.234	2.5061	1.3293	3.2860	0.92542								
	12.000	24.095	2.9445	1.4109	3.1439	0.88264								
	14.000	26.050	3.4334	1.4994	3.0009	0.83170								
	16.000	28.098	3.9741	1.5954	2.8570	0.77474								
	18.000	30.236	4.5667	1.6991	2.7128	0.71422								
	20.000	32.464	5.2116	1.8107	2.5686	0.65240								
	22.000	34.786	5.9090	1.9304	2.4246	0.59123								
	24.000	37.208	6.6592	2.0583	2.2809	0.53224								
	26.000	39.740	7.4625	2.1947	2.1374	0.47648								
	28.000	42.402	8.3215	2.3401	1.9935	0.42453								
	30.000	45.224	9.2397	2.4949	1.8485	0.37666								
	32.000	48.258	10.2259	2.6609	1.7006	0.33272								
	34.000	51.605	11.2995	2.8413	1.5463	0.29223								
	36.000	55.495	12.5100	3.0444	1.3776	0.25409								
	38.000	60.827	14.0647	3.3049	1.1637	0.21432								
	38.774	66.059	15.4261	3.5329	0.9717	0.18613								
	38.000	70.601	16.4407	3.7026	0.8196	0.16833								
	36.000	74.161	17.1095	3.8144	0.7109	0.15785								
	34.000	76.297	17.4525	3.8718	0.6511	0.15282								
	32.000	77.908	17.6808	3.9099	0.6090	0.14959								
	30.000	79.227	17.8479	3.9379	0.5769	0.14729								