

Tuesday 28th April 2026 9.30 to 11.10

Module 4A3

TURBOMACHINERY 1

*Answer not more than **two** questions.*

All questions carry the same number of marks.

*The **approximate** percentage of marks allocated to each part of a question is indicated in the right margin.*

*Write your candidate number **not** your name on the cover sheet.*

STATIONERY REQUIREMENTS

Single-sided script paper

SPECIAL REQUIREMENTS TO BE SUPPLIED FOR THIS EXAM

CUED approved calculator allowed

Attachment: Excerpt from Compressible Flow Data Book (pages 1-20 of 38 pages)

Engineering Data Book

10 minutes reading time is allowed for this paper at the start of the exam.

You may not start to read the questions printed on the subsequent pages of this question paper until instructed to do so.

You may not remove any stationery from the Examination Room.

1 (a) An axial compressor cascade is tested in a cascade test facility. The inlet Mach number is 0.55. Explain qualitatively how the sidewall boundary layer growth develops through the cascade and how the consequent blockage affects both the cascade's exit Mach number and loss. [10%]

(b) The compressor cascade in part (a) has an inlet flow angle of 55° and is adiabatic. During experimental testing, it was found that side wall boundary layer blockage reduced the projected exit flow area to 94% of the projected inlet flow area. The stagnation pressure loss coefficient of the cascade is

$$Y_p = \frac{(p_{01} - p_{02})}{(p_{01} - p_1)} = 0.054$$

where p_{01} is the inlet stagnation pressure, p_{02} is the exit stagnation pressure and p_1 is the inlet static pressure. The exit angle is 35° . Calculate the exit Mach number of the cascade. [30%]

(c) The Lieblein Diffusion Factor for the compressor cascade is defined as

$$DF = 1 - \frac{V_2}{V_1} + \frac{|V_{\theta 2} - V_{\theta 1}| s}{2V_1 c}$$

where V_1 is the inlet velocity to the cascade, V_2 is the exit velocity, $|V_{\theta 2} - V_{\theta 1}|$ is the change in tangential velocity across the cascade, s is the blade pitch and c is the blade chord. If a Diffusion Factor of 0.48 is set, calculate the pitch to chord ratio of the cascade s/c . [20%]

(d) The inlet Mach number of the cascade is held constant, but the inlet flow angle of the cascade is reduced. If the cascade throat width to pitch ratio o/s is 0.6 determine the inlet flow angle at which the cascade chokes. It can be assumed that no loss occurs upstream of the cascade throat and that there is no change in endwall blockage between the inlet and throat of the cascade. [15%]

(e) Explain how the range of inlet flow angles over which the cascade can operate changes as the inlet Mach number is slowly increased from 0.55 to 1.0. Explain the physical causes of this change in the range of inlet flow angles. [25%]

Use $\gamma = 1.4$ and $c_p = 1005 \text{ J kg}^{-1} \text{ K}^{-1}$ for air throughout the question.

- 2 (a) For an axial flow turbine with repeating stages, derive the relationship

$$\psi = 2(1 - \Lambda - \phi \tan \alpha_1)$$

relating the stage loading ψ , the reaction Λ , the flow coefficient ϕ and the interstage swirl α_1 . [20%]

- (b) A multistage turbine has an overall specific enthalpy drop of 300 kJ kg^{-1} . It is composed of repeating axial turbine stages. The blade speed is 220 m s^{-1} , the reaction $\Lambda = 0.5$, and an interstage swirl $\alpha_1 = 0^\circ$.

- (i) Determine the number of stages required to achieve the specified enthalpy drop. [20%]

- (ii) The flow coefficient of the turbine $\phi = 0.35$. Sketch the velocity triangles of the stage and determine the absolute and the relative flow angles. [20%]

- (iii) The total-to-total isentropic efficiency of each stage of the turbine may be estimated using the correlation

$$\eta_{tt} = 1 - 0.05 \frac{(V_2^2 + W_3^2)}{\Delta h_0}$$

where V_2 is the absolute velocity at stator exit, W_3 is the relative velocity at rotor exit, and Δh_0 is the specific total enthalpy change across a stage. Explain why the correlation might take this form. Calculate the total-to-total efficiency of each stage. [20%]

- (iv) Explain why it is reasonable to assume that the polytropic efficiency of the multistage turbine is approximately equal to the total-to-total isentropic efficiency of a single stage. Using this assumption, calculate the overall pressure ratio of the turbine. Assume that the inlet flow is combustion products at a stagnation temperature of 1400 K and that the combustion products behave as a perfect gas. Comment on the advantages and disadvantages of the chosen degree of reaction and interstage swirl in this design. [20%]

Use $\gamma = 1.33$ and $c_p = 1150 \text{ J kg}^{-1} \text{ K}^{-1}$ for combustion products.

3 An 18-stage high-speed compressor is to be modified to include a bleed offtake after stage 9. The bleed flow is to be used in a secondary industrial process. Both when the bleed flow is switched off and when it is switched on, the compressor is operated at the same shaft speed and the same overall pressure ratio. The inlet conditions of the compressor are held constant.

(a) Sketch an operating map for the front half of the compressor showing inlet non-dimensional mass flow rate against pressure ratio and lines of constant non-dimensional shaft speed characteristics. Mark the operating point at 100% speed with the bleed switched off, and the operating point with the bleed switched on. [20%]

(b) Sketch an operating map for the rear half of the compressor showing inlet non-dimensional mass flow rate against pressure ratio and lines of constant non-dimensional shaft speed characteristics. Mark the operating point at 100% speed with the bleed switched off, and the operating point with the bleed switched on. [20%]

(c) As the bleed is increased, the compressor eventually stalls. Identify where in the compressor the stall occurs. Explain the reason for your answer. [20%]

(d) The efficiency of the compressor is reduced when the bleed is switched on. Explain the cause of this reduction in efficiency. [10%]

(e) The compressor is redesigned so that, when the bleed is switched on, the efficiency is increased to its original value. During the redesign the original rear 9 stages are reused and the front 9 stages are scaled to maintain the original pressure ratio and non-dimensional mass flow rate.

(i) If a bleed rate of 15% of the compressor inlet mass flow is taken. Determine the fraction by which the compressor inlet area must be increased in this new design. [20%]


(ii) In order to match the original meanline design, the scaled first stage now has a reduced hub-tip radius ratio compared to the original design. Describe the impact this will have on the part-speed stall and stage matching behaviour. [10%]

END OF PAPER

Compressible Flow Data Book

for Part II of the
Engineering Tripos

2009 Edition



Cambridge University Engineering Department

PERFECT GAS RELATIONS FOR COMPRESSIBLE FLOW

Ratios of stagnation to static quantities

$$\frac{T}{T_0} = \left(1 + \frac{\gamma-1}{2} M^2\right)^{-1}$$

$$\frac{p}{p_0} = \left(1 + \frac{\gamma-1}{2} M^2\right)^{-\frac{\gamma}{\gamma-1}}$$

$$\frac{\rho}{\rho_0} = \left(1 + \frac{\gamma-1}{2} M^2\right)^{-\frac{1}{\gamma-1}}$$

Notes:

(1) $T_0 = \text{const.}$ in adiabatic flow with no shaft work

(2) If flow is isentropic, $p_0 = \text{const.}$ and $\rho_0 = \text{const.}$ when $T_0 = \text{const.}$

Mach number relations (see tables)

$$\frac{V}{\sqrt{c_p T_0}} = \sqrt{\gamma-1} M \left(1 + \frac{\gamma-1}{2} M^2\right)^{-\frac{1}{2}}$$

$$\frac{\dot{m} \sqrt{c_p T_0}}{A p_0} = \frac{\gamma}{\sqrt{\gamma-1}} M \left(1 + \frac{\gamma-1}{2} M^2\right)^{-\frac{1}{2} \left(\frac{\gamma+1}{\gamma-1}\right)}$$

$$\frac{\dot{m} \sqrt{c_p T_0}}{A p} = \frac{\gamma}{\sqrt{\gamma-1}} M \left(1 + \frac{\gamma-1}{2} M^2\right)^{\frac{1}{2}}$$

$$\frac{F}{\dot{m} \sqrt{c_p T_0}} = \frac{\sqrt{\gamma-1}}{\gamma} \frac{1 + \gamma M^2}{M} \left(1 + \frac{\gamma-1}{2} M^2\right)^{-\frac{1}{2}} \quad \text{where} \quad F = (p + \rho V^2) A$$

$$\frac{\frac{1}{2} \rho V^2}{p_0} = \frac{1}{2} \gamma M^2 \left(1 + \frac{\gamma-1}{2} M^2\right)^{-\frac{\gamma}{\gamma-1}}$$

ONE-DIMENSIONAL FLOW OF A PERFECT GAS

Isentropic flow

$$\frac{A}{A^*} = \frac{1}{M} \left\{ \frac{2}{\gamma+1} \left(1 + \frac{\gamma-1}{2} M^2 \right) \right\}^{\frac{1}{2} \left(\frac{\gamma+1}{\gamma-1} \right)}$$

Adiabatic constant area flow

$$\frac{4c_f L_{\max}}{D} = \frac{1-M^2}{\gamma M^2} + \frac{\gamma+1}{2\gamma} \ln \left(\frac{(\gamma+1)M^2}{2 \left(1 + \frac{\gamma-1}{2} M^2 \right)} \right)$$

Normal shock waves in perfect gases

$$VV_s = a^{*2}$$

$$M_s = \left(\frac{1 + \frac{\gamma-1}{2} M^2}{\gamma M^2 - \frac{\gamma-1}{2}} \right)^{\frac{1}{2}}$$

$$\frac{p_{0s}}{p_0} = \left(\frac{\frac{\gamma+1}{2} M^2}{1 + \frac{\gamma-1}{2} M^2} \right)^{\frac{\gamma}{\gamma-1}} \left(\frac{2\gamma}{\gamma+1} M^2 - \frac{\gamma-1}{\gamma+1} \right)^{\frac{1}{1-\gamma}}$$

$$\frac{p_s}{p} = 1 + \frac{2\gamma}{\gamma+1} (M^2 - 1)$$

$$\frac{p_{0s}}{p} = \left(\frac{\gamma+1}{2} M^2 \right)^{\frac{\gamma}{\gamma-1}} \left(\frac{2\gamma}{\gamma+1} M^2 - \frac{\gamma-1}{\gamma+1} \right)^{\frac{1}{1-\gamma}}$$


$$\frac{T_s}{T} = \frac{\gamma-1}{(\gamma+1)^2} \frac{2}{M^2} \left(1 + \frac{\gamma-1}{2} M^2 \right) \left(\frac{2\gamma}{\gamma-1} M^2 - 1 \right)$$

$$\frac{\rho_s}{\rho} = \frac{(\gamma+1)M^2}{2 \left(1 + \frac{\gamma-1}{2} M^2 \right)}$$

TWO DIMENSIONAL SUPERSONIC FLOW

Method of Characteristics for 2-D supersonic flow

Applicable to adiabatic ($h_0 = \text{constant}$), isentropic flow



Mach Number

$$M = u/c$$

Mach angle

$$\mu = \sin^{-1}\left(\frac{1}{M}\right)$$


Prandtl-Meyer function

$$\nu = \int_1^M \sqrt{M^2 - 1} \frac{du}{u}$$

$$\nu = \sqrt{\frac{\gamma+1}{\gamma-1}} \tan^{-1} \sqrt{\frac{\gamma-1}{\gamma+1} (M^2 - 1)} - \tan^{-1} \sqrt{M^2 - 1} \quad \text{for a perfect gas}$$

Calculations


Lattice Method



$$\nu_3 - \theta_3 = \nu_2 - \theta_2 \quad \text{along } +\mu$$

$$\nu_3 + \theta_3 = \nu_1 + \theta_1 \quad \text{along } -\mu$$


Field (or wave) method



$$\nu_3 + \theta_3 = \nu_1 + \theta_1 \quad \text{across } +\mu$$

$$\nu_3 - \theta_3 = \nu_2 - \theta_2 \quad \text{across } -\mu$$

Linearised Method of Characteristics (thin film theory)




$$\mu \approx \sin^{-1}(1/M_\infty)$$

$$\Delta p \approx \pm \frac{\rho_\infty u_\infty^2 \Delta \theta}{\sqrt{M_\infty^2 - 1}} \quad \text{across } \pm \mu \text{ waves}$$

$$\text{Pressure coefficient } c_p = \frac{p - p_\infty}{\frac{1}{2} \rho_\infty u_\infty^2} = \pm \frac{2\theta}{\sqrt{M_\infty^2 - 1}} \quad \text{on upper/lower surface}$$

Prandtl-Glauert rule for linearised potential flow past geometrically similar bodies



$$\text{Pressure coefficient } c_p = \frac{p - p_\infty}{\frac{1}{2} \rho_\infty u_\infty^2}$$

For geometrically similar bodies with $\frac{\eta}{L} = f\left(\frac{x}{L}\right)$ and $c_p(M_\infty = 0) = c_{p0}$,

$$c_p = \frac{c_{p0}}{\sqrt{1 - M_\infty^2}} \quad \text{in subsonic flow}$$

$$c_p \propto \frac{1}{\sqrt{M_\infty^2 - 1}} \quad \text{in supersonic flow}$$

Oblique Shock Relations (see tables)

$$\frac{p_2}{p_1} = 1 + \frac{2\gamma}{\gamma+1} (M_1^2 \sin^2 \beta - 1)$$


$$\frac{T_2}{T_1} = \frac{\gamma-1}{(\gamma+1)^2} \frac{2}{M_1^2 \sin^2 \beta} \left(1 + \frac{\gamma-1}{2} M_1^2 \sin^2 \beta \right) \left(\frac{2\gamma}{\gamma-1} M_1^2 \sin^2 \beta - 1 \right)$$

$$\frac{\rho_2}{\rho_1} = \frac{(\gamma+1) M_1^2 \sin^2 \beta}{2 \left[1 + \frac{\gamma-1}{2} M_1^2 \sin^2 \beta \right]}$$

$$M_2 \sin(\beta - \theta) = \left[\frac{1 + \frac{\gamma-1}{2} M_1^2 \sin^2 \beta}{\gamma M_1^2 \sin^2 \beta - \frac{\gamma-1}{2}} \right]^{\frac{1}{2}}$$

$$\frac{p_{02}}{p_{01}} = \left(\frac{\frac{\gamma+1}{2} M_1^2 \sin^2 \beta}{1 + \frac{\gamma-1}{2} M_1^2 \sin^2 \beta} \right)^{\frac{\gamma}{\gamma-1}} \left(\frac{2\gamma}{\gamma+1} M_1^2 \sin^2 \beta - \frac{\gamma-1}{\gamma+1} \right)^{\frac{1}{1-\gamma}}$$

$$\tan \theta = \frac{2 \cot \beta (M_1^2 \sin^2 \beta - 1)}{(\gamma+1) M_1^2 - 2(M_1^2 \sin^2 \beta - 1)}$$



GAS FLOW TABLES ($\gamma=1.400$): SUBSONIC FLOW

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap_0}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap}$	$\frac{F}{\dot{m}\sqrt{c_p T_0}}$	$\frac{4c_f L_{\max}}{D}$	$\frac{\frac{1}{2}\rho V^2}{p_0}$
0.010	1.0000	0.9999	1.0000	0.0063	0.0221	0.0221	45.1813	7134.405	0.0001
0.020	0.9999	0.9997	0.9998	0.0126	0.0443	0.0443	22.5994	1778.450	0.0003
0.030	0.9998	0.9994	0.9996	0.0190	0.0664	0.0664	15.0761	787.0814	0.0006
0.040	0.9997	0.9989	0.9992	0.0253	0.0885	0.0886	11.3173	440.3522	0.0011
0.050	0.9995	0.9983	0.9988	0.0316	0.1105	0.1107	9.0644	280.0203	0.0017
0.060	0.9993	0.9975	0.9982	0.0379	0.1325	0.1329	7.5645	193.0311	0.0025
0.070	0.9990	0.9966	0.9976	0.0443	0.1545	0.1550	6.4947	140.6550	0.0034
0.080	0.9987	0.9955	0.9968	0.0506	0.1764	0.1772	5.6939	106.7182	0.0045
0.090	0.9984	0.9944	0.9960	0.0569	0.1983	0.1994	5.0723	83.4961	0.0056
0.100	0.9980	0.9930	0.9950	0.0632	0.2200	0.2216	4.5762	66.9216	0.0070
0.110	0.9976	0.9916	0.9940	0.0695	0.2417	0.2438	4.1714	54.6879	0.0084
0.120	0.9971	0.9900	0.9928	0.0758	0.2633	0.2660	3.8350	45.4080	0.0100
0.130	0.9966	0.9883	0.9916	0.0821	0.2849	0.2883	3.5513	38.2070	0.0117
0.140	0.9961	0.9864	0.9903	0.0884	0.3063	0.3105	3.3089	32.5113	0.0135
0.150	0.9955	0.9844	0.9888	0.0947	0.3276	0.3328	3.0996	27.9320	0.0155
0.160	0.9949	0.9823	0.9873	0.1009	0.3488	0.3551	2.9172	24.1978	0.0176
0.170	0.9943	0.9800	0.9857	0.1072	0.3699	0.3774	2.7569	21.1152	0.0198
0.180	0.9936	0.9776	0.9840	0.1135	0.3908	0.3997	2.6151	18.5427	0.0222
0.190	0.9928	0.9751	0.9822	0.1197	0.4116	0.4221	2.4889	16.3752	0.0246
0.200	0.9921	0.9725	0.9803	0.1260	0.4323	0.4445	2.3758	14.5333	0.0272
0.210	0.9913	0.9697	0.9783	0.1322	0.4528	0.4669	2.2740	12.9560	0.0299
0.220	0.9904	0.9668	0.9762	0.1385	0.4731	0.4893	2.1820	11.5961	0.0328
0.230	0.9895	0.9638	0.9740	0.1447	0.4933	0.5118	2.0985	10.4161	0.0357
0.240	0.9886	0.9607	0.9718	0.1509	0.5133	0.5343	2.0225	9.3865	0.0387
0.250	0.9877	0.9575	0.9694	0.1571	0.5332	0.5568	1.9530	8.4834	0.0419
0.260	0.9867	0.9541	0.9670	0.1633	0.5528	0.5794	1.8892	7.6876	0.0451
0.270	0.9856	0.9506	0.9645	0.1695	0.5723	0.6020	1.8306	6.9832	0.0485
0.280	0.9846	0.9470	0.9619	0.1757	0.5915	0.6246	1.7766	6.3572	0.0520
0.290	0.9835	0.9433	0.9592	0.1819	0.6106	0.6473	1.7267	5.7989	0.0555
0.300	0.9823	0.9395	0.9564	0.1881	0.6295	0.6700	1.6805	5.2993	0.0592
0.310	0.9811	0.9355	0.9535	0.1942	0.6481	0.6928	1.6377	4.8507	0.0629
0.320	0.9799	0.9315	0.9506	0.2003	0.6666	0.7156	1.5978	4.4467	0.0668
0.330	0.9787	0.9274	0.9476	0.2065	0.6848	0.7384	1.5608	4.0821	0.0707
0.340	0.9774	0.9231	0.9445	0.2126	0.7027	0.7613	1.5262	3.7520	0.0747
0.350	0.9761	0.9188	0.9413	0.2187	0.7205	0.7842	1.4939	3.4525	0.0788
0.360	0.9747	0.9143	0.9380	0.2248	0.7380	0.8072	1.4637	3.1801	0.0829
0.370	0.9733	0.9098	0.9347	0.2309	0.7553	0.8302	1.4354	2.9320	0.0872
0.380	0.9719	0.9052	0.9313	0.2369	0.7723	0.8532	1.4090	2.7054	0.0915
0.390	0.9705	0.9004	0.9278	0.2430	0.7891	0.8763	1.3841	2.4983	0.0959
0.400	0.9690	0.8956	0.9243	0.2490	0.8056	0.8995	1.3608	2.3085	0.1003
0.410	0.9675	0.8907	0.9207	0.2551	0.8219	0.9227	1.3388	2.1344	0.1048
0.420	0.9659	0.8857	0.9170	0.2611	0.8379	0.9460	1.3182	1.9744	0.1094
0.430	0.9643	0.8807	0.9132	0.2671	0.8536	0.9693	1.2988	1.8272	0.1140
0.440	0.9627	0.8755	0.9094	0.2730	0.8691	0.9927	1.2804	1.6915	0.1186
0.450	0.9611	0.8703	0.9055	0.2790	0.8843	1.0161	1.2632	1.5664	0.1234
0.460	0.9594	0.8650	0.9016	0.2850	0.8992	1.0396	1.2469	1.4509	0.1281
0.470	0.9577	0.8596	0.8976	0.2909	0.9138	1.0631	1.2315	1.3441	0.1329
0.480	0.9559	0.8541	0.8935	0.2968	0.9282	1.0867	1.2170	1.2453	0.1378
0.490	0.9542	0.8486	0.8894	0.3027	0.9423	1.1104	1.2033	1.1539	0.1426
0.500	0.9524	0.8430	0.8852	0.3086	0.9561	1.1341	1.1903	1.0691	0.1475

$$\gamma=1.400$$

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap_0}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap}$	$\frac{F}{\dot{m}\sqrt{c_p T_0}}$	$\frac{4c_f L_{\max}}{D}$	$\frac{1}{2}\frac{\rho V^2}{p_0}$
0.510	0.9506	0.8374	0.8809	0.3145	0.9696	1.1579	1.1781	0.9904	0.1525
0.520	0.9487	0.8317	0.8766	0.3203	0.9828	1.1818	1.1665	0.9174	0.1574
0.530	0.9468	0.8259	0.8723	0.3262	0.9958	1.2057	1.1556	0.8496	0.1624
0.540	0.9449	0.8201	0.8679	0.3320	1.0084	1.2297	1.1452	0.7866	0.1674
0.550	0.9430	0.8142	0.8634	0.3378	1.0208	1.2538	1.1354	0.7281	0.1724
0.560	0.9410	0.8082	0.8589	0.3436	1.0328	1.2779	1.1261	0.6736	0.1774
0.570	0.9390	0.8022	0.8544	0.3493	1.0446	1.3021	1.1173	0.6229	0.1825
0.580	0.9370	0.7962	0.8498	0.3551	1.0561	1.3264	1.1090	0.5757	0.1875
0.590	0.9349	0.7901	0.8451	0.3608	1.0672	1.3507	1.1011	0.5317	0.1925
0.600	0.9328	0.7840	0.8405	0.3665	1.0781	1.3751	1.0937	0.4908	0.1976
0.610	0.9307	0.7778	0.8357	0.3722	1.0887	1.3996	1.0867	0.4527	0.2026
0.620	0.9286	0.7716	0.8310	0.3779	1.0990	1.4242	1.0800	0.4172	0.2076
0.630	0.9265	0.7654	0.8262	0.3835	1.1090	1.4489	1.0737	0.3841	0.2127
0.640	0.9243	0.7591	0.8213	0.3891	1.1186	1.4736	1.0678	0.3533	0.2177
0.650	0.9221	0.7528	0.8164	0.3948	1.1280	1.4984	1.0621	0.3246	0.2226
0.660	0.9199	0.7465	0.8115	0.4003	1.1371	1.5233	1.0568	0.2979	0.2276
0.670	0.9176	0.7401	0.8066	0.4059	1.1459	1.5483	1.0518	0.2730	0.2326
0.680	0.9153	0.7338	0.8016	0.4115	1.1544	1.5733	1.0471	0.2498	0.2375
0.690	0.9131	0.7274	0.7966	0.4170	1.1626	1.5984	1.0426	0.2282	0.2424
0.700	0.9107	0.7209	0.7916	0.4225	1.1705	1.6237	1.0384	0.2081	0.2473
0.710	0.9084	0.7145	0.7865	0.4280	1.1782	1.6490	1.0344	0.1895	0.2521
0.720	0.9061	0.7080	0.7814	0.4335	1.1855	1.6744	1.0307	0.1721	0.2569
0.730	0.9037	0.7016	0.7763	0.4389	1.1925	1.6999	1.0272	0.1561	0.2617
0.740	0.9013	0.6951	0.7712	0.4443	1.1993	1.7254	1.0239	0.1411	0.2664
0.750	0.8989	0.6886	0.7660	0.4497	1.2058	1.7511	1.0208	0.1273	0.2711
0.760	0.8964	0.6821	0.7609	0.4551	1.2119	1.7768	1.0179	0.1145	0.2758
0.770	0.8940	0.6756	0.7557	0.4605	1.2178	1.8027	1.0152	0.1026	0.2804
0.780	0.8915	0.6691	0.7505	0.4658	1.2234	1.8286	1.0126	0.0917	0.2849
0.790	0.8890	0.6625	0.7452	0.4711	1.2288	1.8547	1.0103	0.0816	0.2894
0.800	0.8865	0.6560	0.7400	0.4764	1.2338	1.8808	1.0081	0.0723	0.2939
0.810	0.8840	0.6495	0.7347	0.4817	1.2386	1.9070	1.0060	0.0638	0.2983
0.820	0.8815	0.6430	0.7295	0.4869	1.2431	1.9333	1.0041	0.0559	0.3026
0.830	0.8789	0.6365	0.7242	0.4921	1.2474	1.9598	1.0024	0.0488	0.3069
0.840	0.8763	0.6300	0.7189	0.4973	1.2514	1.9863	1.0008	0.0423	0.3112
0.850	0.8737	0.6235	0.7136	0.5025	1.2551	2.0129	0.9993	0.0363	0.3153
0.860	0.8711	0.6170	0.7083	0.5077	1.2585	2.0396	0.9979	0.0310	0.3195
0.870	0.8685	0.6106	0.7030	0.5128	1.2617	2.0665	0.9967	0.0261	0.3235
0.880	0.8659	0.6041	0.6977	0.5179	1.2646	2.0934	0.9956	0.0218	0.3275
0.890	0.8632	0.5977	0.6924	0.5230	1.2673	2.1204	0.9946	0.0179	0.3314
0.900	0.8606	0.5913	0.6870	0.5280	1.2698	2.1476	0.9937	0.0145	0.3352
0.910	0.8579	0.5849	0.6817	0.5331	1.2719	2.1748	0.9929	0.0115	0.3390
0.920	0.8552	0.5785	0.6764	0.5381	1.2739	2.2021	0.9922	0.0089	0.3427
0.930	0.8525	0.5721	0.6711	0.5431	1.2756	2.2296	0.9916	0.0067	0.3464
0.940	0.8498	0.5658	0.6658	0.5481	1.2770	2.2572	0.9911	0.0048	0.3499
0.950	0.8471	0.5595	0.6604	0.5530	1.2783	2.2848	0.9907	0.0033	0.3534
0.960	0.8444	0.5532	0.6551	0.5579	1.2793	2.3126	0.9903	0.0021	0.3569
0.970	0.8416	0.5469	0.6498	0.5628	1.2800	2.3405	0.9901	0.0011	0.3602
0.980	0.8389	0.5407	0.6445	0.5677	1.2806	2.3685	0.9899	0.0005	0.3635
0.990	0.8361	0.5345	0.6392	0.5725	1.2809	2.3966	0.9898	0.0001	0.3667
1.000	0.8333	0.5283	0.6339	0.5774	1.2810	2.4249	0.9897	0.0000	0.3698

GAS FLOW TABLES ($\gamma=1.400$): SUPERSONIC FLOW

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap_0}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap}$	$\frac{F}{\dot{m}\sqrt{c_p T_0}}$	$\frac{4c_f L_{\max}}{D}$	$\frac{\frac{1}{2}\rho V^2}{p_0}$	M_s	$\frac{P_{0s}}{P_0}$	$\frac{P_s}{P}$	$\frac{P_{0s}}{P}$	$\frac{T_s}{T}$	ν	M
1.010	0.8306	0.5221	0.6287	0.5821	1.2809	2.4532	0.9898	0.0001	0.3728	0.9901	1.0000	1.0235	1.9152	1.0066	0.04	1.010
1.020	0.8278	0.5160	0.6234	0.5869	1.2806	2.4817	0.9899	0.0005	0.3758	0.9805	1.0000	1.0471	1.9379	1.0132	0.13	1.020
1.030	0.8250	0.5099	0.6181	0.5917	1.2801	2.5103	0.9900	0.0010	0.3787	0.9712	1.0000	1.0711	1.9610	1.0198	0.23	1.030
1.040	0.8222	0.5039	0.6129	0.5964	1.2793	2.5390	0.9903	0.0018	0.3815	0.9620	0.9999	1.0952	1.9844	1.0263	0.35	1.040
1.050	0.8193	0.4979	0.6077	0.6011	1.2784	2.5678	0.9905	0.0027	0.3842	0.9531	0.9999	1.1196	2.0083	1.0328	0.49	1.050
1.060	0.8165	0.4919	0.6024	0.6058	1.2773	2.5967	0.9909	0.0038	0.3869	0.9444	0.9998	1.1442	2.0325	1.0393	0.64	1.060
1.070	0.8137	0.4860	0.5972	0.6104	1.2760	2.6258	0.9913	0.0051	0.3895	0.9360	0.9996	1.1691	2.0570	1.0458	0.80	1.070
1.080	0.8108	0.4800	0.5920	0.6151	1.2745	2.6549	0.9917	0.0066	0.3919	0.9277	0.9994	1.1941	2.0819	1.0522	0.97	1.080
1.090	0.8080	0.4742	0.5869	0.6197	1.2728	2.6842	0.9922	0.0082	0.3944	0.9196	0.9992	1.2195	2.1072	1.0586	1.15	1.090
1.100	0.8052	0.4684	0.5817	0.6243	1.2709	2.7136	0.9928	0.0099	0.3967	0.9118	0.9989	1.2450	2.1328	1.0649	1.34	1.100
1.110	0.8023	0.4626	0.5766	0.6288	1.2689	2.7432	0.9934	0.0118	0.3990	0.9041	0.9986	1.2708	2.1588	1.0713	1.53	1.110
1.120	0.7994	0.4568	0.5714	0.6333	1.2667	2.7728	0.9940	0.0138	0.4011	0.8966	0.9982	1.2968	2.1851	1.0776	1.74	1.120
1.130	0.7966	0.4511	0.5663	0.6379	1.2643	2.8026	0.9947	0.0159	0.4032	0.8892	0.9978	1.3231	2.2118	1.0840	1.94	1.130
1.140	0.7937	0.4455	0.5612	0.6423	1.2618	2.8325	0.9954	0.0182	0.4052	0.8820	0.9973	1.3495	2.2388	1.0903	2.16	1.140
1.150	0.7908	0.4398	0.5562	0.6468	1.2590	2.8626	0.9961	0.0205	0.4072	0.8750	0.9967	1.3763	2.2661	1.0966	2.38	1.150
1.160	0.7879	0.4343	0.5511	0.6512	1.2562	2.8927	0.9969	0.0230	0.4090	0.8682	0.9961	1.4032	2.2937	1.1029	2.61	1.160
1.170	0.7851	0.4287	0.5461	0.6556	1.2531	2.9230	0.9978	0.0255	0.4108	0.8615	0.9953	1.4304	2.3217	1.1092	2.84	1.170
1.180	0.7822	0.4232	0.5411	0.6600	1.2500	2.9534	0.9986	0.0281	0.4125	0.8549	0.9946	1.4578	2.3500	1.1154	3.07	1.180
1.190	0.7793	0.4178	0.5361	0.6644	1.2466	2.9840	0.9995	0.0309	0.4141	0.8485	0.9937	1.4855	2.3786	1.1217	3.31	1.190
1.200	0.7764	0.4124	0.5311	0.6687	1.2432	3.0147	1.0004	0.0336	0.4157	0.8422	0.9928	1.5133	2.4075	1.1280	3.56	1.200
1.210	0.7735	0.4070	0.5262	0.6730	1.2396	3.0455	1.0014	0.0365	0.4171	0.8360	0.9918	1.5415	2.4367	1.1343	3.81	1.210
1.220	0.7706	0.4017	0.5213	0.6773	1.2358	3.0764	1.0024	0.0394	0.4185	0.8300	0.9907	1.5698	2.4663	1.1405	4.06	1.220
1.230	0.7677	0.3964	0.5164	0.6816	1.2319	3.1075	1.0034	0.0424	0.4198	0.8241	0.9896	1.5984	2.4961	1.1468	4.31	1.230
1.240	0.7648	0.3912	0.5115	0.6858	1.2279	3.1387	1.0045	0.0455	0.4211	0.8183	0.9884	1.6272	2.5263	1.1531	4.57	1.240
1.250	0.7619	0.3861	0.5067	0.6901	1.2238	3.1700	1.0055	0.0486	0.4223	0.8126	0.9871	1.6563	2.5568	1.1594	4.83	1.250

$$\gamma=1.400$$

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap_0}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap}$	$\frac{F}{\dot{m}\sqrt{c_p T_0}}$	$\frac{4c_f L_{\max}}{D}$	$\frac{\frac{1}{2}\rho V^2}{p_0}$	M_s	$\frac{P_{0s}}{P_0}$	$\frac{P_s}{P}$	$\frac{P_{0s}}{P}$	$\frac{T_s}{T}$	ν	M
1.260	0.7590	0.3809	0.5019	0.6943	1.2195	3.2015	1.0066	0.0517	0.4233	0.8071	0.9857	1.6855	2.5875	1.1657	5.09	1.260
1.270	0.7561	0.3759	0.4971	0.6984	1.2152	3.2331	1.0077	0.0549	0.4244	0.8016	0.9842	1.7151	2.6186	1.1720	5.36	1.270
1.280	0.7532	0.3708	0.4923	0.7026	1.2107	3.2648	1.0089	0.0582	0.4253	0.7963	0.9827	1.7448	2.6500	1.1783	5.63	1.280
1.290	0.7503	0.3658	0.4876	0.7067	1.2061	3.2967	1.0100	0.0615	0.4262	0.7911	0.9811	1.7748	2.6816	1.1846	5.90	1.290
1.300	0.7474	0.3609	0.4829	0.7108	1.2014	3.3287	1.0112	0.0648	0.4270	0.7860	0.9794	1.8050	2.7136	1.1909	6.17	1.300
1.310	0.7445	0.3560	0.4782	0.7149	1.1965	3.3608	1.0124	0.0682	0.4277	0.7809	0.9776	1.8355	2.7459	1.1972	6.44	1.310
1.320	0.7416	0.3512	0.4736	0.7189	1.1916	3.3931	1.0136	0.0716	0.4283	0.7760	0.9758	1.8661	2.7784	1.2035	6.72	1.320
1.330	0.7387	0.3464	0.4690	0.7229	1.1866	3.4255	1.0149	0.0750	0.4289	0.7712	0.9738	1.8971	2.8112	1.2099	7.00	1.330
1.340	0.7358	0.3417	0.4644	0.7270	1.1815	3.4581	1.0161	0.0785	0.4294	0.7664	0.9718	1.9282	2.8444	1.2162	7.28	1.340
1.350	0.7329	0.3370	0.4598	0.7309	1.1763	3.4907	1.0174	0.0820	0.4299	0.7618	0.9697	1.9596	2.8778	1.2226	7.56	1.350
1.360	0.7300	0.3323	0.4553	0.7349	1.1710	3.5236	1.0187	0.0855	0.4303	0.7572	0.9676	1.9912	2.9115	1.2290	7.84	1.360
1.370	0.7271	0.3277	0.4508	0.7388	1.1656	3.5566	1.0200	0.0890	0.4306	0.7527	0.9653	2.0231	2.9455	1.2354	8.13	1.370
1.380	0.7242	0.3232	0.4463	0.7427	1.1601	3.5897	1.0213	0.0926	0.4308	0.7483	0.9630	2.0551	2.9798	1.2418	8.41	1.380
1.390	0.7213	0.3187	0.4418	0.7466	1.1546	3.6229	1.0226	0.0962	0.4310	0.7440	0.9607	2.0875	3.0144	1.2482	8.70	1.390
1.400	0.7184	0.3142	0.4374	0.7505	1.1490	3.6563	1.0240	0.0997	0.4311	0.7397	0.9582	2.1200	3.0492	1.2547	8.99	1.400
1.410	0.7155	0.3098	0.4330	0.7543	1.1433	3.6899	1.0253	0.1033	0.4312	0.7355	0.9557	2.1528	3.0844	1.2612	9.28	1.410
1.420	0.7126	0.3055	0.4287	0.7581	1.1375	3.7236	1.0267	0.1069	0.4312	0.7314	0.9531	2.1858	3.1198	1.2676	9.57	1.420
1.430	0.7097	0.3012	0.4244	0.7619	1.1317	3.7574	1.0281	0.1106	0.4311	0.7274	0.9504	2.2191	3.1555	1.2741	9.86	1.430
1.440	0.7069	0.2969	0.4201	0.7657	1.1258	3.7914	1.0295	0.1142	0.4310	0.7235	0.9476	2.2525	3.1915	1.2807	10.15	1.440
1.450	0.7040	0.2927	0.4158	0.7694	1.1198	3.8255	1.0308	0.1178	0.4308	0.7196	0.9448	2.2863	3.2278	1.2872	10.44	1.450
1.460	0.7011	0.2886	0.4116	0.7732	1.1138	3.8598	1.0323	0.1215	0.4306	0.7157	0.9420	2.3202	3.2643	1.2938	10.73	1.460
1.470	0.6982	0.2845	0.4074	0.7769	1.1077	3.8942	1.0337	0.1251	0.4303	0.7120	0.9390	2.3544	3.3011	1.3003	11.02	1.470
1.480	0.6954	0.2804	0.4032	0.7805	1.1016	3.9287	1.0351	0.1288	0.4299	0.7083	0.9360	2.3888	3.3382	1.3069	11.32	1.480
1.490	0.6925	0.2764	0.3991	0.7842	1.0954	3.9634	1.0365	0.1324	0.4295	0.7047	0.9329	2.4235	3.3756	1.3136	11.61	1.490
1.500	0.6897	0.2724	0.3950	0.7878	1.0891	3.9983	1.0379	0.1361	0.4290	0.7011	0.9298	2.4583	3.4133	1.3202	11.91	1.500

$$\gamma=1.400$$

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap_0}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap}$	$\frac{F}{\dot{m}\sqrt{c_p T_0}}$	$\frac{4c_f L_{\max}}{D}$	$\frac{\frac{1}{2}\rho V^2}{p_0}$	M_s	$\frac{P_{0s}}{P_0}$	$\frac{P_s}{P}$	$\frac{P_{0s}}{P}$	$\frac{T_s}{T}$	ν	M
1.510	0.6868	0.2685	0.3909	0.7914	1.0829	4.0333	1.0394	0.1397	0.4285	0.6976	0.9266	2.4935	3.4512	1.3269	12.20	1.510
1.520	0.6840	0.2646	0.3869	0.7950	1.0765	4.0684	1.0408	0.1433	0.4279	0.6941	0.9233	2.5288	3.4894	1.3336	12.49	1.520
1.530	0.6811	0.2608	0.3829	0.7986	1.0702	4.1037	1.0423	0.1470	0.4273	0.6907	0.9200	2.5644	3.5279	1.3403	12.79	1.530
1.540	0.6783	0.2570	0.3789	0.8021	1.0638	4.1392	1.0437	0.1506	0.4266	0.6874	0.9166	2.6002	3.5667	1.3470	13.09	1.540
1.550	0.6754	0.2533	0.3750	0.8057	1.0573	4.1748	1.0452	0.1543	0.4259	0.6841	0.9132	2.6363	3.6057	1.3538	13.38	1.550
1.560	0.6726	0.2496	0.3710	0.8092	1.0508	4.2105	1.0467	0.1579	0.4252	0.6809	0.9097	2.6725	3.6450	1.3606	13.68	1.560
1.570	0.6698	0.2459	0.3672	0.8126	1.0443	4.2464	1.0481	0.1615	0.4243	0.6777	0.9062	2.7091	3.6846	1.3674	13.97	1.570
1.580	0.6670	0.2423	0.3633	0.8161	1.0378	4.2825	1.0496	0.1651	0.4235	0.6746	0.9026	2.7458	3.7244	1.3742	14.27	1.580
1.590	0.6642	0.2388	0.3595	0.8195	1.0312	4.3187	1.0511	0.1688	0.4226	0.6715	0.8989	2.7828	3.7646	1.3811	14.56	1.590
1.600	0.6614	0.2353	0.3557	0.8230	1.0246	4.3551	1.0526	0.1724	0.4216	0.6684	0.8952	2.8200	3.8050	1.3880	14.86	1.600
1.610	0.6586	0.2318	0.3520	0.8263	1.0180	4.3916	1.0541	0.1760	0.4206	0.6655	0.8915	2.8575	3.8456	1.3949	15.16	1.610
1.620	0.6558	0.2284	0.3483	0.8297	1.0114	4.4282	1.0555	0.1795	0.4196	0.6625	0.8877	2.8951	3.8866	1.4018	15.45	1.620
1.630	0.6530	0.2250	0.3446	0.8331	1.0047	4.4651	1.0570	0.1831	0.4185	0.6596	0.8838	2.9331	3.9278	1.4088	15.75	1.630
1.640	0.6502	0.2217	0.3409	0.8364	0.9980	4.5020	1.0585	0.1867	0.4174	0.6568	0.8799	2.9712	3.9693	1.4158	16.04	1.640
1.650	0.6475	0.2184	0.3373	0.8397	0.9913	4.5392	1.0600	0.1902	0.4162	0.6540	0.8760	3.0096	4.0110	1.4228	16.34	1.650
1.660	0.6447	0.2151	0.3337	0.8430	0.9846	4.5765	1.0615	0.1938	0.4150	0.6512	0.8720	3.0482	4.0531	1.4299	16.63	1.660
1.670	0.6419	0.2119	0.3302	0.8462	0.9779	4.6139	1.0630	0.1973	0.4138	0.6485	0.8680	3.0871	4.0953	1.4369	16.93	1.670
1.680	0.6392	0.2088	0.3266	0.8495	0.9712	4.6515	1.0645	0.2008	0.4125	0.6458	0.8639	3.1261	4.1379	1.4440	17.22	1.680
1.690	0.6364	0.2057	0.3232	0.8527	0.9644	4.6892	1.0660	0.2043	0.4112	0.6431	0.8599	3.1655	4.1807	1.4512	17.52	1.690
1.700	0.6337	0.2026	0.3197	0.8559	0.9577	4.7272	1.0674	0.2078	0.4098	0.6405	0.8557	3.2050	4.2238	1.4583	17.81	1.700
1.710	0.6310	0.1996	0.3163	0.8591	0.9509	4.7652	1.0689	0.2113	0.4085	0.6380	0.8516	3.2448	4.2672	1.4655	18.10	1.710
1.720	0.6283	0.1966	0.3129	0.8622	0.9442	4.8035	1.0704	0.2147	0.4071	0.6355	0.8474	3.2848	4.3108	1.4727	18.40	1.720
1.730	0.6256	0.1936	0.3095	0.8654	0.9374	4.8418	1.0719	0.2182	0.4056	0.6330	0.8431	3.3251	4.3547	1.4800	18.69	1.730
1.740	0.6229	0.1907	0.3062	0.8685	0.9307	4.8804	1.0734	0.2216	0.4041	0.6305	0.8389	3.3655	4.3989	1.4873	18.98	1.740
1.750	0.6202	0.1878	0.3029	0.8716	0.9239	4.9191	1.0749	0.2250	0.4026	0.6281	0.8346	3.4063	4.4433	1.4946	19.27	1.750

$$\gamma=1.400$$

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap_0}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap}$	$\frac{F}{\dot{m}\sqrt{c_p T_0}}$	$\frac{4c_f L_{\max}}{D}$	$\frac{\frac{1}{2}\rho V^2}{p_0}$	M_s	$\frac{P_{0s}}{P_0}$	$\frac{P_s}{P}$	$\frac{P_{0s}}{P}$	$\frac{T_s}{T}$	ν	M
1.760	0.6175	0.1850	0.2996	0.8747	0.9172	4.9580	1.0764	0.2284	0.4011	0.6257	0.8302	3.4472	4.4880	1.5019	19.56	1.760
1.770	0.6148	0.1822	0.2964	0.8777	0.9104	4.9970	1.0779	0.2318	0.3996	0.6234	0.8259	3.4884	4.5330	1.5093	19.86	1.770
1.780	0.6121	0.1794	0.2931	0.8808	0.9037	5.0362	1.0793	0.2352	0.3980	0.6210	0.8215	3.5298	4.5782	1.5167	20.15	1.780
1.790	0.6095	0.1767	0.2900	0.8838	0.8970	5.0755	1.0808	0.2385	0.3964	0.6188	0.8171	3.5715	4.6237	1.5241	20.44	1.790
1.800	0.6068	0.1740	0.2868	0.8868	0.8902	5.1150	1.0823	0.2419	0.3947	0.6165	0.8127	3.6133	4.6695	1.5316	20.73	1.800
1.810	0.6041	0.1714	0.2837	0.8898	0.8835	5.1547	1.0838	0.2452	0.3931	0.6143	0.8082	3.6555	4.7155	1.5391	21.01	1.810
1.820	0.6015	0.1688	0.2806	0.8927	0.8768	5.1945	1.0852	0.2485	0.3914	0.6121	0.8038	3.6978	4.7618	1.5466	21.30	1.820
1.830	0.5989	0.1662	0.2776	0.8957	0.8701	5.2345	1.0867	0.2518	0.3897	0.6099	0.7993	3.7404	4.8084	1.5541	21.59	1.830
1.840	0.5963	0.1637	0.2745	0.8986	0.8634	5.2747	1.0882	0.2551	0.3879	0.6078	0.7948	3.7832	4.8552	1.5617	21.88	1.840
1.850	0.5936	0.1612	0.2715	0.9015	0.8568	5.3150	1.0896	0.2583	0.3862	0.6057	0.7902	3.8263	4.9023	1.5693	22.16	1.850
1.860	0.5910	0.1587	0.2686	0.9044	0.8501	5.3555	1.0911	0.2616	0.3844	0.6036	0.7857	3.8695	4.9497	1.5770	22.45	1.860
1.870	0.5884	0.1563	0.2656	0.9072	0.8435	5.3962	1.0926	0.2648	0.3826	0.6016	0.7811	3.9131	4.9973	1.5847	22.73	1.870
1.880	0.5859	0.1539	0.2627	0.9101	0.8368	5.4370	1.0940	0.2680	0.3808	0.5996	0.7765	3.9568	5.0452	1.5924	23.02	1.880
1.890	0.5833	0.1516	0.2598	0.9129	0.8302	5.4780	1.0955	0.2712	0.3790	0.5976	0.7720	4.0008	5.0934	1.6001	23.30	1.890
1.900	0.5807	0.1492	0.2570	0.9157	0.8237	5.5191	1.0969	0.2743	0.3771	0.5956	0.7674	4.0450	5.1418	1.6079	23.59	1.900
1.910	0.5782	0.1470	0.2542	0.9185	0.8171	5.5604	1.0984	0.2775	0.3753	0.5937	0.7627	4.0895	5.1905	1.6157	23.87	1.910
1.920	0.5756	0.1447	0.2514	0.9213	0.8106	5.6019	1.0998	0.2806	0.3734	0.5918	0.7581	4.1341	5.2394	1.6236	24.15	1.920
1.930	0.5731	0.1425	0.2486	0.9240	0.8041	5.6435	1.1012	0.2837	0.3715	0.5899	0.7535	4.1791	5.2886	1.6314	24.43	1.930
1.940	0.5705	0.1403	0.2459	0.9268	0.7976	5.6853	1.1027	0.2868	0.3696	0.5880	0.7488	4.2242	5.3381	1.6394	24.71	1.940
1.950	0.5680	0.1381	0.2432	0.9295	0.7911	5.7273	1.1041	0.2899	0.3677	0.5862	0.7442	4.2696	5.3878	1.6473	24.99	1.950
1.960	0.5655	0.1360	0.2405	0.9322	0.7846	5.7695	1.1055	0.2929	0.3657	0.5844	0.7395	4.3152	5.4378	1.6553	25.27	1.960
1.970	0.5630	0.1339	0.2378	0.9349	0.7782	5.8118	1.1069	0.2960	0.3638	0.5826	0.7349	4.3611	5.4881	1.6633	25.55	1.970
1.980	0.5605	0.1318	0.2352	0.9375	0.7718	5.8542	1.1084	0.2990	0.3618	0.5808	0.7302	4.4071	5.5386	1.6713	25.83	1.980
1.990	0.5580	0.1298	0.2326	0.9402	0.7655	5.8969	1.1098	0.3020	0.3598	0.5791	0.7255	4.4535	5.5894	1.6794	26.10	1.990
2.000	0.5556	0.1278	0.2300	0.9428	0.7591	5.9397	1.1112	0.3050	0.3579	0.5774	0.7209	4.5000	5.6404	1.6875	26.38	2.000

$$\gamma=1.400$$

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap_0}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap}$	$\frac{F}{\dot{m}\sqrt{c_p T_0}}$	$\frac{4c_f L_{\max}}{D}$	$\frac{\frac{1}{2}\rho V^2}{p_0}$	M_s	$\frac{P_{0s}}{P_0}$	$\frac{P_s}{P}$	$\frac{P_{0s}}{P}$	$\frac{T_s}{T}$	ν	M
2.010	0.5531	0.1258	0.2275	0.9454	0.7528	5.9827	1.1126	0.3080	0.3559	0.5757	0.7162	4.5468	5.6918	1.6956	26.66	2.010
2.020	0.5506	0.1239	0.2250	0.9480	0.7465	6.0258	1.1140	0.3109	0.3539	0.5740	0.7115	4.5938	5.7433	1.7038	26.93	2.020
2.030	0.5482	0.1220	0.2225	0.9506	0.7403	6.0692	1.1154	0.3138	0.3518	0.5723	0.7069	4.6411	5.7952	1.7120	27.20	2.030
2.040	0.5458	0.1201	0.2200	0.9531	0.7340	6.1126	1.1167	0.3168	0.3498	0.5707	0.7022	4.6885	5.8473	1.7203	27.48	2.040
2.050	0.5433	0.1182	0.2176	0.9557	0.7279	6.1563	1.1181	0.3197	0.3478	0.5691	0.6975	4.7363	5.8996	1.7285	27.75	2.050
2.060	0.5409	0.1164	0.2152	0.9582	0.7217	6.2001	1.1195	0.3225	0.3458	0.5675	0.6928	4.7842	5.9523	1.7369	28.02	2.060
2.070	0.5385	0.1146	0.2128	0.9607	0.7156	6.2441	1.1209	0.3254	0.3437	0.5659	0.6882	4.8324	6.0051	1.7452	28.29	2.070
2.080	0.5361	0.1128	0.2104	0.9632	0.7095	6.2883	1.1222	0.3282	0.3417	0.5643	0.6835	4.8808	6.0583	1.7536	28.56	2.080
2.090	0.5337	0.1111	0.2081	0.9657	0.7034	6.3326	1.1236	0.3310	0.3396	0.5628	0.6789	4.9295	6.1117	1.7620	28.83	2.090
2.100	0.5313	0.1094	0.2058	0.9681	0.6974	6.3772	1.1250	0.3339	0.3376	0.5613	0.6742	4.9783	6.1654	1.7705	29.10	2.100
2.110	0.5290	0.1077	0.2035	0.9706	0.6914	6.4218	1.1263	0.3366	0.3355	0.5598	0.6696	5.0275	6.2193	1.7789	29.36	2.110
2.120	0.5266	0.1060	0.2013	0.9730	0.6854	6.4667	1.1276	0.3394	0.3334	0.5583	0.6649	5.0768	6.2735	1.7875	29.63	2.120
2.130	0.5243	0.1043	0.1990	0.9754	0.6795	6.5117	1.1290	0.3422	0.3314	0.5568	0.6603	5.1264	6.3280	1.7960	29.90	2.130
2.140	0.5219	0.1027	0.1968	0.9778	0.6736	6.5569	1.1303	0.3449	0.3293	0.5554	0.6557	5.1762	6.3827	1.8046	30.16	2.140
2.150	0.5196	0.1011	0.1946	0.9802	0.6677	6.6023	1.1317	0.3476	0.3272	0.5540	0.6511	5.2263	6.4377	1.8132	30.43	2.150
2.160	0.5173	0.0996	0.1925	0.9825	0.6619	6.6478	1.1330	0.3503	0.3252	0.5525	0.6464	5.2765	6.4929	1.8219	30.69	2.160
2.170	0.5150	0.0980	0.1903	0.9849	0.6561	6.6936	1.1343	0.3530	0.3231	0.5511	0.6419	5.3271	6.5484	1.8306	30.95	2.170
2.180	0.5127	0.0965	0.1882	0.9872	0.6503	6.7395	1.1356	0.3556	0.3210	0.5498	0.6373	5.3778	6.6042	1.8393	31.21	2.180
2.190	0.5104	0.0950	0.1861	0.9895	0.6446	6.7855	1.1369	0.3583	0.3189	0.5484	0.6327	5.4288	6.6602	1.8481	31.47	2.190
2.200	0.5081	0.0935	0.1841	0.9918	0.6389	6.8318	1.1382	0.3609	0.3169	0.5471	0.6281	5.4800	6.7165	1.8569	31.73	2.200
2.210	0.5059	0.0921	0.1820	0.9941	0.6333	6.8782	1.1395	0.3635	0.3148	0.5457	0.6236	5.5315	6.7730	1.8657	31.99	2.210
2.220	0.5036	0.0906	0.1800	0.9964	0.6277	6.9248	1.1408	0.3661	0.3127	0.5444	0.6191	5.5831	6.8298	1.8746	32.25	2.220
2.230	0.5014	0.0892	0.1780	0.9986	0.6221	6.9715	1.1421	0.3687	0.3106	0.5431	0.6145	5.6351	6.8869	1.8835	32.51	2.230
2.240	0.4991	0.0878	0.1760	1.0009	0.6165	7.0185	1.1434	0.3712	0.3085	0.5418	0.6100	5.6872	6.9442	1.8924	32.76	2.240
2.250	0.4969	0.0865	0.1740	1.0031	0.6110	7.0656	1.1446	0.3738	0.3065	0.5406	0.6055	5.7396	7.0018	1.9014	33.02	2.250

$$\gamma=1.400$$

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap_0}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap}$	$\frac{F}{\dot{m}\sqrt{c_p T_0}}$	$\frac{4c_f L_{\max}}{D}$	$\frac{\frac{1}{2}\rho V^2}{p_0}$	M_s	$\frac{P_{0s}}{P_0}$	$\frac{P_s}{P}$	$\frac{P_{0s}}{P}$	$\frac{T_s}{T}$	ν	M
2.260	0.4947	0.0851	0.1721	1.0053	0.6056	7.1129	1.1459	0.3763	0.3044	0.5393	0.6011	5.7922	7.0597	1.9104	33.27	2.260
2.270	0.4925	0.0838	0.1702	1.0075	0.6002	7.1603	1.1472	0.3788	0.3023	0.5381	0.5966	5.8451	7.1178	1.9194	33.53	2.270
2.280	0.4903	0.0825	0.1683	1.0097	0.5948	7.2080	1.1484	0.3813	0.3003	0.5368	0.5921	5.8981	7.1762	1.9285	33.78	2.280
2.290	0.4881	0.0812	0.1664	1.0118	0.5894	7.2558	1.1497	0.3838	0.2982	0.5356	0.5877	5.9515	7.2348	1.9376	34.03	2.290
2.300	0.4859	0.0800	0.1646	1.0140	0.5841	7.3038	1.1509	0.3862	0.2961	0.5344	0.5833	6.0050	7.2937	1.9468	34.28	2.300
2.310	0.4837	0.0787	0.1628	1.0161	0.5788	7.3520	1.1521	0.3887	0.2941	0.5332	0.5789	6.0588	7.3528	1.9560	34.53	2.310
2.320	0.4816	0.0775	0.1609	1.0182	0.5736	7.4003	1.1534	0.3911	0.2920	0.5321	0.5745	6.1128	7.4122	1.9652	34.78	2.320
2.330	0.4794	0.0763	0.1592	1.0204	0.5684	7.4488	1.1546	0.3935	0.2900	0.5309	0.5702	6.1671	7.4719	1.9745	35.03	2.330
2.340	0.4773	0.0751	0.1574	1.0224	0.5632	7.4975	1.1558	0.3959	0.2879	0.5297	0.5658	6.2215	7.5319	1.9838	35.28	2.340
2.350	0.4752	0.0740	0.1556	1.0245	0.5581	7.5464	1.1570	0.3983	0.2859	0.5286	0.5615	6.2763	7.5920	1.9931	35.53	2.350
2.360	0.4731	0.0728	0.1539	1.0266	0.5530	7.5955	1.1582	0.4006	0.2839	0.5275	0.5572	6.3312	7.6525	2.0025	35.77	2.360
2.370	0.4709	0.0717	0.1522	1.0286	0.5480	7.6447	1.1595	0.4030	0.2818	0.5264	0.5529	6.3864	7.7132	2.0119	36.02	2.370
2.380	0.4688	0.0706	0.1505	1.0307	0.5430	7.6941	1.1606	0.4053	0.2798	0.5253	0.5486	6.4418	7.7742	2.0213	36.26	2.380
2.390	0.4668	0.0695	0.1488	1.0327	0.5380	7.7437	1.1618	0.4076	0.2778	0.5242	0.5444	6.4975	7.8354	2.0308	36.50	2.390
2.400	0.4647	0.0684	0.1472	1.0347	0.5331	7.7935	1.1630	0.4099	0.2758	0.5231	0.5401	6.5533	7.8969	2.0403	36.75	2.400
2.410	0.4626	0.0673	0.1456	1.0367	0.5282	7.8434	1.1642	0.4122	0.2738	0.5221	0.5359	6.6095	7.9587	2.0499	36.99	2.410
2.420	0.4606	0.0663	0.1439	1.0387	0.5233	7.8935	1.1654	0.4144	0.2718	0.5210	0.5317	6.6658	8.0207	2.0595	37.23	2.420
2.430	0.4585	0.0653	0.1424	1.0407	0.5185	7.9438	1.1665	0.4167	0.2698	0.5200	0.5276	6.7224	8.0830	2.0691	37.47	2.430
2.440	0.4565	0.0643	0.1408	1.0426	0.5137	7.9943	1.1677	0.4189	0.2678	0.5189	0.5234	6.7792	8.1455	2.0788	37.71	2.440
2.450	0.4544	0.0633	0.1392	1.0446	0.5090	8.0450	1.1689	0.4211	0.2658	0.5179	0.5193	6.8363	8.2083	2.0885	37.95	2.450
2.460	0.4524	0.0623	0.1377	1.0465	0.5043	8.0958	1.1700	0.4233	0.2639	0.5169	0.5152	6.8935	8.2713	2.0982	38.18	2.460
2.470	0.4504	0.0613	0.1362	1.0484	0.4996	8.1468	1.1712	0.4255	0.2619	0.5159	0.5111	6.9511	8.3346	2.1080	38.42	2.470
2.480	0.4484	0.0604	0.1346	1.0503	0.4950	8.1980	1.1723	0.4277	0.2599	0.5149	0.5071	7.0088	8.3982	2.1178	38.66	2.480
2.490	0.4464	0.0594	0.1332	1.0522	0.4904	8.2494	1.1734	0.4298	0.2580	0.5140	0.5030	7.0668	8.4620	2.1276	38.89	2.490
2.500	0.4444	0.0585	0.1317	1.0541	0.4858	8.3010	1.1746	0.4320	0.2561	0.5130	0.4990	7.1250	8.5261	2.1375	39.12	2.500

$$\gamma=1.400$$

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap_0}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap}$	$\frac{F}{\dot{m}\sqrt{c_p T_0}}$	$\frac{4c_f L_{\max}}{D}$	$\frac{\frac{1}{2}\rho V^2}{p_0}$	M_s	$\frac{P_{0s}}{P_0}$	$\frac{P_s}{P}$	$\frac{P_{0s}}{P}$	$\frac{T_s}{T}$	ν	M
2.510	0.4425	0.0576	0.1302	1.0560	0.4813	8.3527	1.1757	0.4341	0.2541	0.5120	0.4950	7.1835	8.5905	2.1474	39.36	2.510
2.520	0.4405	0.0567	0.1288	1.0578	0.4768	8.4046	1.1768	0.4362	0.2522	0.5111	0.4911	7.2421	8.6551	2.1574	39.59	2.520
2.530	0.4386	0.0559	0.1274	1.0597	0.4724	8.4567	1.1779	0.4383	0.2503	0.5102	0.4871	7.3011	8.7200	2.1674	39.82	2.530
2.540	0.4366	0.0550	0.1260	1.0615	0.4680	8.5090	1.1790	0.4404	0.2484	0.5092	0.4832	7.3602	8.7851	2.1774	40.05	2.540
2.550	0.4347	0.0542	0.1246	1.0633	0.4636	8.5615	1.1801	0.4425	0.2465	0.5083	0.4793	7.4196	8.8505	2.1875	40.28	2.550
2.560	0.4328	0.0533	0.1232	1.0651	0.4593	8.6141	1.1812	0.4445	0.2446	0.5074	0.4754	7.4792	8.9161	2.1976	40.51	2.560
2.570	0.4309	0.0525	0.1218	1.0669	0.4550	8.6670	1.1823	0.4466	0.2427	0.5065	0.4715	7.5391	8.9820	2.2077	40.74	2.570
2.580	0.4289	0.0517	0.1205	1.0687	0.4507	8.7200	1.1834	0.4486	0.2409	0.5056	0.4677	7.5991	9.0482	2.2179	40.96	2.580
2.590	0.4271	0.0509	0.1192	1.0705	0.4465	8.7732	1.1844	0.4506	0.2390	0.5047	0.4639	7.6595	9.1146	2.2281	41.19	2.590
2.600	0.4252	0.0501	0.1179	1.0722	0.4423	8.8265	1.1855	0.4526	0.2371	0.5039	0.4601	7.7200	9.1813	2.2383	41.41	2.600
2.610	0.4233	0.0493	0.1166	1.0740	0.4382	8.8801	1.1866	0.4546	0.2353	0.5030	0.4564	7.7808	9.2483	2.2486	41.64	2.610
2.620	0.4214	0.0486	0.1153	1.0757	0.4341	8.9338	1.1876	0.4565	0.2335	0.5022	0.4526	7.8418	9.3155	2.2590	41.86	2.620
2.630	0.4196	0.0478	0.1140	1.0774	0.4300	8.9877	1.1887	0.4585	0.2317	0.5013	0.4489	7.9031	9.3829	2.2693	42.09	2.630
2.640	0.4177	0.0471	0.1128	1.0791	0.4260	9.0418	1.1897	0.4604	0.2298	0.5005	0.4452	7.9645	9.4506	2.2797	42.31	2.640
2.650	0.4159	0.0464	0.1115	1.0808	0.4220	9.0961	1.1908	0.4624	0.2280	0.4996	0.4416	8.0263	9.5186	2.2902	42.53	2.650
2.660	0.4141	0.0457	0.1103	1.0825	0.4180	9.1506	1.1918	0.4643	0.2262	0.4988	0.4379	8.0882	9.5869	2.3006	42.75	2.660
2.670	0.4122	0.0450	0.1091	1.0842	0.4141	9.2052	1.1928	0.4662	0.2245	0.4980	0.4343	8.1504	9.6554	2.3111	42.97	2.670
2.680	0.4104	0.0443	0.1079	1.0859	0.4102	9.2601	1.1939	0.4681	0.2227	0.4972	0.4307	8.2128	9.7241	2.3217	43.19	2.680
2.690	0.4086	0.0436	0.1067	1.0875	0.4063	9.3151	1.1949	0.4700	0.2209	0.4964	0.4271	8.2755	9.7931	2.3323	43.40	2.690
2.700	0.4068	0.0430	0.1056	1.0892	0.4025	9.3703	1.1959	0.4718	0.2192	0.4956	0.4236	8.3383	9.8624	2.3429	43.62	2.700
2.710	0.4051	0.0423	0.1044	1.0908	0.3987	9.4257	1.1969	0.4737	0.2174	0.4949	0.4201	8.4015	9.9319	2.3536	43.84	2.710
2.720	0.4033	0.0417	0.1033	1.0924	0.3949	9.4812	1.1979	0.4755	0.2157	0.4941	0.4166	8.4648	10.0017	2.3642	44.05	2.720
2.730	0.4015	0.0410	0.1022	1.0941	0.3912	9.5370	1.1989	0.4773	0.2140	0.4933	0.4131	8.5284	10.0718	2.3750	44.27	2.730
2.740	0.3998	0.0404	0.1010	1.0957	0.3875	9.5929	1.1999	0.4791	0.2123	0.4926	0.4097	8.5922	10.1421	2.3858	44.48	2.740
2.750	0.3980	0.0398	0.0999	1.0973	0.3838	9.6490	1.2009	0.4809	0.2106	0.4918	0.4062	8.6563	10.2127	2.3966	44.69	2.750

$$\gamma=1.400$$

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap_0}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap}$	$\frac{F}{\dot{m}\sqrt{c_p T_0}}$	$\frac{4c_f L_{\max}}{D}$	$\frac{\frac{1}{2}\rho V^2}{p_0}$	M_s	$\frac{P_{0s}}{P_0}$	$\frac{P_s}{P}$	$\frac{P_{0s}}{P}$	$\frac{T_s}{T}$	ν	M
2.760	0.3963	0.0392	0.0989	1.0988	0.3802	9.7053	1.2019	0.4827	0.2089	0.4911	0.4028	8.7205	10.2835	2.4074	44.91	2.760
2.770	0.3945	0.0386	0.0978	1.1004	0.3766	9.7618	1.2029	0.4845	0.2072	0.4903	0.3994	8.7851	10.3546	2.4183	45.12	2.770
2.780	0.3928	0.0380	0.0967	1.1020	0.3730	9.8185	1.2038	0.4863	0.2055	0.4896	0.3961	8.8498	10.4259	2.4292	45.33	2.780
2.790	0.3911	0.0374	0.0957	1.1035	0.3695	9.8753	1.2048	0.4880	0.2039	0.4889	0.3928	8.9148	10.4975	2.4402	45.54	2.790
2.800	0.3894	0.0368	0.0946	1.1051	0.3660	9.9324	1.2058	0.4898	0.2022	0.4882	0.3895	8.9800	10.5694	2.4512	45.75	2.800
2.810	0.3877	0.0363	0.0936	1.1066	0.3625	9.9896	1.2067	0.4915	0.2006	0.4875	0.3862	9.0455	10.6415	2.4622	45.95	2.810
2.820	0.3860	0.0357	0.0926	1.1081	0.3591	10.0470	1.2077	0.4932	0.1990	0.4868	0.3829	9.1111	10.7139	2.4733	46.16	2.820
2.830	0.3844	0.0352	0.0916	1.1096	0.3557	10.1046	1.2086	0.4949	0.1973	0.4861	0.3797	9.1771	10.7865	2.4844	46.37	2.830
2.840	0.3827	0.0347	0.0906	1.1111	0.3523	10.1624	1.2095	0.4966	0.1957	0.4854	0.3765	9.2432	10.8594	2.4955	46.57	2.840
2.850	0.3810	0.0341	0.0896	1.1126	0.3490	10.2204	1.2105	0.4983	0.1941	0.4847	0.3733	9.3096	10.9326	2.5067	46.78	2.850
2.860	0.3794	0.0336	0.0886	1.1141	0.3457	10.2785	1.2114	0.5000	0.1926	0.4840	0.3701	9.3762	11.0060	2.5179	46.98	2.860
2.870	0.3777	0.0331	0.0877	1.1156	0.3424	10.3368	1.2123	0.5016	0.1910	0.4833	0.3670	9.4431	11.0797	2.5292	47.19	2.870
2.880	0.3761	0.0326	0.0867	1.1171	0.3392	10.3954	1.2132	0.5033	0.1894	0.4827	0.3639	9.5101	11.1536	2.5405	47.39	2.880
2.890	0.3745	0.0321	0.0858	1.1185	0.3359	10.4541	1.2142	0.5049	0.1879	0.4820	0.3608	9.5775	11.2278	2.5518	47.59	2.890
2.900	0.3729	0.0317	0.0849	1.1199	0.3328	10.5130	1.2151	0.5065	0.1863	0.4814	0.3577	9.6450	11.3022	2.5632	47.79	2.900
2.910	0.3712	0.0312	0.0840	1.1214	0.3296	10.5720	1.2160	0.5081	0.1848	0.4807	0.3547	9.7128	11.3770	2.5746	47.99	2.910
2.920	0.3696	0.0307	0.0831	1.1228	0.3265	10.6313	1.2169	0.5097	0.1833	0.4801	0.3517	9.7808	11.4519	2.5861	48.19	2.920
2.930	0.3681	0.0302	0.0822	1.1242	0.3234	10.6908	1.2178	0.5113	0.1818	0.4795	0.3487	9.8491	11.5271	2.5976	48.39	2.930
2.940	0.3665	0.0298	0.0813	1.1256	0.3203	10.7504	1.2187	0.5129	0.1803	0.4788	0.3457	9.9175	11.6026	2.6091	48.59	2.940
2.950	0.3649	0.0293	0.0804	1.1270	0.3173	10.8102	1.2195	0.5145	0.1788	0.4782	0.3428	9.9863	11.6784	2.6206	48.78	2.950
2.960	0.3633	0.0289	0.0796	1.1284	0.3143	10.8702	1.2204	0.5160	0.1773	0.4776	0.3398	10.0552	11.7544	2.6322	48.98	2.960
2.970	0.3618	0.0285	0.0787	1.1298	0.3113	10.9304	1.2213	0.5176	0.1758	0.4770	0.3369	10.1244	11.8306	2.6439	49.18	2.970
2.980	0.3602	0.0281	0.0779	1.1312	0.3083	10.9908	1.2222	0.5191	0.1744	0.4764	0.3340	10.1938	11.9072	2.6555	49.37	2.980
2.990	0.3587	0.0276	0.0770	1.1325	0.3054	11.0514	1.2230	0.5206	0.1729	0.4758	0.3312	10.2635	11.9839	2.6673	49.56	2.990
3.000	0.3571	0.0272	0.0762	1.1339	0.3025	11.1122	1.2239	0.5222	0.1715	0.4752	0.3283	10.3333	12.0610	2.6790	49.76	3.000

GAS FLOW TABLES ($\gamma=1.333$): SUBSONIC FLOW

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap_0}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap}$	$\frac{F}{\dot{m}\sqrt{c_p T_0}}$	$\frac{4c_f L_{\max}}{D}$	$\frac{1}{2}\frac{\rho V^2}{p_0}$
0.010	1.0000	0.9999	1.0000	0.0058	0.0231	0.0231	43.2958	7493.200	0.0001
0.020	0.9999	0.9997	0.9998	0.0115	0.0462	0.0462	21.6560	1868.007	0.0003
0.030	0.9999	0.9994	0.9996	0.0173	0.0693	0.0693	14.4464	826.7890	0.0006
0.040	0.9997	0.9989	0.9992	0.0231	0.0923	0.0924	10.8442	462.6179	0.0011
0.050	0.9996	0.9983	0.9988	0.0288	0.1153	0.1155	8.6851	294.2161	0.0017
0.060	0.9994	0.9976	0.9982	0.0346	0.1383	0.1386	7.2475	202.8455	0.0024
0.070	0.9992	0.9967	0.9976	0.0404	0.1612	0.1618	6.2222	147.8292	0.0033
0.080	0.9989	0.9957	0.9968	0.0461	0.1841	0.1849	5.4546	112.1800	0.0042
0.090	0.9987	0.9946	0.9960	0.0519	0.2069	0.2080	4.8587	87.7848	0.0054
0.100	0.9983	0.9934	0.9950	0.0577	0.2297	0.2312	4.3831	70.3719	0.0066
0.110	0.9980	0.9920	0.9940	0.0634	0.2523	0.2544	3.9949	57.5186	0.0080
0.120	0.9976	0.9905	0.9928	0.0692	0.2749	0.2775	3.6724	47.7680	0.0095
0.130	0.9972	0.9888	0.9916	0.0749	0.2974	0.3007	3.4003	40.2012	0.0111
0.140	0.9967	0.9870	0.9903	0.0807	0.3197	0.3239	3.1678	34.2155	0.0129
0.150	0.9963	0.9851	0.9888	0.0864	0.3420	0.3471	2.9670	29.4027	0.0148
0.160	0.9958	0.9831	0.9873	0.0921	0.3641	0.3704	2.7920	25.4777	0.0168
0.170	0.9952	0.9810	0.9857	0.0979	0.3861	0.3936	2.6383	22.2372	0.0189
0.180	0.9946	0.9787	0.9840	0.1036	0.4080	0.4169	2.5022	19.5326	0.0211
0.190	0.9940	0.9763	0.9822	0.1093	0.4298	0.4402	2.3809	17.2536	0.0235
0.200	0.9934	0.9738	0.9803	0.1150	0.4514	0.4635	2.2724	15.3166	0.0260
0.210	0.9927	0.9711	0.9783	0.1207	0.4728	0.4869	2.1747	13.6578	0.0285
0.220	0.9920	0.9684	0.9762	0.1264	0.4941	0.5102	2.0863	12.2273	0.0312
0.230	0.9913	0.9655	0.9740	0.1321	0.5152	0.5336	2.0061	10.9859	0.0340
0.240	0.9905	0.9625	0.9717	0.1378	0.5362	0.5570	1.9330	9.9026	0.0370
0.250	0.9897	0.9594	0.9694	0.1435	0.5569	0.5805	1.8662	8.9522	0.0400
0.260	0.9889	0.9562	0.9669	0.1492	0.5775	0.6040	1.8049	8.1146	0.0431
0.270	0.9880	0.9529	0.9644	0.1549	0.5979	0.6275	1.7486	7.3731	0.0463
0.280	0.9871	0.9494	0.9618	0.1605	0.6181	0.6510	1.6966	6.7140	0.0496
0.290	0.9862	0.9459	0.9591	0.1662	0.6380	0.6746	1.6486	6.1261	0.0530
0.300	0.9852	0.9422	0.9563	0.1718	0.6578	0.6982	1.6042	5.5998	0.0565
0.310	0.9843	0.9384	0.9534	0.1775	0.6774	0.7218	1.5629	5.1272	0.0601
0.320	0.9832	0.9346	0.9505	0.1831	0.6967	0.7455	1.5245	4.7016	0.0638
0.330	0.9822	0.9306	0.9475	0.1887	0.7158	0.7692	1.4888	4.3173	0.0675
0.340	0.9811	0.9265	0.9444	0.1943	0.7347	0.7929	1.4555	3.9693	0.0714
0.350	0.9800	0.9224	0.9412	0.1999	0.7533	0.8167	1.4244	3.6535	0.0753
0.360	0.9789	0.9181	0.9379	0.2055	0.7717	0.8405	1.3953	3.3663	0.0793
0.370	0.9777	0.9137	0.9346	0.2111	0.7898	0.8644	1.3680	3.1046	0.0834
0.380	0.9765	0.9093	0.9311	0.2167	0.8077	0.8883	1.3425	2.8655	0.0875
0.390	0.9753	0.9047	0.9276	0.2223	0.8253	0.9122	1.3185	2.6469	0.0917
0.400	0.9741	0.9001	0.9241	0.2278	0.8427	0.9362	1.2959	2.4466	0.0960
0.410	0.9728	0.8954	0.9204	0.2334	0.8598	0.9603	1.2747	2.2627	0.1003
0.420	0.9715	0.8906	0.9167	0.2389	0.8766	0.9843	1.2548	2.0937	0.1047
0.430	0.9701	0.8857	0.9130	0.2444	0.8932	1.0085	1.2360	1.9382	0.1091
0.440	0.9688	0.8807	0.9091	0.2499	0.9095	1.0326	1.2183	1.7949	0.1136
0.450	0.9674	0.8757	0.9052	0.2554	0.9255	1.0569	1.2016	1.6627	0.1182
0.460	0.9660	0.8706	0.9012	0.2609	0.9412	1.0811	1.1858	1.5405	0.1228
0.470	0.9645	0.8654	0.8972	0.2664	0.9567	1.1055	1.1710	1.4276	0.1274
0.480	0.9631	0.8601	0.8931	0.2718	0.9718	1.1299	1.1569	1.3231	0.1321
0.490	0.9616	0.8548	0.8890	0.2773	0.9867	1.1543	1.1436	1.2263	0.1368
0.500	0.9600	0.8494	0.8847	0.2827	1.0012	1.1788	1.1310	1.1365	0.1415

$$\gamma=1.333$$

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap_0}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap}$	$\frac{F}{\dot{m}\sqrt{c_p T_0}}$	$\frac{4c_f L_{\max}}{D}$	$\frac{1}{2}\frac{\rho V^2}{p_0}$
0.510	0.9585	0.8439	0.8805	0.2881	1.0155	1.2033	1.1192	1.0532	0.1463
0.520	0.9569	0.8384	0.8761	0.2935	1.0295	1.2279	1.1079	0.9759	0.1511
0.530	0.9553	0.8328	0.8717	0.2989	1.0431	1.2526	1.0973	0.9041	0.1559
0.540	0.9537	0.8271	0.8673	0.3043	1.0565	1.2773	1.0872	0.8373	0.1608
0.550	0.9520	0.8214	0.8628	0.3097	1.0696	1.3021	1.0777	0.7752	0.1656
0.560	0.9504	0.8157	0.8583	0.3150	1.0823	1.3269	1.0687	0.7174	0.1705
0.570	0.9487	0.8099	0.8537	0.3204	1.0948	1.3518	1.0601	0.6636	0.1754
0.580	0.9470	0.8040	0.8490	0.3257	1.1069	1.3768	1.0520	0.6136	0.1803
0.590	0.9452	0.7981	0.8443	0.3310	1.1188	1.4018	1.0444	0.5669	0.1852
0.600	0.9434	0.7921	0.8396	0.3363	1.1303	1.4269	1.0371	0.5235	0.1901
0.610	0.9417	0.7861	0.8348	0.3416	1.1415	1.4521	1.0303	0.4830	0.1950
0.620	0.9398	0.7801	0.8300	0.3469	1.1524	1.4773	1.0238	0.4452	0.1999
0.630	0.9380	0.7740	0.8252	0.3521	1.1630	1.5026	1.0176	0.4101	0.2048
0.640	0.9362	0.7679	0.8203	0.3573	1.1733	1.5280	1.0118	0.3773	0.2096
0.650	0.9343	0.7618	0.8153	0.3626	1.1833	1.5534	1.0063	0.3467	0.2145
0.660	0.9324	0.7556	0.8104	0.3678	1.1930	1.5789	1.0011	0.3183	0.2194
0.670	0.9305	0.7494	0.8054	0.3729	1.2023	1.6045	0.9962	0.2918	0.2242
0.680	0.9285	0.7431	0.8003	0.3781	1.2114	1.6301	0.9916	0.2671	0.2290
0.690	0.9266	0.7368	0.7953	0.3833	1.2201	1.6559	0.9872	0.2441	0.2338
0.700	0.9246	0.7306	0.7902	0.3884	1.2285	1.6817	0.9831	0.2227	0.2386
0.710	0.9226	0.7242	0.7850	0.3935	1.2367	1.7075	0.9792	0.2028	0.2433
0.720	0.9205	0.7179	0.7799	0.3986	1.2445	1.7335	0.9755	0.1843	0.2480
0.730	0.9185	0.7116	0.7747	0.4037	1.2520	1.7595	0.9721	0.1671	0.2527
0.740	0.9164	0.7052	0.7695	0.4088	1.2592	1.7856	0.9688	0.1512	0.2574
0.750	0.9144	0.6988	0.7643	0.4139	1.2661	1.8118	0.9658	0.1364	0.2620
0.760	0.9123	0.6924	0.7590	0.4189	1.2727	1.8381	0.9629	0.1227	0.2666
0.770	0.9102	0.6860	0.7537	0.4239	1.2790	1.8644	0.9603	0.1100	0.2711
0.780	0.9080	0.6796	0.7484	0.4289	1.2850	1.8908	0.9578	0.0983	0.2756
0.790	0.9059	0.6732	0.7431	0.4339	1.2907	1.9174	0.9554	0.0875	0.2800
0.800	0.9037	0.6668	0.7378	0.4389	1.2961	1.9440	0.9533	0.0776	0.2844
0.810	0.9015	0.6603	0.7325	0.4438	1.3013	1.9706	0.9513	0.0685	0.2888
0.820	0.8993	0.6539	0.7271	0.4487	1.3061	1.9974	0.9494	0.0601	0.2930
0.830	0.8971	0.6475	0.7217	0.4536	1.3107	2.0243	0.9477	0.0524	0.2973
0.840	0.8949	0.6411	0.7164	0.4585	1.3149	2.0512	0.9461	0.0454	0.3015
0.850	0.8926	0.6346	0.7110	0.4634	1.3189	2.0782	0.9446	0.0391	0.3056
0.860	0.8904	0.6282	0.7056	0.4683	1.3226	2.1053	0.9433	0.0333	0.3097
0.870	0.8881	0.6218	0.7002	0.4731	1.3260	2.1326	0.9420	0.0281	0.3137
0.880	0.8858	0.6154	0.6948	0.4779	1.3292	2.1599	0.9409	0.0235	0.3176
0.890	0.8835	0.6090	0.6893	0.4827	1.3321	2.1873	0.9399	0.0193	0.3215
0.900	0.8812	0.6026	0.6839	0.4875	1.3347	2.2147	0.9390	0.0156	0.3253
0.910	0.8788	0.5963	0.6785	0.4923	1.3370	2.2423	0.9383	0.0124	0.3291
0.920	0.8765	0.5899	0.6731	0.4970	1.3391	2.2700	0.9376	0.0096	0.3328
0.930	0.8741	0.5836	0.6676	0.5018	1.3410	2.2978	0.9370	0.0072	0.3364
0.940	0.8717	0.5773	0.6622	0.5065	1.3425	2.3256	0.9365	0.0052	0.3400
0.950	0.8694	0.5710	0.6568	0.5111	1.3439	2.3536	0.9360	0.0035	0.3435
0.960	0.8670	0.5647	0.6514	0.5158	1.3449	2.3817	0.9357	0.0022	0.3469
0.970	0.8646	0.5585	0.6459	0.5205	1.3458	2.4098	0.9354	0.0012	0.3502
0.980	0.8621	0.5522	0.6405	0.5251	1.3464	2.4381	0.9353	0.0005	0.3535
0.990	0.8597	0.5460	0.6351	0.5297	1.3467	2.4664	0.9351	0.0001	0.3567
1.000	0.8573	0.5398	0.6297	0.5343	1.3468	2.4949	0.9351	0.0000	0.3598

GAS FLOW TABLES ($\gamma=1.333$): SUPERSONIC FLOW

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap_0}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap}$	$\frac{F}{\dot{m}\sqrt{c_p T_0}}$	$\frac{4c_f L_{\max}}{D}$	$\frac{\frac{1}{2}\rho V^2}{p_0}$
1.010	0.8548	0.5337	0.6243	0.5389	1.3467	2.5234	0.9351	0.0001	0.3628
1.020	0.8524	0.5276	0.6189	0.5434	1.3464	2.5521	0.9352	0.0005	0.3658
1.030	0.8499	0.5215	0.6136	0.5479	1.3458	2.5809	0.9354	0.0011	0.3687
1.040	0.8474	0.5154	0.6082	0.5525	1.3450	2.6097	0.9356	0.0019	0.3715
1.050	0.8449	0.5093	0.6028	0.5569	1.3440	2.6387	0.9359	0.0029	0.3743
1.060	0.8424	0.5033	0.5975	0.5614	1.3428	2.6678	0.9363	0.0042	0.3769
1.070	0.8399	0.4974	0.5922	0.5659	1.3414	2.6970	0.9367	0.0056	0.3795
1.080	0.8374	0.4914	0.5869	0.5703	1.3397	2.7263	0.9371	0.0071	0.3820
1.090	0.8349	0.4855	0.5816	0.5747	1.3379	2.7557	0.9376	0.0089	0.3845
1.100	0.8323	0.4796	0.5763	0.5791	1.3359	2.7852	0.9381	0.0108	0.3868
1.110	0.8298	0.4738	0.5710	0.5835	1.3337	2.8148	0.9387	0.0128	0.3891
1.120	0.8272	0.4680	0.5658	0.5878	1.3313	2.8446	0.9394	0.0150	0.3913
1.130	0.8247	0.4622	0.5605	0.5922	1.3287	2.8744	0.9401	0.0173	0.3934
1.140	0.8221	0.4565	0.5553	0.5965	1.3259	2.9043	0.9408	0.0197	0.3954
1.150	0.8195	0.4508	0.5501	0.6008	1.3229	2.9344	0.9415	0.0223	0.3974
1.160	0.8170	0.4452	0.5449	0.6050	1.3198	2.9646	0.9424	0.0250	0.3993
1.170	0.8144	0.4396	0.5398	0.6093	1.3165	2.9949	0.9432	0.0277	0.4011
1.180	0.8118	0.4340	0.5347	0.6135	1.3131	3.0253	0.9441	0.0306	0.4028
1.190	0.8092	0.4285	0.5295	0.6177	1.3094	3.0558	0.9450	0.0335	0.4044
1.200	0.8066	0.4230	0.5245	0.6219	1.3057	3.0864	0.9459	0.0366	0.4060
1.210	0.8040	0.4176	0.5194	0.6261	1.3017	3.1172	0.9469	0.0397	0.4075
1.220	0.8014	0.4122	0.5143	0.6302	1.2976	3.1481	0.9479	0.0429	0.4089
1.230	0.7988	0.4068	0.5093	0.6344	1.2934	3.1791	0.9489	0.0462	0.4102
1.240	0.7962	0.4015	0.5043	0.6385	1.2890	3.2102	0.9500	0.0495	0.4115
1.250	0.7936	0.3963	0.4994	0.6426	1.2845	3.2414	0.9511	0.0529	0.4127
1.260	0.7909	0.3911	0.4944	0.6466	1.2798	3.2727	0.9522	0.0564	0.4138
1.270	0.7883	0.3859	0.4895	0.6507	1.2751	3.3042	0.9533	0.0599	0.4148
1.280	0.7857	0.3808	0.4846	0.6547	1.2701	3.3358	0.9545	0.0634	0.4158
1.290	0.7830	0.3757	0.4798	0.6587	1.2651	3.3675	0.9557	0.0670	0.4167
1.300	0.7804	0.3706	0.4749	0.6627	1.2599	3.3993	0.9569	0.0707	0.4175
1.310	0.7778	0.3657	0.4701	0.6667	1.2547	3.4313	0.9581	0.0744	0.4182
1.320	0.7751	0.3607	0.4654	0.6706	1.2493	3.4633	0.9594	0.0781	0.4189
1.330	0.7725	0.3558	0.4606	0.6746	1.2438	3.4955	0.9606	0.0819	0.4195
1.340	0.7698	0.3510	0.4559	0.6785	1.2382	3.5279	0.9619	0.0857	0.4200
1.350	0.7672	0.3462	0.4512	0.6824	1.2325	3.5603	0.9632	0.0895	0.4205
1.360	0.7646	0.3414	0.4465	0.6862	1.2266	3.5929	0.9645	0.0934	0.4209
1.370	0.7619	0.3367	0.4419	0.6901	1.2207	3.6256	0.9659	0.0973	0.4212
1.380	0.7593	0.3320	0.4373	0.6939	1.2147	3.6584	0.9672	0.1012	0.4215
1.390	0.7566	0.3274	0.4328	0.6977	1.2086	3.6914	0.9686	0.1051	0.4216
1.400	0.7540	0.3229	0.4282	0.7015	1.2025	3.7245	0.9700	0.1091	0.4218
1.410	0.7513	0.3183	0.4237	0.7053	1.1962	3.7577	0.9714	0.1130	0.4218
1.420	0.7487	0.3139	0.4192	0.7090	1.1899	3.7910	0.9728	0.1170	0.4218
1.430	0.7460	0.3094	0.4148	0.7127	1.1835	3.8245	0.9742	0.1210	0.4217
1.440	0.7434	0.3051	0.4104	0.7164	1.1770	3.8581	0.9756	0.1250	0.4216
1.450	0.7407	0.3007	0.4060	0.7201	1.1704	3.8918	0.9771	0.1290	0.4214
1.460	0.7381	0.2965	0.4017	0.7238	1.1638	3.9257	0.9785	0.1331	0.4212
1.470	0.7354	0.2922	0.3974	0.7275	1.1571	3.9597	0.9800	0.1371	0.4209
1.480	0.7328	0.2880	0.3931	0.7311	1.1504	3.9938	0.9815	0.1411	0.4205
1.490	0.7301	0.2839	0.3888	0.7347	1.1435	4.0281	0.9829	0.1452	0.4201
1.500	0.7275	0.2798	0.3846	0.7383	1.1367	4.0625	0.9844	0.1492	0.4196

$$\gamma=1.333$$

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap_0}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap}$	$\frac{F}{\dot{m}\sqrt{c_p T_0}}$	$\frac{4c_f L_{\max}}{D}$	$\frac{1}{2}\frac{\rho V^2}{p_0}$
1.510	0.7248	0.2758	0.3804	0.7419	1.1298	4.0970	0.9859	0.1532	0.4191
1.520	0.7222	0.2718	0.3763	0.7454	1.1228	4.1317	0.9874	0.1573	0.4185
1.530	0.7195	0.2678	0.3722	0.7489	1.1158	4.1665	0.9889	0.1613	0.4178
1.540	0.7169	0.2639	0.3681	0.7524	1.1087	4.2014	0.9905	0.1654	0.4171
1.550	0.7143	0.2600	0.3641	0.7559	1.1016	4.2365	0.9920	0.1694	0.4164
1.560	0.7116	0.2562	0.3600	0.7594	1.0945	4.2717	0.9935	0.1734	0.4156
1.570	0.7090	0.2524	0.3561	0.7629	1.0873	4.3070	0.9950	0.1775	0.4147
1.580	0.7064	0.2487	0.3521	0.7663	1.0801	4.3425	0.9966	0.1815	0.4138
1.590	0.7038	0.2450	0.3482	0.7697	1.0729	4.3782	0.9981	0.1855	0.4129
1.600	0.7011	0.2414	0.3443	0.7731	1.0656	4.4139	0.9997	0.1895	0.4119
1.610	0.6985	0.2378	0.3405	0.7765	1.0583	4.4498	1.0012	0.1935	0.4109
1.620	0.6959	0.2343	0.3367	0.7799	1.0510	4.4859	1.0028	0.1975	0.4098
1.630	0.6933	0.2308	0.3329	0.7832	1.0436	4.5220	1.0043	0.2015	0.4087
1.640	0.6907	0.2273	0.3291	0.7865	1.0363	4.5584	1.0059	0.2055	0.4075
1.650	0.6881	0.2239	0.3254	0.7898	1.0289	4.5948	1.0075	0.2094	0.4063
1.660	0.6855	0.2206	0.3217	0.7931	1.0215	4.6314	1.0090	0.2134	0.4051
1.670	0.6829	0.2172	0.3181	0.7964	1.0141	4.6682	1.0106	0.2173	0.4038
1.680	0.6803	0.2139	0.3145	0.7996	1.0066	4.7051	1.0122	0.2213	0.4025
1.690	0.6777	0.2107	0.3109	0.8028	0.9992	4.7421	1.0137	0.2252	0.4011
1.700	0.6751	0.2075	0.3074	0.8061	0.9918	4.7793	1.0153	0.2291	0.3997
1.710	0.6726	0.2044	0.3039	0.8093	0.9843	4.8166	1.0169	0.2330	0.3983
1.720	0.6700	0.2012	0.3004	0.8124	0.9769	4.8541	1.0184	0.2369	0.3968
1.730	0.6674	0.1982	0.2969	0.8156	0.9694	4.8917	1.0200	0.2407	0.3953
1.740	0.6649	0.1951	0.2935	0.8187	0.9620	4.9294	1.0216	0.2446	0.3938
1.750	0.6623	0.1922	0.2901	0.8218	0.9545	4.9673	1.0232	0.2484	0.3922
1.760	0.6597	0.1892	0.2868	0.8249	0.9471	5.0054	1.0247	0.2522	0.3906
1.770	0.6572	0.1863	0.2835	0.8280	0.9396	5.0435	1.0263	0.2560	0.3890
1.780	0.6546	0.1834	0.2802	0.8311	0.9322	5.0819	1.0279	0.2598	0.3874
1.790	0.6521	0.1806	0.2770	0.8341	0.9248	5.1204	1.0294	0.2636	0.3857
1.800	0.6496	0.1778	0.2737	0.8372	0.9173	5.1590	1.0310	0.2673	0.3840
1.810	0.6471	0.1751	0.2706	0.8402	0.9099	5.1978	1.0326	0.2711	0.3822
1.820	0.6445	0.1723	0.2674	0.8432	0.9025	5.2367	1.0341	0.2748	0.3805
1.830	0.6420	0.1697	0.2643	0.8461	0.8951	5.2758	1.0357	0.2785	0.3787
1.840	0.6395	0.1670	0.2612	0.8491	0.8878	5.3150	1.0373	0.2822	0.3769
1.850	0.6370	0.1644	0.2581	0.8521	0.8804	5.3544	1.0388	0.2858	0.3751
1.860	0.6345	0.1619	0.2551	0.8550	0.8731	5.3939	1.0404	0.2895	0.3732
1.870	0.6320	0.1593	0.2521	0.8579	0.8658	5.4336	1.0419	0.2931	0.3714
1.880	0.6295	0.1568	0.2491	0.8608	0.8585	5.4734	1.0435	0.2967	0.3695
1.890	0.6271	0.1544	0.2462	0.8636	0.8512	5.5134	1.0450	0.3003	0.3676
1.900	0.6246	0.1520	0.2433	0.8665	0.8439	5.5535	1.0466	0.3039	0.3656
1.910	0.6221	0.1496	0.2404	0.8693	0.8367	5.5938	1.0481	0.3074	0.3637
1.920	0.6197	0.1472	0.2376	0.8722	0.8295	5.6342	1.0497	0.3110	0.3617
1.930	0.6172	0.1449	0.2348	0.8750	0.8223	5.6748	1.0512	0.3145	0.3598
1.940	0.6148	0.1426	0.2320	0.8778	0.8152	5.7155	1.0527	0.3180	0.3578
1.950	0.6123	0.1404	0.2292	0.8805	0.8081	5.7564	1.0543	0.3215	0.3558
1.960	0.6099	0.1382	0.2265	0.8833	0.8010	5.7974	1.0558	0.3249	0.3537
1.970	0.6075	0.1360	0.2238	0.8860	0.7939	5.8386	1.0573	0.3284	0.3517
1.980	0.6051	0.1338	0.2212	0.8888	0.7869	5.8800	1.0588	0.3318	0.3497
1.990	0.6026	0.1317	0.2185	0.8915	0.7799	5.9215	1.0603	0.3352	0.3476
2.000	0.6002	0.1296	0.2159	0.8942	0.7729	5.9631	1.0619	0.3386	0.3455